

### Martinal® ONS

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03 Canadian Workplace Hazardous Material Information System (WHMIS) 2015 Mexico NOM-018-STPS-2000; NOM-018-STPS-2015 GHS (Globally Harmonized System)

**Issue Date:** 19/Aug/2021 **Print Date:** 19/Aug/2021 Revision Number: 1.3.1 Page 1 of 11

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product Name: Martinal® ONS

Pure substance/mixture Substance

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Additive : Flame retardant
Industrial use	<ul> <li>Production substance</li> <li>Polymer processing</li> <li>Production of plastics and rubber compounds</li> <li>Formulation flame retardant preparation</li> <li>Compounds used in transport industry</li> <li>Compounds used in electrical application</li> <li>Compounds used in electronic application</li> <li>Compounds used in Wire &amp; Cable</li> <li>Abrasive for glass industry, ceramics and stones</li> <li>Textile coating</li> <li>Production of corrosion inhibitors</li> <li>Fuels</li> <li>Deacidification agent for paper</li> <li>pH Regulating agent</li> <li>Use in coatings, inks, paints and roofing</li> <li>Use as corrosion inhibitor of gas turbines and boilers</li> <li>Use in cleaning agents</li> <li>Use in oil field operations</li> <li>Use in metal working fluids</li> <li>Use in blowing agents</li> <li>Use in textile</li> <li>Use in functional fluids</li> <li>Use in functional fluids</li> <li>Use in agrochemicals</li> <li>Use in mining chemicals</li> <li>Use in mining chemicals</li> <li>Recycling plastics</li> <li>White pigment for paper and board, filler, etc.</li> </ul>

Martinal® ONS

Issue Date: 19/Aug/2021 Print Date: 19/Aug/2021

#### Revision Number: 1.3.1 Page 2 of 11

Professional use	Polymer processing Use in Adhesives and/or sealants Use in coatings, inks, paints and roofing Use in agrochemicals Use in cleaning agents Use in cleaning agents Use in lubricants Use in lubricants Use in metal working fluids Use in binders and release agents Use in propellants Use in textile Use in explosives Use in water treatment chemicals Use in functional fluids For use by laboratories for research Fuels De-icing & anti-icing applications Road and construction applications
Consumer use	Use in coatings, inks, paints and roofing Use in cleaning agents Use in lubricants Use in propellants Fuels Use in functional fluids De-icing & anti-icing applications Cosmetic additive Use in water treatment chemicals
1.3. Details of the supplier of the	e safety data sheet
Company:	MARTINSWERK GmbH Kölner Strasse 110 50127 Bergheim Germany Tel. : +49-2271-90.22.78 Fax. : +49-2271-90.27.17

Internet www.hubermaterials.com

E-mail hubermaterials@huber.com

**1.4. Emergency telephone** CHEMTREC: +1 800 424 9300 or International +1 703 527 3887 number

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

OSHA Regulatory Status	This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)
Physical Hazards	Not classified

Martinal® ONS

**Issue Date:** 19/Aug/2021 **Print Date:** 19/Aug/2021 Revision Number: 1.3.1 Page 3 of 11

Health Hazards	Not classified
Environmental Hazard	Not classified
2.2. Label elements	
Symbols/Pictograms	None
Signal Word	None
Hazard Statements	None
Hazard Statements	None
Precautionary Statements	
Prevention	Employ good industrial hygiene practice Wash hands thoroughly after handling
Response	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing IF ON SKIN: Wash with plenty of soap and water
Storage	Keep in a dry place Store away from incompatible materials
Disposal	Dispose of contents/containers in accordance with local regulations
Additional Information:	None.
Hazards not otherwise classifie	d Not classified.

(HNOC)

# **SECTION 3: Composition/information on ingredients**

### Pure substance/mixture

Substance

Chemical Name	CAS Number	TSCA: United States	Canada (DSL)	Mexico	REACH registration number	OSHA Regulatory Status	WHMIS	Weight-%
Aluminum Hydroxide	21645-51-2	A	Y	Y	01-211952924 6-39	Not classified		>99

Legend

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

# **SECTION 4: First aid measures**

#### HUBER

### Safety Data Sheet

Martinal® ONS

<b>Issue Date:</b>	19/Aug/2021
Print Date:	19/Aug/2021

Revision	Number:		1.3.1	
	Page	4	of	11

General Advice	When in doubt or if symptoms are observed, get medical advice. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Eye Contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Skin Contact	Wash with plenty of soap and water.
Ingestion	Rinse mouth thoroughly with water.
Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Aspiration hazard	Not an expected route of exposure.
4.2. Most important symptoms and effects, both acute and delayed	Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin.
4.3. Indication of any immediate medical attention and special	Treatment should be symptomatic and supportive.

medical attention and special treatment needed

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable Extinguishing Media Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO2).

Unsuitable Extinguishing Media None known.

**5.2. Special hazards arising from the substance or mixture** None known.

### 5.3. Advice for firefighters

# Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

### **Fire-fighting measures**

In case of fire and/or explosion do not breathe fumes.

# **SECTION 6: Accidental release measures**

Martinal® ONS

**Issue Date:** 19/Aug/2021 **Print Date:** 19/Aug/2021 Revision Number: 1.3.1 Page 5 of 11

6.1. Personal precautions, protective equipment and emergency procedures	Ensure adequate ventilation. Use personal protection recommended in Section 8. Avoid dust formation. Keep unauthorized personnel away.
For non-emergency personnel	Keep unauthorized personnel away.
For emergency responders	Keep unauthorized personnel away. Use personal protection recommended in Section 8.
6.2. Environmental precautions	Avoid runoff to waterways and sewers.
6.3. Methods and material for containment and cleaning up	Methods for Containment : Prevent further leakage or spillage if safe to do so Methods for Clean-up : Sweep up and shovel into suitable containers for disposal
6.4. Reference to other sections	Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

# **SECTION 7: Handling and storage**

7.1. Precautions for safe	Minimize dust generation and accumulation. Provide local exhaust ventilation.
handling	Handle in accordance with good industrial hygiene and safety practice.

**7.2. Conditions for safe storage,** Store away from incompatible materials. Keep container tightly closed and dry. **including any incompatibilities** 

7.3. Specific end use(s) No information available.

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### **Occupational exposure limits**

Aluminum Hydroxide	
OSHA	TWA: 15 mg/m <sup>3</sup> Total Dust
ACGIH Canada - Nova Scotia - OEL - TWA	5 mg/m <sup>3</sup> Respirable Dust TLV/TWA 8-hr: 1 mg/m <sup>3</sup> (respirable fraction) 1 mg/m <sup>3</sup> TWA (respirable fraction)
PNEC (Predicted No Effect Concentration)	No information available
DNEL (Derived No Effect Level)	No information available
<b>Biological Limit Values:</b>	None
8.2. Exposure controls	

Martinal® ONS

**Issue Date:** 19/Aug/2021 **Print Date:** 19/Aug/2021 Revision Number: 1.3.1 Page 6 of 11

Engineering Measures	Provide a good standard of controlled ventilation (5 to 10 air changes per hour). Use exhaust ventilation to keep airborne concentrations below exposure limits. In case of insufficient ventilation, wear suitable respiratory equipment.
Personal protective equipment	
Eye/Face Protection	Wear safety glasses with side shields (or goggles).
Skin and Body Protection	Wear suitable protective clothing.

Hand ProtectionFor operations where prolonged or repeated skin contact may occur, impervious<br/>gloves should be worn.

**Respiratory Protection** In case of inadequate ventilation wear respiratory protection.

Thermal hazards None known.

.

**Hygiene Measures** Follow general hygiene considerations recognized as common good workplace practices. The worker should wash daily at the end of each work shift, and prior to eating, drinking, smoking, etc.

### **Environmental Exposure** Dispose of in accordance with local regulations.

.

.

.

.

Controls

. . .

. .

# **SECTION 9: Physical and chemical properties**

...

9.1. Information on basic physic	al and chemical properties
Appearance:	
Physical State	Solid Powder
Color	White
Odor	Odorless
Odor Threshold	No information available
pH:	+/- 9 ( 10% Water )
Melting point / Freezing point	~   300 °C / 572 °F (101.3 hPa)
Initial boiling point and boiling	> 2900 °C / 5252 °F (101.3 hPa)
range	
Flash Point:	Not applicable. Product/Substance is inorganic. Solid.
Evaporation Rate	Not applicable.
Flammability (solid, gas)	Not flammable
Upper flammability limit:	
Lower flammability limit:	
Vapor Pressure	Not applicable
Vapor Density	Not applicable
Relative Density	+/- 2.42 g/cm <sup>3</sup> (20 °C)
Water Solubility	Insoluble
Solubility in other solvents	No information available
Partition coefficient	Not applicable Product/Substance is inorganic
Decomposition Temperature	200 °C (392 °F)
Dynamic viscosity	Not applicable Solid
Explosive Properties	None
Oxidizing Properties	None
9.2. Other information	

Martinal® ONS

Issue Date: 19/Aug/2021 Print Date: 19/Aug/2021 Revision Number: 1.3.1 Page 7 of 11

No data available

# **SECTION 10: Stability and reactivity**

10.1. Reactivity	No data available
10.2. Chemical stability	Stable under normal conditions
10.3. Possibility of hazardous reactions	None under normal processing
10.4. Conditions to avoid	Decomposition Temperature < / =0.3% : Al <sub>2</sub> O <sub>3</sub> Water
10.5. Incompatible materials	None known
10.6. Hazardous decomposition products	None known

# **SECTION 11: Toxicological information**

General Information	Users are advised to consider national Occupational Exposure Limits or othe equivalent values.			
Information on Likely Route	es of Exposure			
Inhalation	Do not breathe dust			
Skin	Avoid prolonged or repeated contact with skin Contact with dust can cause mechanical irritation or drying of the skin			
Eyes	Avoid contact with eyes Dust contact with the eyes can lead to mechanical irritation			
Ingestion	Ingestion is not a likely route of exposure			
Aspiration hazard	Not an expected route of exposure.			
11.1. Information on toxicol	ogical effects			
Aluminum Hydroxide Oral LD50 Inhalation LC50 IARC	> 2000 mg/kg Rat Rat > 2.3 mg/l (Al2O3) Aerosol Maximum attainable concentration Not Listed			
Reproductive Toxicity	Based on available data, the classification criteria are not met.			
Carcinogenicity	Based on available data, the classification criteria are not met.			

Martinal® ONS

Issue Date: 19/Aug/2021 Print Date: 19/Aug/2021 Revision Number: 1.3.1 Page 8 of 11

# **SECTION 12: Ecological information**

12.1. Ecotoxicity	Very low solubility. Not considered to be harmful to aquatic life.
<u>Aluminum Hydroxide</u> WGK Classification (AwSV)	5220 WGK: nwg
12.2. Persistence and degradability	The methods for determining biodegradability are not applicable to inorganic substances.
12.3. Bioaccumulative potential	Not likely to bioaccumulate.
Bioconcentration factor (BCF)	No data available.
12.4. Mobility in soil	No information available.
12.5. Results of PBT and vPvB assessment	This substance does not meet the criteria for classification as PBT or vPvB.
12.6. Other adverse effects	No information available

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Disposal Methods	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not reuse container.
Waste codes	Waste codes should be assigned by the user based on the application for which the product was used
<u>Aluminum Hydroxide</u> European Waste Catalog WGK Classification (AwSV)	060299 5220 WGK: nwg

# **SECTION 14: Transport information**

Martinal® ONS

**Issue Date:** 19/Aug/2021 **Print Date:** 19/Aug/2021 Revision Number: 1.3.1 Page 9 of 11

Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada	Not regulated
DOT	Not regulated
ΙΑΤΑ	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated

14.1. UN number	None
14.2. UN proper shipping name	None
14.3. Transport hazard class(es)	None
14.4. Packing group	None
14.5. Environmental hazards	No
14.6. Special precautions for user	Not applicable

**14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable

# **SECTION 15: Regulatory information**

### **Global Inventories**

Pure substance/mixture

Substance

Chemical Name	CAS Number	EC No	REACH registrati on number	Australia (AIIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico		Philippine s (PICCS)	Taiwan	TSCA: United States
Aluminum Hydroxide	21645-51- 2	244-492-7	01-211952 9246-39	Y	Y	Y	(1)-17 (ENCS); ISHL	KE-00980	Y	Y	Y	Y	A

Legend

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

### **US Federal Regulations**

### <u>EPA</u>

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40n of the Code of Federal Regulations, Part 372.

```
Aluminum Hydroxide CERCLA Not listed
```

HUBER

### **Safety Data Sheet**

Martinal® ONS

**Issue Date:** 19/Aug/2021 **Print Date:** 19/Aug/2021 Revision Number: 1.3.1 Page 10 of 11

**SARA 302** 

Not listed

CWA (Clean Water Act) Not listed

CAA (Clean Air Act) Not listed

### U.S. State Right-to-Know Regulations

Chemical Name	CAS Number	California Proposition 65	Massachusetts	Minnesota	New Jersey	Pennsylvania
Aluminum Hydroxide	21645-51-2	N	N	Ν	N	N

Legend Y: Listed ; N: Not Listed

### California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65)

This product does not contain any Proposition 65 chemicals

### CANADA

### WHMIS:

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR

	SECTION 16: Other information
Prepared by	Huber Engineered Materials (HEM) Global Regulatory Affairs regulatory.affairs@huber.com
Issue Date: Print Date:	19/Aug/2021 19/Aug/2021
Revision Number:	1.3.1
Reason for Version	OSHA (Occupational Safety and Health Administration of the US Department of Labor).
Training Advice	Do not handle until all safety precautions have been read and understood.
Abbreviations and acronyms	<ul> <li>IARC (International Agency for Research on Cancer)</li> <li>IATA (International Air Transport Association)</li> <li>IMDG (International Maritime Dangerous Goods)</li> <li>IUCLID (International Uniform Chemical Information Database)</li> <li>WHMIS (Workplace Hazardous Materials Information System)</li> <li>DOT (Department of Transportation)</li> <li>OSHA (Occupational Safety and Health Administration of the US Department of Labor)</li> <li>TWA (Time-Weighted Average)</li> <li>CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008))</li> <li>PPE (Personal Protection Equipment)</li> <li>NIOSH (National Institute for Occupational Safety and Health)</li> <li>TDG (Transport of Dangerous Goods) Canada</li> <li>CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)</li> <li>RQ (Reportable Quantity) (RQ/% in mixture)</li> <li>STEL (Short Term Exposure Limit)</li> <li>TLV® (Threshold Limit Value)</li> <li>DNEL (Derived No Effect Level)</li> <li>SVHC (Substances of Very High Concern)</li> </ul>

Martinal® ONS

**Issue Date:** 19/Aug/2021 **Print Date:** 19/Aug/2021

### Revision Number: 1.3.1 Page 11 of 11

BOD (Biochemical oxygen demand) COD (Chemical oxygen demand) ICAO (International Civil Aviation Organization) IMDG (International Maritime Dangerous Goods) ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of Dangerous Goods by Road) SCBA (Self-Contained Breathing Apparatus) Positive Pressure GHS (Globally Harmonized System) SARA (Superfund Amendments and Reauthorization Act of 1986) TSCA (Toxic Substances Control Act)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet