



J.M. HUBER MICROPOWDERS

# Safety Data Sheet

## HuberCal® 950 USP

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03  
Canadian Workplace Hazardous Material Information System (WHMIS) 2015  
Mexico NOM-018-STPS-2000; NOM-018-STPS-2015  
Globally Harmonized System (GHS)

Issue Date: 09/Apr/2020  
Print Date: 30/Apr/2021

Revision Number: 1.3  
Page 1 of 10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Product Name:** HuberCal® 950 USP

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Food additive Dietary Supplement Pharmaceutical bulk excipient

**Uses advised against** None known.

### 1.3. Details of the supplier of the safety data sheet

**Company:** J.M. Huber Micropowders, Inc.  
3100 Cumberland Boulevard, Suite 600  
Atlanta, GA 30339 USA  
Tel: +1 678 247-7300

**Internet** [www.hubermaterials.com](http://www.hubermaterials.com)

**E-mail** [hubermaterials@huber.com](mailto:hubermaterials@huber.com)

**1.4. Emergency telephone number** CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

**Physical Hazards** Not classified

**Health Hazards** Not classified

**Environmental Hazard** Not classified

### 2.2. Label elements

**Symbols/Pictograms** None

Issue Date: 09/Apr/2020  
Print Date: 30/Apr/2021

Revision Number: 1.3  
Page 2 of 10

**Signal Word** None

**Hazard Statements** None

**Precautionary Statements**

**Prevention** Do not handle until all safety precautions have been read and understood  
Employ good industrial hygiene practice  
Do not breathe dust  
Wear protective gloves/protective clothing/eye protection/face protection

**Response** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
IF ON SKIN: Wash with plenty of soap and water

**Storage** Store away from incompatible materials  
Keep in a dry place

**Disposal** Disposal should be in accordance with applicable regional, national and local laws and regulations

**Hazards not otherwise classified** None known.  
(HNOC)

**SECTION 3: Composition/information on ingredients**

Chemical Name	CAS Number	TSCA: United States	Canada (DSL)	Mexico	REACH registration number	OSHA Regulatory Status	WHMIS	Weight-%
Calcium Carbonate	471-34-1	A	Y	Y	Exempt	Not classified	--	100

**Legend**

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

**SECTION 4: First aid measures****4.1. Description of first aid measures**

**General Advice** Do not handle until all safety precautions have been read and understood. Employ good industrial hygiene practice. Wear suitable protective clothing, gloves and eye/face protection. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. When in doubt or if symptoms are observed, get medical advice.

**Eye Contact** In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

**Skin Contact** Wash with plenty of soap and water.

**Ingestion** Rinse mouth thoroughly with water.

Issue Date: 09/Apr/2020  
Print Date: 30/Apr/2021

Revision Number: 1.3  
Page 3 of 10

<b>Inhalation</b>	Do not breathe dust. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
<b>Aspiration hazard</b>	Not an expected route of exposure.
<b>4.2. Most important symptoms and effects, both acute and delayed</b>	Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin.
<b>4.3. Indication of any immediate medical attention and special treatment needed</b>	Treatment should be symptomatic and supportive. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### **Suitable Extinguishing Media**

Water spray (fog). Dry chemical. Foam. Carbon dioxide (CO<sub>2</sub>).

#### **Unsuitable Extinguishing Media**

None known.

### 5.2. Special hazards arising from the substance or mixture

None known.

### 5.3. Advice for firefighters

#### **Special protective equipment for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing.

#### **Fire-fighting measures**

Water mist may be used to cool closed containers. No special fire protection measures are necessary. Standard procedure for chemical fires.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Ensure adequate ventilation. Use personal protection recommended in Section 8. Keep unauthorized personnel away.

**For non-emergency personnel** Keep unauthorized personnel away.

**For emergency responders** Keep unauthorized personnel away. Use personal protection recommended in Section 8.

Issue Date: 09/Apr/2020  
Print Date: 30/Apr/2021

Revision Number: 1.3  
Page 4 of 10

- 6.2. Environmental precautions** Avoid runoff to waterways and sewers.
- 6.3. Methods and material for containment and cleaning up** Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust Small Spill: Vacuum or sweep material and place in a disposal container
- 6.4. Reference to other sections** Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

## SECTION 7: Handling and storage

- 7.1. Precautions for safe handling** Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Minimize dust generation and accumulation. Do not breathe dust. Ensure adequate ventilation. Wear appropriate personal protective clothing to prevent skin contact. Handle in accordance with good industrial hygiene and safety practice.
- 7.2. Conditions for safe storage, including any incompatibilities** Keep container tightly closed and dry. Store away from incompatible materials.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

##### Calcium Carbonate

OSHA	10 mg/m <sup>3</sup>
OSHA - Final PELs -TWA	5 mg/m <sup>3</sup>
	15 mg/m <sup>3</sup>
ACGIH	3 mg/m <sup>3</sup> Respirable
	10 mg/m <sup>3</sup> Total Dust

**Predicted No Effect Concentration (PNEC)** No information available

**Derived No Effect Level (DNEL)** No information available

**Biological Limit Values:** No information available

### 8.2. Exposure controls

**Engineering Measures** Provide a good standard of controlled ventilation (5 to 10 air changes per hour). Use exhaust ventilation to keep airborne concentrations below exposure limits. In case of insufficient ventilation, wear suitable respiratory equipment.

Issue Date: 09/Apr/2020  
Print Date: 30/Apr/2021

Revision Number: 1.3  
Page 5 of 10

**Personal protective equipment**

<b>Eye/Face Protection</b>	Wear safety glasses with side shields (or goggles).
<b>Skin and Body Protection</b>	Wear suitable protective clothing.
<b>Hand Protection</b>	For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn.
<b>Respiratory Protection</b>	In case of inadequate ventilation wear respiratory protection.
<b>Thermal hazards</b>	None known. Wear suitable protective clothing.
<b>Hygiene Measures</b>	No information available.
<b>Environmental Exposure Controls</b>	Dispose of in accordance with local regulations.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties****Appearance:**

<b>Physical State</b>	Solid Powder
<b>Color</b>	White to off-white
<b>Odor</b>	Odorless
<b>Odor Threshold</b>	No information available
<b>pH:</b>	8.4-10.2 (5% water suspension)
<b>Melting Point / Melting Range</b>	Not applicable
<b>Boiling Point / Boiling Range</b>	Not applicable
<b>Freezing Point</b>	Not applicable
<b>Flash Point:</b>	Non-combustible.
<b>Evaporation Rate</b>	Not applicable.
<b>Flammability (solid, gas)</b>	Not applicable
<b>Upper flammability limit:</b>	Not applicable
<b>Lower flammability limit:</b>	Not applicable
<b>Vapor Pressure</b>	Not applicable
<b>Vapor Density</b>	Not applicable
<b>Density</b>	2.7 g/cm <sup>3</sup> @ 20°C
<b>Relative Density</b>	No information available
<b>Water Solubility</b>	1.3 g/l, 20° C
<b>Solubility in other solvents</b>	No information available
<b>Partition coefficient</b>	No information available
<b>Autoignition Temperature</b>	Not applicable
<b>Decomposition Temperature</b>	1292 - 1652 °F (700 - 900 °C)
<b>Viscosity</b>	Not applicable.

**SECTION 10: Stability and reactivity**

<b>10.1. Reactivity</b>	Stable under normal conditions
-------------------------	--------------------------------

Issue Date: 09/Apr/2020  
Print Date: 30/Apr/2021

Revision Number: 1.3  
Page 6 of 10

<b>10.2. Chemical stability</b>	Stable under normal conditions
<b>10.3. Possibility of hazardous reactions</b>	No specific hazard known
<b>10.4. Conditions to avoid</b>	Incompatible materials Dust formation
<b>10.5. Incompatible materials</b>	None known
<b>10.6. Hazardous decomposition products</b>	None known

## SECTION 11: Toxicological information

**General Information** Users are advised to consider national Occupational Exposure Limits or other equivalent values.

### Information on Likely Routes of Exposure

<b>Inhalation</b>	Avoid inhalation of the product
<b>Skin</b>	Prolonged or repeated contact may dry skin and cause irritation
<b>Eyes</b>	Dust contact with the eyes can lead to mechanical irritation
<b>Ingestion</b>	Ingestion is not a likely route of exposure
<b>Aspiration hazard</b>	Not an expected route of exposure.

### 11.1. Information on toxicological effects

#### Calcium Carbonate Oral LD50

6450 mg/kg (rat)

<b>Acute Toxicity</b>	Not classified
<b>Respiratory Sensitization</b>	Based on available data, the classification criteria are not met
<b>Serious eye damage/eye irritation</b>	Based on available data, the classification criteria are not met
<b>Skin Corrosion/Irritation</b>	Based on available data, the classification criteria are not met
<b>Skin Sensitization</b>	Based on available data, the classification criteria are not met
<b>Mutagenicity</b>	Based on available data, the classification criteria are not met
<b>Reproductive Toxicity</b>	Based on available data, the classification criteria are not met.
<b>Carcinogenicity</b>	This product does not contain any carcinogens or potential carcinogens as listed

Issue Date: 09/Apr/2020  
Print Date: 30/Apr/2021

Revision Number: 1.3  
Page 7 of 10

by OSHA, IARC or NTP.

**Specific target organ toxicity - Single exposure** Based on available data, the classification criteria are not met.

**Specific target organ toxicity - Repeated exposure** Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

**12.1. Ecotoxicity** Not considered to be harmful to aquatic life.

### Calcium Carbonate

**WGK Classification (AwSV)** 317 WGK: nwg

**12.2. Persistence and degradability** No data available.

**12.3. Bioaccumulative potential** No data available.

**Partition coefficient** No information available

**Bioconcentration factor (BCF)** No data available.

**12.4. Mobility in soil** No data available.

**12.5. Results of PBT and vPvB assessment** No data available.

**12.6. Other adverse effects** No information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal Methods** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging** Product residue may remain in empty containers. Empty containers should be taken to an approved waste handling site for recycling or disposal.

**Waste codes** Waste codes should be assigned by the user based on the application for which the product was used

HUBER

## Safety Data Sheet

HuberCal® 950 USP

Issue Date: 09/Apr/2020

Print Date: 30/Apr/2021

Revision Number: 1.3

Page 8 of 10

### Calcium Carbonate

WGK Classification (AwSV) 317 WGK: nwg

## SECTION 14: Transport information

### Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada	Not regulated
DOT	Not regulated
IATA	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated

14.1. UN number None

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

14.6. Special precautions for user Not applicable

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code  
Not applicable

## SECTION 15: Regulatory information

### Global Inventories

Chemical Name	CAS Number	EC No	REACH registration number	Australia (AIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	New Zealand	Philippines (PICCS)	Taiwan	TSCA: United States
Calcium Carbonate	471-34-1	207-439-9	Exempt	Y	Y	Y	(1)-122(ENCS)(ISHL)	KE-04487	Y	Y	Y	Y	A

#### Legend

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

### US Federal Regulations

#### EPA



HUBER

## Safety Data Sheet

HuberCal® 950 USP

Issue Date: 09/Apr/2020  
Print Date: 30/Apr/2021

Revision Number: 1.3  
Page 9 of 10

### CWA (Clean Water Act)

Not listed

### CAA (Clean Air Act)

Not listed

### U.S. State Right-to-Know Regulations

Chemical Name	CAS Number	California Proposition 65	Massachusetts	Minnesota	New Jersey	Pennsylvania
Calcium Carbonate	471-34-1	N	N	N	N	N

Legend Y: Listed ; N: Not Listed

### California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65)

This product does not contain any Proposition 65 chemicals

### CANADA

#### WHMIS:

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR

## SECTION 16: Other information

Prepared by	Huber Engineered Materials (HEM) Global Regulatory Affairs regulatory.affairs@huber.com
Issue Date:	09/Apr/2020
Print Date:	30/Apr/2021
Revision Number:	1.3
Reason for Version	OSHA (Occupational Safety and Health Administration of the US Department of Labor).
Training Advice	Do not handle until all safety precautions have been read and understood.
Abbreviations and acronyms	International Agency for Research on Cancer (IARC) International Air Transport Association (IATA) International Maritime Dangerous Goods (IMDG) International Uniform Chemical Information Database (IUCLID) Workplace Hazardous Materials Information System (WHMIS) status and classification EPA SARA Title III Section 312 (40 CFR 370) Hazard Classification DOT (Department of Transportation) OSHA (Occupational Safety and Health Administration of the US Department of Labor) TWA - Time-Weighted Average Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) The Classification, Labeling and Packaging of Substances and Mixtures (CLP) Regulation (EC 1272/2008) PPE - Personal Protection Equipment NIOSH - National Institute for Occupational Safety and Health TDG (Transport of Dangerous Goods) Canada CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act) Reportable Quantity (RQ) (RQ/% in mixture) STEL - Short Term Exposure Limit TLV® - Threshold Limit Value Derived No Effect Level (DNEL) SVHC: Substances of Very High Concern for Authorization:

HUBER

## Safety Data Sheet

HuberCal® 950 USP

**Issue Date:** 09/Apr/2020

**Print Date:** 30/Apr/2021

**Revision Number:** 1.3

**Page 10 of 10**

Land transport (ADR/RID)  
Biochemical oxygen demand (BOD)  
Chemical oxygen demand (COD)  
ICAO (air)  
(IMDG) International Maritime Dangerous Goods  
Positive Pressure Self-Contained Breathing Apparatus (SCBA)  
Predicted No Effect Concentration (PNEC)  
Globally Harmonized System (GHS)

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**