



Hubercarb® M3PT

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03 Canadian Workplace Hazardous Material Information System (WHMIS) 2015 Mexico NOM-018-STPS-2000; NOM-018-STPS-2015 Globally Harmonized System (GHS)

Issue Date: 15/Apr/2019 **Print Date:** 15/Apr/2019 Revision Number: 1.3 Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: Hubercarb® M3PT

1.2. Relevant identified uses of the substance or mixture and uses advised against

- **Recommended Use** Filler. Functional additive.
- 1.3. Details of the supplier of the safety data sheet

Company:	Huber Carbonates, LLC 3100 Cumberland Boulevard, Suite 600 Atlanta, GA 30339 USA
	Tel: +1 678 247-7300
Internet	www.hubermaterials.com
E-mail	hubermaterials@huber.com

1.4. Emergency telephoneCHEMTREC: +1 800 424 9300 or International +1 703 527 3887

number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

OSHA Regulatory Status	Specific target organ toxicity (STOT) - repeated exposure, category 2 Carcinogenic category 1
Physical Hazards	Not classified
Health Hazards	Carcinogenicity category 1A Specific target organ toxicity (STOT) - repeated exposure, category 2 Lungs
Environmental Hazard	Not classified

Safety Data Sheet

Hubercarb® M3PT

Issue Date: 15/Apr/2019 **Print Date:** 15/Apr/2019

2.2. Label elements

Symbols/Pictograms

Signal Word	Danger
Hazard Statements	H350 - May cause cancer H373 - May cause damage to organs through prolonged or repeated exposure
Precautionary Statements	
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust Wear protective gloves/protective clothing/eye protection/face protection
Response	IF exposed or concerned: Get medical advice/attention
Storage	Store locked up
Disposal	Dispose of contents/containers in accordance with local regulations
Additional Information:	Not applicable.

Hazards not otherwise classified None known. (HNOC)

Revision Number: 1.3 Page 2 of 12

Safety Data Sheet

Hubercarb® M3PT

Issue Date: 15/Apr/2019 **Print Date:** 15/Apr/2019 Revision Number: 1.3 Page 3 of 12

SECTION 3: Composition/information on ingredients

Chemical Name	CAS Number	TSCA: United States	Canada (DSL)	Mexico	REACH registration number	OSHA Regulatory Status	WHMIS	Weight-%
Limestone	1317-65-3	Y	Y	Y	Exempt	Not classified	H350; H372	86.5 - 95.5
Crystalline Silica, quartz (impurity)	14808-60-7	Y	Y	Y	Exempt	Carcinogenicity category 1A Specific target organ toxicity (STOT) - repeated exposure, category 2	H350; H372	3 - 7
Stearic Acid	57-11-4	Y	Ŷ	Ŷ	Exempt	Not classified	Combustible Dust	0.5 - 1.5
Calcium Stearate	1592-23-0	Y	Ŷ	Ŷ	Exempt	Not classified	Combustible Dust	0.2 - 0.4

Legend

X / Y: Complies - / N: Not Listed Exempt , ,

SECTION 4: First aid measures

4.1. Description of first aid measures

General Advice	When in doubt or if symptoms are observed, get medical advice.
Eye Contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Skin Contact	Wash with plenty of soap and water.
Ingestion	Rinse mouth thoroughly with water.
Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Aspiration hazard	Not an expected route of exposure.
4.2. Most important symptoms and effects, both acute and delayed	Signs and symptoms may include coughing, gasping, choking and difficulty breathing.
4.3. Indication of any immediate medical attention and special treatment needed	• IF exposed or concerned: Get medical advice/attention. Treatment should be symptomatic and supportive. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

SECTION 5: Firefighting measures

Safety Data Sheet

Hubercarb® M3PT

Issue Date: 15/Apr/2019 **Print Date:** 15/Apr/2019 Revision Number: 1.3 Page 4 of 12

5.1. Extinguishing media

Suitable Extinguishing Media Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO2).

Unsuitable Extinguishing Media None known.

5.2. Special hazards arising from the substance or mixture Do not breathe dust.

5.3. Advice for firefighters

Special protective equipment for firefighters Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures	Keep unauthorized personnel away. Use personal protection recommended in Section 8. Avoid dust formation. Ensure adequate ventilation.
For non-emergency personnel	Keep unauthorized personnel away.
For emergency responders	Keep unauthorized personnel away. Use personal protection recommended in Section 8.
6.2. Environmental precautions	Avoid runoff to waterways and sewers.
6.3. Methods and material for containment and cleaning up	Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust Small Spill: Vacuum or sweep material and place in a disposal container
6.4. Reference to other sections	Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

Avoid exposure - obtain special instructions before use. Ensure adequate ventilation. Do not breathe dust. Use personal protective equipment as required.

Safety Data Sheet

Hubercarb® M3PT

Issue Date: 15/Apr/2019 **Print Date:** 15/Apr/2019

Revision Number: 1.3 Page 5 of 12

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, Keep container tightly closed and dry. Store away from incompatible materials. **including any incompatibilities**

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Limestone	
OSHA	5 mg/m ³ TWA (respirable fraction)
	15 mg/m ³ TWA (total dust)
	3 ()
ACGIH	10 mg/m ³ Total Dust, 3 mg/m ³ Respirable Dust
Canada	10 mg/m ³
Canada - BC TWA	3 mg/m ³ (respirable fraction); 10 mg/m ³ (total dust)
Crystalline Silica, quartz (impuri	tv)
OSHA	TWA: 0.05 mg/m ³
	OSHA Action level: 0.025 mg/m ³
ACGIH	TWA: 0.025 mg/m ³ respirable fraction
NIOSH	0.05 mg/m ³ TWA (respirable dust)
Canada	0.025 mg/m ³ TWA (respirable particulate)
Canada - BC TWA	0.025 mg/m ³ TWA (respirable fraction)
Canada - Manitoba - OEL - TWA	0.025 mg/m ³ TWA (respirable fraction)
Canada - Newfoundland & Labrador -	0.025 mg/m ³ TWA (respirable fraction)
OEL - TWA	
Canada - Nova Scotia - OEL - TWA	0.025 mg/m ³ TWA (respirable fraction)
	 - 0.025 mg/m³ TWA (respirable fraction)
TWA	
Mexico	0.1 mg/m ³ TWA (respirable fraction)

Biological Limit Values:

No information available

8.2. Exposure controls	
Engineering Measures	Provide a good standard of controlled ventilation (10 to 15 air changes per hour).
Personal protective equipment	
Eye/Face Protection	Wear safety glasses with side shields (or goggles).
Skin and Body Protection	Wear suitable protective clothing.
Hand protection	For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn.
Hand Protection	For operations where prolonged or repeated skin contact may occur, impervious

Safety Data Sheet

Hubercarb® M3PT

Issue Date: 15/Apr/2019 Print Date: 15/Apr/2019	Revision Number: 1.3 Page 6 of 12
	gloves should be worn.
Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Thermal hazards	None known. Wear suitable protective clothing.
Hygiene Measures	Follow general hygiene considerations recognized as common good workplace practices. The worker should wash daily at the end of each work shift, and prior to eating, drinking, smoking, etc.
Environmental Exposure Controls	Dispose of in accordance with local regulations.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Powder
White
Odorless
No information available
8.4 - 10.2 5% Water suspension
Not applicable
Not applicable
Not applicable
Not applicable.
Not applicable.
Not applicable
Not applicable
Not applicable
2.7 g/cm3 @ 20°C
1.3 g/l, 20° C
No information available
Not applicable
Not applicable
700-900° C
Not applicable.
Not applicable
Not applicable

SECTION 10: Stability and reactivity

Safety Data Sheet

Hubercarb® M3PT

Issue Date: 15/Apr/2019 **Print Date:** 15/Apr/2019

Revision Number: 1.3 Page 7 of 12

10.1. Reactivity	None
10.2. Chemical stability	Stable
10.3. Possibility of hazardous reactions	No specific hazard known
10.4. Conditions to avoid	Incompatible materials
10.5. Incompatible materials	Strong acids
10.6. Hazardous decomposition	None known

products

SECTION 11: Toxicological information

General Information	Users are advised to consider national Occupational Exposure Limits or other equivalent values.	
Information on Likely Routes of	Exposure	
Inhalation	Extended inhalation at levels above the workplace limit value can cause irreversible damage to the lungs (silicosis)	
Skin	Contact with dust can cause mechanical irritation or drying of the skin	
Eyes	Avoid contact with eyes Dust contact with the eyes can lead to mechanical irritation	
Ingestion	Ingestion is not a likely route of exposure	
Aspiration hazard	Not an expected route of exposure.	
Symptoms related to the physical, chemical and toxicological characteristics	Contact with dust can cause mechanical irritation or drying of the skin. Dust may cause mechanical irritation to eyes. May cause irritation. Mucous Membrane. respiratory tract.	
11.1. Information on toxicological effects		
Limestone Oral LD50	6450 mg/kg Rat	
Crystalline Silica, quartz (impur		
Oral LD50	500 mg/kg Rat Mouse	
ACGIH IARC Storaio Acid	Group 2A - Probably Carcinogenic to Humans Group 1 - Carcinogenic to Humans	
<u>Stearic Acid</u> Oral LD50	4600 mg/kg (rat)	

Safety Data Sheet

Hubercarb® M3PT

Issue Date: 15/Apr/2019 **Print Date:** 15/Apr/2019

Revision Number: 1.3 Page 8 of 12

Acute Toxicity	Users are advised to consider national Occupational Exposure Limits or other equivalent values
Chronic Toxicity	Potential occupational carcinogen.
Chronic Effects	Extended inhalation at levels above the workplace limit value can cause irreversible damage to the lungs (silicosis).
Respiratory Sensitization	Causes respiratory tract irritation if inhaled.
Serious eye damage/eye irritation	Dust may cause mechanical irritation to eyes
Skin Corrosion/Irritation	Prolonged or repeated contact may dry skin and cause irritation
Skin Sensitization	Prolonged or repeated contact may dry skin and cause irritation
Germ cell mutagenicity	No information available.
Reproductive Effects	No information available.
Reproductive Toxicity	No information available.
Carcinogenicity	Crystalline silica (quartz) has been classified by the International Agency for Research on Cancer (IARC) as a known human carcinogen (Group 1).
Specific target organ toxicity - Single exposure	May cause respiratory irritation.
Specific target organ toxicity - Repeated exposure	May cause damage to organs through prolonged or repeated exposure if inhaled. Lungs.
Mixture versus substance information	No information available

SECTION 12: Ecological information

12.1. Ecotoxicity

Not considered to be harmful to aquatic life.

Limestone WGK Classification (VwVwS) 317: WGK: nwg Crystalline Silica, quartz (impurity) WGK Classification (VwVwS) 849 WGK: nwg Stearic Acid WGK Classification (VwVwS) 661: WGK: nwg

12.2. Persistence and Not readily biodegradable. **degradability**

12.3. Bioaccumulative potential None.

Safety Data Sheet

Hubercarb® M3PT

Issue Date: 15/Apr/2019 **Print Date:** 15/Apr/2019 Revision Number: 1.3 Page 9 of 12

Partition coefficient	Not applicable
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	None.
12.5. Results of PBT and vPvB assessment	This substance does not meet the criteria for classification as PBT or vPvB.
12.6. Other adverse effects	None known

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal Methods	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.
Waste codes	Waste codes should be assigned by the user based on the application for which the product was used
<u>Limestone</u> European Waste Catalog WGK Classification (VwVwS <u>Crystalline Silica, quartz (impur</u> WGK Classification (VwVwS <u>Stearic Acid</u> WGK Classification (VwVwS	<u>ity)</u>) 849 WGK: nwg

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)

RID	Not regulated
ΙΑΤΑ	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated

Safety Data Sheet

Hubercarb® M3PT

Issue Date: 15/Apr/2019 **Print Date:** 15/Apr/2019 Revision Number: 1.3 Page 10 of 12

14.2. UN proper shipping name None14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

14.6. Special precautions for Not applicable

user

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

SECTION 15: Regulatory information

Global Inventories

Chemical Name	CAS Number	EC No	REACH registrati on number	Australia (AICS)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico		Philippine s (PICCS)		TSCA: United States
Limestone		215-279-6		Y	Y	Y	(1)-122(EN CS)(ISHL)	KE-21996	Y	Y	Y	Y	Y
Crystalline Silica, quartz (impurity)	14808-60- 7	238-878-4	Exempt	Y	Y	Y	(1)-548(EN CS)(ISHL)	KE-29983	Y	Y	Y	Y	Y
Stearic Acid	57-11-4	-	Exempt	Y	Y	Y	(2)-609 (2)-608 (ENCS)(ISH L)	KE-26333	Y	Y	Y	Y	Y
Calcium Stearate	1592-23-0	216-472-8	Exempt	Ŷ	Y	Ŷ	(9)-1677 (2)-611 (ENCS)(ISH L)	KE-26347	Y	Ŷ	Y	Ŷ	Y

Legend

X / Y: Complies - / N: Not Listed Exempt

US Federal Regulations

<u>EPA</u>

CERCLALimestoneCERCLANot ListedSARA 311/312 HazardousNot ListedCategorizationCrystalline Silica, quartz (impurity)CERCLANot ListedSARA 304ListedSARA 313Listed

SARAH 302 RQ, Ibs Not listed

SARA 304 Not listed

Safety Data Sheet

Hubercarb® M3PT

Issue Date: 15/Apr/2019 **Print Date:** 15/Apr/2019 Revision Number: 1.3 Page 11 of 12

SARA 311/312 Hazardous Categorization

Hazardous chemical Immediate health effects Delayed health effects

Crystalline Silica, quartz (impurity)	
Acute Health Hazard	Yes
Chronic Health Hazard	Yes

CWA (Clean Water Act)

Not listed

U.S. State Right-to-Know Regulations

Chemical Name	CAS Number	California Proposition 65	California CPR	Massachusetts	Minnesota	New Jersey	Pennsylvania
Limestone	1317-65-3			Y	Y		Y
Crystalline Silica, quartz (impurity)	14808-60-7	Y		Y	Y	Y	Y
Stearic Acid	57-11-4	No		No	No	No	No
Calcium Stearate	1592-23-0						

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65)

This product can expose you to crystalline silica, which is known to the State of California to cause cancer.

CANADA

WHMIS:

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR

Limestone H350; H372 Crystalline Silica, quartz (impurity) H350; H372 Stearic Acid

Combustible Dust Calcium Stearate

Combustible Dust

	SECTION 16: Other information
Prepared by	Huber Engineered Materials (HEM) Global Regulatory Affairs regulatory.affairs@huber.com
Issue Date: Print Date:	15/Apr/2019 15/Apr/2019
Revision Number:	1.3
Reason for Version	OSHA (Occupational Safety and Health Administration of the US Department of Labor).
Training Advice	Do not handle until all safety precautions have been read and understood.
Abbreviations and acronyms	International Agency for Research on Cancer (IARC) International Air Transport Association (IATA) International Maritime Dangerous Goods (IMDG)

Disclaimer

Safety Data Sheet

Hubercarb® M3PT

Revision Number: 1.3 Page 12 of 12

International Uniform Chemical Information Database (IUCLID) Workplace Hazardous Materials Information System (WHMIS) status and classification EPA SARA Title III Section 312 (40 CFR 370) Hazard Classification DOT (Department of Transportation) OSHA (Occupational Safety and Health Administration of the US Department of Labor) TWA - Time-Weighted Average Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) The Classification, Labeling and Packaging of Substances and Mixtures (CLP) Regulation (EC 1272/2008) PPE - Personal Protection Equipment NIOSH - National Institute for Occupational Safety and Health TDG (Transport of Dangerous Goods) Canada CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act) Reportable Quantity (RQ) (RQ/% in mixture) STEL - Short Term Exposure Limit TLV® - Threshold Limit Value Derived No Effect Level (DNEL) SVHC: Substances of Very High Concern for Authorization: Land transport (ADR/RID) Biochemical oxygen demand (BOD) Chemical oxygen demand (COD) ICAO (air) (IMDG) International Maritime Dangerous Goods Positive Pressure Self-Contained Breathing Apparatus (SCBA) Predicted No Effect Concentration (PNEC) Globally Harmonized System (GHS) The information provided in this Safety Data Sheet is correct to the best of our knowledge,

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

Issue Date: 15/Apr/2019 **Print Date:** 15/Apr/2019