



HUBER ENGINEERED MATERIALS

# Safety Data Sheet

## Hubercarb® Q2

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006  
COMMISSION REGULATION (EU) No. 2020/878

Issue Date 27/Feb/2024  
Print Date 27/Feb/2024

Revision Number 1.3.1  
Page 1 of 12

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product Name: Hubercarb® Q2

Pure substance/mixture Substance

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Filler Functional additive

Uses advised against None known.

### 1.3. Details of the supplier of the safety data sheet

Manufacturer Huber Carbonates, LLC  
3100 Cumberland Boulevard, Suite 600  
Atlanta, GA 30339 USA

Tel: +1 678 247-7300

Internet [www.huberadvancedmaterials.com](http://www.huberadvancedmaterials.com)

Contact E-Mail [www.huberadvancedmaterials.com/contact](http://www.huberadvancedmaterials.com/contact)

1.4. Emergency telephone number CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

Poison control center phone number National Anti-Poison Center UK: +44 844 892 0111 (National Poisons Information Service)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

(CLP) Regulation (EC 1272/2008)

Hazards identification

Physical Hazard Not classified

# Safety Data Sheet

Hubercarb® Q2

Issue Date 27/Feb/2024  
Print Date 27/Feb/2024

Revision Number 1.3.1  
Page 2 of 12

**Health Hazards**

Carcinogenicity category 1A Specific target organ toxicity (STOT) - repeated exposure, category 2 Lungs

**Environmental Hazard**

Not classified

**2.2. Label elements****Symbols/Pictograms****Signal Word**

Danger

**Hazard Statements**

H350 - May cause cancer  
H373 - May cause damage to organs through prolonged or repeated exposure

**Precautionary Statements****Prevention**

P201 - Obtain special instructions before use  
P202 - Do not handle until all safety precautions have been read and understood  
P260 - Do not breathe dust  
P280 - Wear protective gloves/protective clothing/eye protection/face protection

**Response**

P308 + P313 - IF exposed or concerned: Get medical advice/attention

**Storage**

P405 - Store locked up

**Disposal**

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

**Additional Information:**

Not applicable.

**2.3. Other hazards**

No information available.

## SECTION 3: Composition/information on ingredients

**3.1. Substance**

Substance

Chemical Name	CAS Number	EC No	(CLP) Regulation (EC 1272/2008)	Weight-%
Limestone	1317-65-3	215-279-6	Not classified.	97 - 100
Crystalline Silica, quartz (impurity)	14808-60-7	238-878-4	Carcinogenicity category 1A. Specific target organ toxicity (STOT) - repeated exposure, category 2.	0.2 - 2

# Safety Data Sheet

Hubercarb® Q2

Issue Date 27/Feb/2024  
Print Date 27/Feb/2024

Revision Number 1.3.1  
Page 3 of 12

			Respiratory system.	
--	--	--	---------------------	--

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

<b>General Advice</b>	When in doubt or if symptoms are observed, get medical advice.
<b>Eye Contact</b>	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
<b>Skin Contact</b>	Wash with plenty of soap and water.
<b>Inhalation</b>	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
<b>Ingestion</b>	Rinse mouth thoroughly with water.
<b>Aspiration hazard</b>	Not an expected route of exposure.
<b>Notes to Physician</b>	Treat symptomatically.
<b>4.2. Most important symptoms and effects, both acute and delayed</b>	Signs and symptoms may include coughing, gasping, choking and difficulty breathing.
<b>4.3. Indication of any immediate medical attention and special treatment needed</b>	IF exposed or concerned: Get medical advice/attention. Treatment should be symptomatic and supportive. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable Extinguishing Media

Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO<sub>2</sub>).

#### Unsuitable Extinguishing Media

None known.

### 5.2. Special hazards arising from the substance or mixture

Do not breathe dust.

### 5.3. Advice for firefighters

#### Special protective

# Safety Data Sheet

Hubercarb® Q2

Issue Date 27/Feb/2024

Print Date 27/Feb/2024

Revision Number 1.3.1

Page 4 of 12

**equipment for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing.

**Fire-fighting measures**

In case of fire and/or explosion do not breathe fumes.

## SECTION 6: Accidental release measures

**6.1. Personal precautions, protective equipment and emergency procedures**

Keep unauthorized personnel away. Use personal protection recommended in Section 8. Avoid dust formation. Ensure adequate ventilation.

**For non-emergency personnel**

Keep unauthorized personnel away.

**For emergency responders**

Keep unauthorized personnel away. Use personal protection recommended in Section 8.

**6.2. Environmental precautions**

Avoid runoff to waterways and sewers.

**6.3. Methods and material for containment and cleaning up**

Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust Small Spill: Vacuum or sweep material and place in a disposal container

**6.4. Reference to other sections**

Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

## SECTION 7: Handling and storage

**7.1. Precautions for safe handling**Avoid exposure - obtain special instructions before use  
Ensure adequate ventilation  
Do not breathe dust  
Use personal protective equipment as required  
Handle in accordance with good industrial hygiene and safety practice**7.2. Conditions for safe storage, including any incompatibilities**Keep container tightly closed and dry  
Store away from incompatible materials

## SECTION 8: Exposure controls/personal protection

**8.1. Control parameters****Occupational exposure limits****Limestone**

ACGIH

OSHA

10 mg/m<sup>3</sup> Total Dust, 3 mg/m<sup>3</sup> Respirable Dust  
5 mg/m<sup>3</sup> TWA (respirable fraction)

# Safety Data Sheet

## Hubercarb® Q2

Issue Date 27/Feb/2024

Print Date 27/Feb/2024

Revision Number 1.3.1

Page 5 of 12

15 mg/m<sup>3</sup> TWA (total dust)

France

10 mg/m<sup>3</sup>

Italy

10 mg/m<sup>3</sup>

United Kingdom

10 mg/m<sup>3</sup> TWA (inhalable dust); 4 mg/m<sup>3</sup> TWA (respirable dust)

### Crystalline Silica, quartz (impurity)

ACGIH

TWA: 0.025 mg/m<sup>3</sup> respirable fraction

OSHA

TWA: 0.05 mg/m<sup>3</sup>OSHA Action level: 0.025 mg/m<sup>3</sup>

NIOSH

0.05 mg/m<sup>3</sup> TWA (respirable dust)

Austria

MAK: 0,15 mg/m<sup>3</sup> (respirable dust)

Belgium

TWA: 0,1 mg/m<sup>3</sup> (respirable dust)

Bulgaria

TWA: 0,07 mg/m<sup>3</sup> (respirable fraction)

Croatia

MAC: 0,1 mg/m<sup>3</sup>

Czech Republic

TWA: 0,1 mg/m<sup>3</sup> (respirable dust)

Denmark

TLV 0,3 mg/m<sup>3</sup> (total)0,1 mg/m<sup>3</sup> (respirable)

Estonia

TWA: 0,1 mg/m<sup>3</sup> (respirable dust)

Finland

TWA: 0,05 mg/m<sup>3</sup> (respirable)

France

VME: 0,1 mg/m<sup>3</sup> (restrictive limit, alveolar fraction)

Hungary

TWA: 0,15 mg/m<sup>3</sup> (respirable)

Iceland

TWA: 0,3 mg/m<sup>3</sup> (total dust)0,1 mg/m<sup>3</sup> (respirable dust)

Ireland

TWA: 0,1 mg/m<sup>3</sup> (respirable dust)

Italy

TWA: 0,025 mg/m<sup>3</sup> (respirable fraction)

Italy

TWA: 0,025 mg/m<sup>3</sup> (respirable fraction)

Lithuania

TWA: 0,1 mg/m<sup>3</sup> (respirable fraction)

Netherlands

TWA: 0,075 mg/m<sup>3</sup> (respirable dust)

Norway

TLV: 0,3 mg/m<sup>3</sup> (total dust)0,1 mg/m<sup>3</sup> (respirable dust)

Poland

TWA: 2 mg/m<sup>3</sup> (total dust)0,3 mg/m<sup>3</sup> (respirable dust)

Portugal

TWA: 0,025 mg/m<sup>3</sup> (respirable fraction)

Slovakia

TWA: 0,1 mg/m<sup>3</sup> (respirable fraction)

Slovenia

TWA: 0,15 mg/m<sup>3</sup> (respirable fraction)

Spain

VLA-ED TWA: 0,1 mg/m<sup>3</sup> (respirable fraction)

Sweden

TWA: 0,1 mg/m<sup>3</sup> (respirable dust)

Switzerland

TWA: 1, 15 mg/m<sup>3</sup> (respirable dust)

United Kingdom

TWA: 0,1 mg/m<sup>3</sup> (respirable)

### Recommended monitoring procedures

Refer also to national guidance documents for information on currently recommended monitoring procedures

### Biological Limit Values

No information available

DNEL (Derived No Effect Level) No information available

PNEC (Predicted No Effect Concentration) No information available

## 8.2. Exposure controls

### Engineering Measures

Provide a good standard of controlled ventilation (10 to 15 air changes per hour)

# Safety Data Sheet

Hubercarb® Q2

Issue Date 27/Feb/2024

Print Date 27/Feb/2024

Revision Number 1.3.1

Page 6 of 12

**Personal protective equipment**

<b>Eye/Face Protection</b>	Wear safety glasses with side shields (or goggles).
<b>Skin and Body Protection</b>	Wear suitable protective clothing.
<b>Hand Protection</b>	For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn.
<b>Respiratory Protection</b>	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
<b>Thermal hazards</b>	None known.
<b>Hygiene Measures</b>	Follow general hygiene considerations recognized as common good workplace practices The worker should wash daily at the end of each work shift, and prior to eating, drinking, smoking, etc
<b>Environmental Exposure Controls</b>	Dispose of in accordance with local regulations

## SECTION 9: Physical and chemical properties

**9.1. Information on basic physical and chemical properties****Appearance:**

<b>Physical State</b>	Solid
<b>Color</b>	White
<b>Odor</b>	Odorless
<b>Odor Threshold</b>	No information available
<b>pH:</b>	8.4 - 10.2 5% Water suspension
<b>Melting point / Freezing point</b>	Not applicable
<b>Boiling Point</b>	Not applicable
<b>Freezing Point</b>	Not applicable
<b>Flash Point</b>	Not applicable
<b>Evaporation Rate</b>	Not applicable.
<b>Flammability (solid, gas)</b>	Not applicable
<b>Upper flammability limit:</b>	--
<b>Lower flammability limit:</b>	--
<b>Vapor Pressure</b>	Not applicable
<b>Vapor Density</b>	Not applicable
<b>Density</b>	No data available
<b>Relative Density</b>	2.7 g/cm <sup>3</sup> @ 20°C
<b>Water Solubility</b>	0.01 g/l (Practically insoluble) @ 20°C
<b>Solubility in other solvents</b>	No information available
<b>Partition coefficient</b>	Not applicable
<b>Autoignition Temperature</b>	Not applicable
<b>Decomposition Temperature</b>	1292 - 1652 °F (700 - 900 °C)
<b>Viscosity</b>	Not applicable.

# Safety Data Sheet

Hubercarb® Q2

Issue Date 27/Feb/2024

Print Date 27/Feb/2024

Revision Number 1.3.1

Page 7 of 12

Kinematic viscosity	Not applicable
Explosive Properties	Not applicable
Oxidizing Properties	Not applicable
Particle Size	No information available
VOC Content (%)	Not applicable

## 9.2. Other information

### 9.2.1. Information with regard to physical hazard classes

Not applicable

### 9.2.2. Other safety characteristics

Not applicable

## SECTION 10: Stability and reactivity

10.1. Reactivity	None
10.2. Chemical stability	Stable
10.3. Possibility of hazardous reactions	No specific hazard known
10.4. Conditions to avoid	Incompatible materials
10.5. Incompatible materials	Strong acids
10.6. Hazardous decomposition products	None known

## SECTION 11: Toxicological information

General Information	Users are advised to consider national Occupational Exposure Limits or other equivalent values.
---------------------	---

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Limestone

Oral LD50	6450 mg/kg Rat
-----------	----------------

#### Crystalline Silica, quartz (impurity)

LD50s and LC50s	500 mg/kg Oral LD50 Rat
Oral LD50	500 mg/kg Rat Mouse

ACGIH	Group 2A - Probably Carcinogenic to Humans
IARC	Group 1 - Carcinogenic to Humans

# Safety Data Sheet

## Hubercarb® Q2

**Issue Date** 27/Feb/2024**Print Date** 27/Feb/2024**Revision Number** 1.3.1**Page** 8 of 12

<b>Acute Toxicity</b>	Users are advised to consider national Occupational Exposure Limits or other equivalent values
<b>Chronic Toxicity</b>	Potential occupational carcinogen.
<b>Chronic Effects</b>	Extended inhalation at levels above the workplace limit value can cause irreversible damage to the lungs (silicosis).
<b>Respiratory Sensitization</b>	Based on available data, the classification criteria are not met
<b>Serious eye damage/eye irritation</b>	Based on available data, the classification criteria are not met
<b>Skin Corrosion/Irritation</b>	Based on available data, the classification criteria are not met
<b>Skin Sensitization</b>	Based on available data, the classification criteria are not met
<b>Mutagenicity</b>	Based on available data, the classification criteria are not met
<b>Reproductive Effects</b>	Based on available data, the classification criteria are not met.
<b>Carcinogenicity</b>	Crystalline silica (quartz) has been classified by the International Agency for Research on Cancer (IARC) as a known human carcinogen (Group 1).
<b>Target Organ Effects</b>	Respiratory system.
<b>Specific target organ toxicity - Single exposure</b>	No information available.
<b>Specific target organ toxicity - Repeated exposure</b>	May cause damage to organs through prolonged or repeated exposure if inhaled. Lungs.

### Information on Likely Routes of Exposure

<b>Inhalation</b>	Extended inhalation at levels above the workplace limit value can cause irreversible damage to the lungs (silicosis)
<b>Ingestion</b>	Ingestion is not a likely route of exposure
<b>Skin</b>	Prolonged or repeated contact may dry skin and cause irritation
<b>Eyes</b>	Avoid contact with eyes Dust contact with the eyes can lead to mechanical irritation
<b>Aspiration hazard</b>	Not an expected route of exposure.
<b>Symptoms related to the physical, chemical and toxicological characteristics</b>	Contact with dust can cause mechanical irritation or drying of the skin. Dust may cause mechanical irritation to eyes. May cause irritation. Mucous Membrane. respiratory tract.

### 11.2. Information on other hazards



# Safety Data Sheet

Hubercarb® Q2

Issue Date 27/Feb/2024

Print Date 27/Feb/2024

Revision Number 1.3.1

Page 9 of 12

**11.2.1. Endocrine disrupting properties** This product does not contain any known or suspected endocrine disruptors

**11.2.2. Other information** Not applicable

## SECTION 12: Ecological information

**12.1. Toxicity** Not considered to be harmful to aquatic life

### Limestone

**WGK Classification (AwSV)** 317 WGK: nwg

### Crystalline Silica, quartz (impurity)

**WGK Classification (AwSV)** 849 WGK: nwg

**12.2. Persistence and degradability** Not readily biodegradable.

**12.3. Bioaccumulative potential** None.

**Partition coefficient** Not applicable

**Bioconcentration factor (BCF)** Not available.

**12.4. Mobility in soil** None.

**12.5. Results of PBT and vPvB assessment** This substance does not meet the criteria for classification as PBT or vPvB.

**12.6. Endocrine disrupting properties** This product does not contain any known or suspected endocrine disruptors

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal Methods** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

**Waste codes** Waste codes should be assigned by the user based on the application for which the product was used

# Safety Data Sheet

Hubercarb® Q2

Issue Date 27/Feb/2024

Print Date 27/Feb/2024

Revision Number 1.3.1

Page 10 of 12

## Limestone

European Waste Catalog 10130414

WGK Classification (AwSV) 317 WGK: nwg

## Crystalline Silica, quartz (impurity)

WGK Classification (AwSV) 849 WGK: nwg

## SECTION 14: Transport information

### Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada	Not regulated
DOT	Not regulated
IATA	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

14.6. Special precautions for user Not applicable

14.7. Maritime transport in bulk according to IMO instruments  
Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Global Inventories

Pure substance/mixture Substance

Chemical Name	CAS Number	EC No	Australia (AIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	Thailand (TECI)	New Zealand	Philippines (PICCS)	Taiwan	TSCA: United States
Limestone	1317-65-3	215-279-6	Y	Y (NDSL)	Y	(1)-122(E NCS)(ISH L)	KE-21996	Y	55-1-0141 1	Y	Y	Y	A
Crystalline Silica, quartz (impurity)	14808-60-7	238-878-4	Y	Y	Y	(1)-548(E NCS)(ISH L)	KE-29983	Y	55-1-0194 1	Y	Y	Y	A

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

HUBER

# Safety Data Sheet

Hubercarb® Q2

Issue Date 27/Feb/2024

Print Date 27/Feb/2024

Revision Number 1.3.1

Page 11 of 12

REACH No.

Limestone

EU REACH registration number Exempt

Crystalline Silica, quartz (impurity)

EU REACH registration number Exempt

Germany

Not considered to be harmful to aquatic life

Limestone

WGK Classification (AwSV) 317 WGK: nwg

Crystalline Silica, quartz (impurity)

WGK Classification (AwSV) 849 WGK: nwg

## 15.2. Chemical safety assessment

A Chemical Safety Assessment is not required for this substance

## SECTION 16: Other information

### Reason for Revision

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 & COMMISSION REGULATION (EU) No. 2020/878

Issue Date

27/Feb/2024

Print Date

27/Feb/2024

Revision Number

1.3.1

Prepared by

Huber Engineered Materials Global Regulatory Affairs  
email: regulatory.affairs@huber.com.

(CLP) Regulation (EC 1272/2008)

### Labeling

Symbols/Pictograms



Signal Word

Danger

Hazard Statements

H350 - May cause cancer. H373 - May cause damage to organs through prolonged or repeated exposure.

# Safety Data Sheet

Hubercarb® Q2

Issue Date 27/Feb/2024

Print Date 27/Feb/2024

Revision Number 1.3.1

Page 12 of 12

**Training Advice**

Do not handle until all safety precautions have been read and understood.

**Abbreviations and acronyms**

IARC (International Agency for Research on Cancer)  
IUCLID (International Uniform Chemical Information Database)  
WHMIS (Workplace Hazardous Materials Information System)  
OSHA (Occupational Safety and Health Administration of the US Department of Labor)  
TWA (Time-Weighted Average)  
CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008))  
PPE (Personal Protection Equipment)  
NIOSH (National Institute for Occupational Safety and Health)  
CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)  
RQ (Reportable Quantity) (RQ/% in mixture)  
STEL (Short Term Exposure Limit)  
TLV® (Threshold Limit Value)  
DNEL (Derived No Effect Level)  
SVHC (Substances of Very High Concern)  
BOD (Biochemical oxygen demand)  
COD (Chemical oxygen demand)  
ICAO (International Civil Aviation Organization)  
IMDG (International Maritime Dangerous Goods)  
ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)  
IATA (International Air Transport Association)  
IMDG (International Maritime Dangerous Goods)  
DOT (Department of Transportation)  
TDG (Transport of Dangerous Goods) Canada  
PNEC (Predicted No Effect Concentration)  
SCBA (Self-Contained Breathing Apparatus) Positive Pressure  
GHS (Globally Harmonized System)  
TSCA (Toxic Substances Control Act)

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**