

#### **Hubercarb® Q200**

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 COMMISSION REGULATION (EU) No. 2020/878

Issue Date 30/Jun/2022 Revision Number 1.3.1

Page 1 of 12

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Print Date 30/Jun/2022

Product Name: Hubercarb® Q200

Pure substance/mixture Substance

Chemical Name	CAS Number	EC No	EU REACH registration number	(CLP) Regulation (EC 1272/2008)	Weight-%
Limestone	1317-65-3	215-279-6	Exempt	Not classified	97 - 100
Crystalline Silica, quartz (impurity)	14808-60-7	238-878-4	Exempt	Carcinogenicity category 1A Specific target organ toxicity (STOT) - repeated exposure, category 2: Respiratory system	0.2 - 2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Filler Functional additive

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

**Company:** J.M. Huber Corporation

3100 Cumberland Boulevard, Suite 600

Atlanta, GA 30339 USA Tel: +1 678 247-7300

**Internet** www.hubermaterials.com

E-mail hubermaterials@huber.com

1.4. Emergency telephone

number

CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

Poison control center phone

number

National Anti-Poison Center UK: +44 844 892 0111 (National Poisons

Information Service)

#### **SECTION 2: Hazards identification**

**Hubercarb® Q200** 

Issue Date 30/Jun/2022 Revision Number 1.3.1
Print Date 30/Jun/2022 Page 2 of 12

#### 2.1. Classification of the substance or mixture

(CLP) Regulation (EC 1272/2008)

**Hazards identification** 

Physical Hazard Not classified

Health Hazards Carcinogenicity category 1A Specific target organ toxicity (STOT) - repeated

exposure, category 2 Lungs

Environmental Hazard Not classified

2.2. Label elements

Symbols/Pictograms



Signal Word Danger

Hazard Statements H350 - May cause cancer

H373 - May cause damage to organs through prolonged or repeated exposure

**Precautionary Statements** 

**Prevention** P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P260 - Do not breathe dust

P280 - Wear protective gloves/protective clothing/eye protection/face protection

**Response** P308 + P313 - IF exposed or concerned: Get medical advice/attention

Storage P405 - Store locked up

**Disposal** P501 - Dispose of contents/container in accordance with local, regional, national,

and international regulations as applicable.

Additional Information: Not applicable.

**2.3. Other hazards**No information available.

### **SECTION 3: Composition/information on ingredients**

3.1. Substance Substance

**Hubercarb® Q200** 

Issue Date 30/Jun/2022 **Revision Number** 1.3.1 Print Date 30/Jun/2022 Page 3 of 12

Chemical Name	CAS Number	EC No	EU REACH registration number	(CLP) Regulation (EC 1272/2008)	Annex	Weight-%
Limestone	1317-65-3	215-279-6	Exempt	Not classified		97 - 100
Crystalline Silica, quartz (impurity)	14808-60-7	238-878-4	Exempt	Carcinogenicity category 1A Specific target organ toxicity (STOT) - repeated exposure, category 2: Respiratory system		0.2 - 2

### **SECTION 4: First aid measures**

4.1. Description of first aid measures

**General Advice** When in doubt or if symptoms are observed, get medical advice.

**Eye Contact** In case of eye contact, remove contact lens and rinse immediately with plenty of

water, also under the eyelids, for at least 15 minutes.

Wash with plenty of soap and water. **Skin Contact** 

Inhalation If breathing is difficult, remove victim to fresh air and keep at rest in a position

comfortable for breathing.

Ingestion Rinse mouth thoroughly with water.

**Aspiration hazard** Not an expected route of exposure.

Notes to Physician Treat symptomatically.

4.2. Most important symptoms and effects, both acute and

delayed

Signs and symptoms may include coughing, gasping, choking and difficulty

breathing.

medical attention and special

treatment needed

4.3. Indication of any immediate IF exposed or concerned: Get medical advice/attention. Treatment should be symptomatic and supportive. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of

contamination.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable Extinguishing

Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO2).

#### **Unsuitable Extinguishing Media**

None known.

### Safety Data Sheet

**Hubercarb® Q200** 

Issue Date 30/Jun/2022 Revision Number 1.3.1
Print Date 30/Jun/2022 Page 4 of 12

5.2. Special hazards arising from the substance or mixture

Do not breathe dust.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

In case of fire and/or explosion do not breathe fumes.

#### **SECTION 6: Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures

Keep unauthorized personnel away. Use personal protection recommended in

Section 8. Avoid dust formation. Ensure adequate ventilation.

For non-emergency personnel Keep unauthorized personnel away.

For emergency responders Keep unauthorized personnel away. Use personal protection recommended in

Section 8.

**6.2. Environmental precautions** Avoid runoff to waterways and sewers.

6.3. Methods and material for containment and cleaning up

Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a

vacuum to collect dust Small Spill: Vacuum or sweep material and place in a

disposal container

6.4. Reference to other sections Section 8: Exposure controls and personal protection. See Section 13 for

additional waste treatment information.

#### **SECTION 7: Handling and storage**

7.1. Precautions for safe

handling

Avoid exposure - obtain special instructions before use

Ensure adequate ventilation

Do not breathe dust

Use personal protective equipment as required

Handle in accordance with good industrial hygiene and safety practice

**7.2. Conditions for safe storage**, Keep container tightly closed and dry **including any incompatibilities** Store away from incompatible materials

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

Occupational exposure limits

**Hubercarb® Q200** 

Issue Date 30/Jun/2022 **Revision Number** 1.3.1 Print Date 30/Jun/2022 Page 5 of 12

Limestone

**ACGIH** 10 mg/m<sup>3</sup> Total Dust, 3 mg/m<sup>3</sup> Respirable Dust

**OSHA** 5 mg/m<sup>3</sup> TWA (respirable fraction)

15 mg/m<sup>3</sup> TWA (total dust)

**France** 10 ma/m<sup>3</sup> 10 ma/m<sup>3</sup> Italy

**United Kingdom** 10 mg/m<sup>3</sup> TWA (inhalable dust); 4 mg/m<sup>3</sup> TWA (respirable dust)

Crystalline Silica, quartz (impurity)

**ACGIH** TWA: 0.025 mg/m<sup>3</sup> respirable fraction

**OSHA** TWA: 0.05 mg/m<sup>3</sup>

OSHA Action level: 0.025 mg/m3 0.05 mg/m<sup>3</sup> TWA (respirable dust) NIOSH Austria MAK: 0,15 mg/m<sup>3</sup> (respirable dust) TWA: 0,1 mg/m<sup>3</sup> (respirable dust) **Belgium** TWA: 0,07 mg/m<sup>3</sup> (respirable fraction) Bulgaria

MAC: 0,1 mg/m<sup>3</sup> Croatia

**Czech Republic** TWA: 0,1 mg/m<sup>3</sup> (respirable dust)

Denmark TLV 0,3 mg/m<sup>3</sup> (total)

0,1 mg/m³ (respirable)

TWA: 0,1 mg/m<sup>3</sup> (respirable dust) **Estonia Finland** TWA: 0,05 mg/m<sup>3</sup> (respirable)

France VME: 0,1 mg/m<sup>3</sup> (restrictive limit, alveolar fraction)

TWA: 0,15 mg/m<sup>3</sup> (respirable) Hungary TWA: 0,3 mg/m<sup>3</sup> (total dust) **Iceland** 

0,1 mg/m<sup>3</sup> (respirable dust)

Ireland TWA: 0,1 mg/m<sup>3</sup> (respirable dust) TWA: 0,025 mg/m³ (respirable fraction) Italy TWA: 0,025 mg/m³ (respirable fraction) Italy Lithuania TWA: 0,1 mg/m<sup>3</sup> (respirable fraction) **Netherlands** TWA: 0,075 mg/m³ (respirable dust)

TLV: 0,3 mg/m<sup>3</sup> (total dust) Norway

0,1 mg/m<sup>3</sup> (respirable dust) TWA: 2 mg/m<sup>3</sup> (total dust) **Poland** 

0,3 mg/m<sup>3</sup> (respirable dust)

**Portugal** TWA: 0,025 mg/m<sup>3</sup> (respirable fraction) Slovakia TWA: 0,1 mg/m<sup>3</sup> (respirable fraction) TWA: 0,15 mg/m<sup>3</sup> (respirable fraction) Slovenia Spain VLA-ED TWA: 0,1 mg/m<sup>3</sup> (respirable fraction)

Sweden TWA: 0,1 mg/m<sup>3</sup> (respirable dust) TWA: 1, 15 mg/m<sup>3</sup> (respirable dust) Switzerland

TWA: 0,1 mg/m<sup>3</sup> (respirable) **United Kingdom** 

Recommended monitoring

procedures

Refer also to national guidance documents for information on currently

recommended monitoring procedures

**Biological Limit Values** No information available

DNEL (Derived No Effect Level) No information available

PNEC (Predicted No Effect Concentration) No information available

#### 8.2. Exposure controls

### Safety Data Sheet

**Hubercarb® Q200** 

Issue Date 30/Jun/2022 **Revision Number** 1.3.1 Print Date 30/Jun/2022

Page 6 of 12

Provide a good standard of controlled ventilation (10 to 15 air changes per hour) **Engineering Measures** 

Personal protective equipment

Wear safety glasses with side shields (or goggles). **Eye/Face Protection** 

**Skin and Body Protection** Wear suitable protective clothing.

**Hand Protection** For operations where prolonged or repeated skin contact may occur, impervious

gloves should be worn.

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

Thermal hazards None known.

**Hygiene Measures** Follow general hygiene considerations recognized as common good workplace

practices

The worker should wash daily at the end of each work shift, and prior to eating,

drinking, smoking, etc

**Environmental Exposure** 

Controls

Dispose of in accordance with local regulations

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Appearance:

**Physical State** Solid White Color Odor Odorless

**Odor Threshold** No information available

8.4 - 10.2 5% Water suspension

Not applicable Melting point / Freezing point Not applicable **Boiling Point** Not applicable **Flash Point Evaporation Rate** Not applicable. Flammability (solid, gas) Not applicable

**Upper flammability limit:** Lower flammability limit:

**Vapor Pressure** Not applicable **Vapor Density** Not applicable **Relative Density** 2.7 g/cm3 @ 20°C 1.3 g/l, 20° C **Water Solubility** 

Solubility in other solvents No information available

Not applicable Partition coefficient **Autoignition Temperature** Not applicable

1292 - 1652 °F (700 - 900 °C) **Decomposition Temperature** 

Not applicable. **Viscosity Explosive Properties** Not applicable

### Safety Data Sheet

**Hubercarb® Q200** 

Issue Date 30/Jun/2022 Revision Number 1.3.1
Print Date 30/Jun/2022 Page 7 of 12

Oxidizing Properties Not applicable VOC Content (%) Not applicable

### **SECTION 10: Stability and reactivity**

**10.1. Reactivity** None

10.2. Chemical stability Stable

10.3. Possibility of hazardous

reactions

No specific hazard known

10.4. Conditions to avoid Incompatible materials

**10.5. Incompatible materials** Strong acids

10.6. Hazardous decomposition None known

products

### **SECTION 11: Toxicological information**

General Information Users are advised to consider national Occupational Exposure Limits or other

equivalent values.

Information on Likely Routes of Exposure

Inhalation Extended inhalation at levels above the workplace limit value can cause

irreversible damage to the lungs (silicosis)

Skin Contact with dust can cause mechanical irritation or drying of the skin

**Eyes** Avoid contact with eyes

Dust contact with the eyes can lead to mechanical irritation

**Ingestion** Ingestion is not a likely route of exposure

**Aspiration hazard** Not an expected route of exposure.

Symptoms related to the physical, chemical and

physical, chemical and toxicological characteristics

Contact with dust can cause mechanical irritation or drying of the skin. Dust may cause mechanical irritation to eyes. May cause irritation. Mucous Membrane.

toxicological characteristics respiratory tract.

11.1. Information on toxicological effects

Limestone

Oral LD50 6450 mg/kg Rat

### Safety Data Sheet

**Hubercarb® Q200** 

Issue Date 30/Jun/2022

Print Date 30/Jun/2022

Revision Number 1.3.1

Page 8 of 12

Crystalline Silica, quartz (impurity)

**LD50s and LC50s** 500 mg/kg Oral LD50 Rat **Oral LD50** 500 mg/kg Rat Mouse

ACGIH Group 2A - Probably Carcinogenic to Humans

IARC Group 1 - Carcinogenic to Humans

Acute Toxicity Users are advised to consider national Occupational Exposure Limits or other

equivalent values

**Chronic Toxicity** Potential occupational carcinogen.

Chronic Effects Extended inhalation at levels above the workplace limit value can cause

irreversible damage to the lungs (silicosis).

**Respiratory Sensitization** Based on available data, the classification criteria are not met

Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met

Skin Corrosion/Irritation Based on available data, the classification criteria are not met

**Skin Sensitization** Based on available data, the classification criteria are not met

Mutagenicity Based on available data, the classification criteria are not met

**Reproductive Effects** Based on available data, the classification criteria are not met.

Carcinogenicity Crystalline silica (quartz) has been classified by the International Agency for

Research on Cancer (IARC) as a known human carcinogen (Group 1).

Target Organ Effects Respiratory system.

Specific target organ toxicity -

Single exposure

No information available.

Specific target organ toxicity -

Repeated exposure

May cause damage to organs through prolonged or repeated exposure if inhaled.

Lungs.

### **SECTION 12: Ecological information**

**12.1. Ecotoxicity** Not considered to be harmful to aquatic life.

Limestone

WGK Classification (AwSV) 317 WGK: nwg

Crystalline Silica, quartz (impurity)

WGK Classification (AwSV) 849 WGK: nwg

### Safety Data Sheet

**Hubercarb® Q200** 

Issue Date 30/Jun/2022 Revision Number 1.3.1
Print Date 30/Jun/2022 Page 9 of 12

12.2. Persistence and

degradability

Not readily biodegradable.

12.3. Bioaccumulative potential None.

Partition coefficient Not applicable

**Bioconcentration factor** 

(BCF)

Not available.

**12.4. Mobility in soil** None.

12.5. Results of PBT and vPvB

assessment

This substance does not meet the criteria for classification as PBT or vPvB.

**12.6. Other adverse effects** None known

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

**Disposal Methods** Disposal should be in accordance with applicable regional, national and local laws

and regulations.

Contaminated Packaging Empty containers should be taken to an approved waste handling site for recycling

or disposal.

Waste codes Waste codes should be assigned by the user based on the application for which

the product was used

Limestone

European Waste Catalog 10130414 WGK Classification (AwSV) 317 WGK: nwg

Crystalline Silica, quartz (impurity)

WGK Classification (AwSV) 849 WGK: nwg

### **SECTION 14: Transport information**

#### Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada Not regulated DOT Not regulated IATA Not regulated IMDG/IMO Not regulated ICAO Not regulated

### **Safety Data Sheet**

**Hubercarb® Q200** 

Issue Date 30/Jun/2022 Print Date 30/Jun/2022 Revision Number 1.3.1 Page 10 of 12

14.1. UN number None

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

**14.6. Special precautions for** Not applicable

user

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **Global Inventories**

Pure substance/mixture Substance

Chemical Name	CAS Number	EC No	Australia (AIIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	Thailand (TECI)		Philippine s (PICCS)	Taiwan	TSCA: United States
Limestone	1317-65-3	215-279-6	Y	Y (NDSL)	Υ	(1)-122(E NCS)(ISH L)	KE-21996	Y	55-1-0141 1	Υ	Y	Υ	А
Crystalline Silica, quartz (impurity)		238-878-4	Y	Y	Y	(1)-548(E NCS)(ISH L)	KE-29983	Y	55-1-0194 1	Y	Y	Υ	А

Legend X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

#### REACH No.

#### Limestone

EU REACH registration number Exempt Crystalline Silica, quartz (impurity)

EU REACH registration number Exempt

#### <u>Germany</u>

Not considered to be harmful to aquatic life

#### Limestone

WGK Classification (AwSV) 317 WGK: nwg

Crystalline Silica, quartz (impurity)

WGK Classification (AwSV) 849 WGK: nwg

#### 15.2. Chemical safety assessment

A Chemical Safety Assessment is not required for this substance

### **Safety Data Sheet**

**Hubercarb® Q200** 

Issue Date 30/Jun/2022 Print Date 30/Jun/2022 Revision Number 1.3.1 Page 11 of 12

#### **SECTION 16: Other information**

**Reason for Revision**This safety data sheet complies with the requirements of Regulation (EC) No.

1907/2006 & COMMISSION REGULATION (EU) No. 2020/878

 Issue Date
 30/Jun/2022

 Print Date
 30/Jun/2022

Revision Number 1.3.1

Prepared by Huber Engineered Materials Global Regulatory Affairs

email: regulatory.affairs@huber.com.

(CLP) Regulation (EC 1272/2008)

#### Labeling

#### Symbols/Pictograms



Signal Word Danger

Hazard Statements H350 - May cause cancer. H373 - May cause damage to organs through

prolonged or repeated exposure.

**Training Advice** Do not handle until all safety precautions have been read and understood.

Abbreviations and acronyms IARC (International Agency for Research on Cancer)

IUCLID (International Uniform Chemical Information Database) WHMIS (Workplace Hazardous Materials Information System)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

TWA (Time-Weighted Average)

CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC

1272/2008))

PPE (Personal Protection Equipment)

NIOSH (National Institute for Occupational Safety and Health)

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)

RQ (Reportable Quantity) (RQ/% in mixture)

STEL (Short Term Exposure Limit) TLV® (Threshold Limit Value) DNEL (Derived No Effect Level)

SVHC (Substances of Very High Concern) BOD (Biochemical oxygen demand) COD (Chemical oxygen demand)

ICAO (International Civil Aviation Organization)
IMDG (International Maritime Dangerous Goods)

ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)

IATA (International Air Transport Association)
IMDG (International Maritime Dangerous Goods)

### **Safety Data Sheet**

**Hubercarb® Q200** 

Issue Date 30/Jun/2022 Print Date 30/Jun/2022 Revision Number 1.3.1 Page 12 of 12

DOT (Department of Transportation)
TDG (Transport of Dangerous Goods) Canada
PNEC (Predicted No Effect Concentration)
SCBA (Self-Contained Breathing Apparatus) Positive Pressure
GHS (Globally Harmonized System)
TSCA (Toxic Substances Control Act)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**