

### Hubercarb® Q3PLT

#### This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 COMMISSION REGULATION (EU) No. 2020/878

Issue Date 23/Jun/2023 Print Date 11/Apr/2024 Revision Number 1.1 Page 1 of 12

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: Hubercarb® Q3PLT

Chemical Name Limestone Mixture

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Filler Functional additive
-----------------	----------------------------

Uses advised against None known.

#### **1.3. Details of the supplier of the safety data sheet**

Manufacturer	MARTINSWERK GmbH Kölner Strasse 110 50127 Bergheim Germany Tel. : +49-2271-90.22.78 Fax. : +49-2271-90.27.17
Internet	www.huberadvancedmaterials.com
Contact E-Mail	www.huberadvancedmaterials.com/contact
1.4. Emergency telephone number	CHEMTREC: +1 800 424 9300 or International +1 703 527 3887
Poison control center phone number	National Anti-Poison Center UK: +44 844 892 0111 (National Poisons Information Service)

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

(CLP) Regulation (EC 1272/2008) Not classified

Hazards identification Physical Hazard Not classified

# Safety Data Sheet

### Hubercarb® Q3PLT

Issue Date         23/Jun/2023           Print Date         11/Apr/2024	Revision Number 1.1 Page 2 of 12
Health Hazards	Not classified
Environmental Hazard	Not classified
2.2. Label elements	
Symbols/Pictograms	None
Signal Word	None
Hazard Statements	None
Precautionary Statements	
Prevention	Employ good industrial hygiene practice Wash hands thoroughly after handling
Response	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing IF ON SKIN: Wash with plenty of soap and water
Storage	Keep in a dry place Store away from incompatible materials
Disposal	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Additional Information:	Not applicable.
2.3. Other hazards	No information available.

# **SECTION 3: Composition/information on ingredients**

Chemical Name	CAS Number	EC No	(CLP) Regulation (EC 1272/2008)	Weight-%
Limestone	1317-65-3	215-279-6	Not classified.	96 - 99
Stearic Acid	57-11-4	-	Not classified.	0.5 - 1.5
Crystalline Silica, quartz (impurity)	14808-60-7	238-878-4	Carcinogenicity category 1A. Specific target organ toxicity (STOT) - repeated exposure, category 2. Respiratory system.	0.2 - 2

## **SECTION 4: First aid measures**

4.1. Description of first aid measures

When in doubt or if symptoms are observed, get medical advice.

### Hubercarb® Q3PLT

Issue Date	23/Jun/2023
Print Date	11/Apr/2024

Revision Number 1.1 Page 3 of 12

Eye Contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Skin Contact	Wash with plenty of soap and water.
Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Ingestion	Rinse mouth thoroughly with water.
Aspiration hazard	Not an expected route of exposure.
Notes to Physician	Treat symptomatically.
4.2. Most important symptoms and effects, both acute and delayed	Signs and symptoms may include coughing, gasping, choking and difficulty breathing.
4.3. Indication of any immediate medical attention and special treatment needed	IF exposed or concerned: Get medical advice/attention. Treatment should be symptomatic and supportive. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable Extinguishing Media Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO2).

#### **Unsuitable Extinguishing Media** None known.

# **5.2. Special hazards arising from the substance or mixture** Do not breathe dust.

#### 5.3. Advice for firefighters

### Special protective

equipment for firefighters Wear a self-contained breathing apparatus and chemical protective clothing.

#### Fire-fighting measures

In case of fire and/or explosion do not breathe fumes.

Hubercarb® Q3PLT

Issue Date 23/Jun/2023 Print Date 11/Apr/2024 Revision Number 1.1 Page 4 of 12

### **SECTION 6: Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures	Keep unauthorized personnel away. Use personal protection recommended in Section 8. Avoid dust formation. Ensure adequate ventilation.
For non-emergency personnel	Keep unauthorized personnel away.
For emergency responders	Keep unauthorized personnel away. Use personal protection recommended in Section 8.
6.2. Environmental precautions	Avoid runoff to waterways and sewers.
6.3. Methods and material for containment and cleaning up	Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust Small Spill: Vacuum or sweep material and place in a disposal container
6.4. Reference to other sections	Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

### **SECTION 7: Handling and storage**

7.1. Precautions for safe	Avoid exposure - obtain special instructions before use
handling	Ensure adequate ventilation
_	Do not breathe dust
	Use personal protective equipment as required
	Handle in accordance with good industrial hygiene and safety practice

**7.2. Conditions for safe storage**, Keep container tightly closed and dry **including any incompatibilities** Store away from incompatible materials

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **Occupational exposure limits**

Limestone ACGIH OSHA	10 mg/m³ Total Dust, 3 mg/m³ Respirable Dust 5 mg/m³ TWA (respirable fraction) 15 mg/m³ TWA (total dust)
France Italy United Kingdom <u>Crystalline Silica, quartz (impurity)</u>	10 mg/m <sup>3</sup> 10 mg/m <sup>3</sup> 10 mg/m <sup>3</sup> TWA (inhalable dust); 4 mg/m <sup>3</sup> TWA (respirable dust)
ACGIH OSHA	TWA: 0.025 mg/m <sup>3</sup> respirable fraction TWA: 0.05 mg/m <sup>3</sup> OSHA Action level: 0.025 mg/m <sup>3</sup>

### Hubercarb® Q3PLT

Issue Date 23/Jun/2023 Print Date 11/Apr/2024

#### Revision Number 1.1 Page 5 of 12

NIOSH	0.05 mg/m <sup>3</sup> TWA (respirable dust)			
Austria	MAK: 0,15 mg/m <sup>3</sup> (respirable dust)			
Belgium Bulgaria	TWA: 0,1 mg/m <sup>3</sup> (respirable dust) TWA: 0,07 mg/m <sup>3</sup> (respirable fraction)			
Croatia	MAC: 0,0 mg/m <sup>3</sup>			
Czech Republic	TWA: 0,1 mg/m <sup>3</sup> (respirable dust)			
Denmark	TLV 0,3 mg/m <sup>3</sup> (total)			
	0,1 mg/m <sup>3</sup> (respirable)			
Estonia	TWA: 0,1 mg/m <sup>3</sup> (respirable dust)			
Finland	TWA: 0,05 mg/m <sup>3</sup> (respirable)			
France	VME: 0,1 mg/m <sup>3</sup> (restrictive limit, alveolar fraction)			
Hungary	TWA: 0,15 mg/m <sup>3</sup> (respirable)			
Iceland	TWA: 0,3 mg/m <sup>3</sup> (total dust)			
Inclosed.	0,1 mg/m <sup>3</sup> (respirable dust)			
Ireland Italy	TWA: 0,1 mg/m <sup>3</sup> (respirable dust) TWA: 0,025 mg/m <sup>3</sup> (respirable fraction)			
Italy	TWA: 0,025 mg/m <sup>3</sup> (respirable fraction)			
Lithuania	TWA: 0,1 mg/m <sup>3</sup> (respirable fraction)			
Netherlands	TWA: 0,075 mg/m <sup>3</sup> (respirable dust)			
Norway	TLV: 0,3 mg/m <sup>3</sup> (total dust)			
-	0,1 mg/m <sup>3</sup> (respirable dust)			
Poland	TWA: 2 mg/m <sup>3</sup> (total dust)			
	0,3 mg/m <sup>3</sup> (respirable dust)			
Portugal	TWA: 0,025 mg/m <sup>3</sup> (respirable fraction)			
Slovakia	TWA: 0,1 mg/m <sup>3</sup> (respirable fraction)			
Slovenia Spain	TWA: 0,15 mg/m <sup>3</sup> (respirable fraction)			
Sweden	VLA-ED TWA: 0,1 mg/m <sup>3</sup> (respirable fraction) TWA: 0,1 mg/m <sup>3</sup> (respirable dust)			
Switzerland	TWA: 0,1 mg/m <sup>3</sup> (respirable dust) TWA: 1, 15 mg/m <sup>3</sup> (respirable dust)			
United Kingdom	TWA: 0,1 mg/m <sup>3</sup> (respirable)			
<b>3</b>				
Recommended monitoring	Refer also to national guidance documents for information on currently			
procedures	recommended monitoring procedures			
<b>Biological Limit Values</b>	No information available			
8.2. Exposure controls				
Engineering Measures	Provide a good standard of controlled ventilation (10 to 15 air changes per hour)			
Porconal protoctive equipment				
Personal protective equipment				
Eye/Face Protection	Wear safety glasses with side shields (or goggles).			
Skin and Body Protection	Wear suitable protective clothing.			
Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.			
Thermal hazards	None known.			

# Safety Data Sheet

### Hubercarb® Q3PLT

Issue Date 23/Jun/2023 Print Date 11/Apr/2024	Revision Number 1.1 Page 6 of 12
Hygiene Measures	Follow general hygiene considerations recognized as common good workplace practices The worker should wash daily at the end of each work shift, and prior to eating, drinking, smoking, etc
Environmental Exposure Controls	Dispose of in accordance with local regulations

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Λn	naai	ranı	~~
AP	pea	an	66.

Appearance.	
Physical State	Solid
Color	White
Odor	Odorless
Odor Threshold	No information available
pH:	8.4 - 10.2 5% Water suspension
Melting point / Freezing point	Not applicable
Boiling Point	Not applicable
Freezing Point	Not applicable
Flash Point	Not applicable
Evaporation Rate	Not applicable.
Flammability (solid, gas)	Not applicable
Upper flammability limit:	
Lower flammability limit:	
Vapor Pressure	Not applicable
Vapor Density	Not applicable
Density	No data available
Relative Density	2.7 g/cm3 @ 20°C
Water Solubility	0.01 g/l (Practically insoluble) @ 20°C
Solubility in other solvents	No information available
Partition coefficient	Not applicable
Autoignition Temperature	Not applicable
Decomposition Temperature	1292 - 1652 °F (700 - 900 °C)
Viscosity	Not applicable.
Kinematic viscosity	Not applicable
Explosive Properties	Not applicable
Oxidizing Properties	Not applicable
Particle Size	No information available
VOC Content (%)	Not applicable

9.2. Other information

**9.2.1. Information with regard to physical hazard classes** Not applicable

**9.2.2. Other safety characteristics** Not applicable

## Safety Data Sheet

#### Hubercarb® Q3PLT

Issue Date 23/Jun/2023 Print Date 11/Apr/2024 Revision Number 1.1 Page 7 of 12

### **SECTION 10: Stability and reactivity**

10.1. ReactivityNone10.2. Chemical stabilityStable10.3. Possibility of hazardous<br/>reactionsNo specific hazard known10.4. Conditions to avoidIncompatible materials10.5. Incompatible materialsStrong acids10.6. Hazardous decomposition<br/>productsNone known

### **SECTION 11: Toxicological information**

General Information	Users are advised to consider national Occupational Exposure Limits or other equivalent values.			
11.1. Information on hazard class	ses as defined in Regulation (EC) No 1272/2008			
Limestone Oral LD50	6450 mg/kg Rat			
<u>Stearic Acid</u> Oral LD50 <u>Crystalline Silica, quartz (impurit</u> LD50s and LC50s Oral LD50	4600 mg/kg (rat) [y] 500 mg/kg Oral LD50 Rat 500 mg/kg Rat Mouse			
ACGIH IARC	Group 2A - Probably Carcinogenic to Humans Group 1 - Carcinogenic to Humans			
Acute Toxicity	Users are advised to consider national Occupational Exposure Limits or other equivalent values			
Chronic Toxicity	Potential occupational carcinogen.			
Chronic Effects	Extended inhalation at levels above the workplace limit value can cause irreversible damage to the lungs (silicosis).			
Respiratory Sensitization	Causes respiratory tract irritation if inhaled.			

# Safety Data Sheet

### Hubercarb® Q3PLT

Issue Date 23/Jun/2023 Print Date 11/Apr/2024	Revision Number 1.1 Page 8 of 12
Serious eye damage/eye irritation	Dust may cause mechanical irritation to eyes
Skin Corrosion/Irritation	Prolonged or repeated contact may dry skin and cause irritation
Skin Sensitization	Prolonged or repeated contact may dry skin and cause irritation
Germ cell mutagenicity	No information available.
Reproductive Effects	No information available.
Reproductive Toxicity	No information available.
Carcinogenicity	Crystalline silica (quartz) has been classified by the International Agency for Research on Cancer (IARC) as a known human carcinogen (Group 1).
Specific target organ toxicity - Single exposure	May cause respiratory irritation.
Specific target organ toxicity - Repeated exposure	May cause damage to organs through prolonged or repeated exposure if inhaled. Lungs.
Mixture versus substance information	No information available
Information on Likely Routes of	Exposure
Inhalation	Extended inhalation at levels above the workplace limit value can cause irreversible damage to the lungs (silicosis)
Ingestion	Ingestion is not a likely route of exposure
Skin	Prolonged or repeated contact may dry skin and cause irritation
Eyes	Avoid contact with eyes Dust contact with the eyes can lead to mechanical irritation
Aspiration hazard	Not an expected route of exposure.
Symptoms related to the physical, chemical and toxicological characteristics	Contact with dust can cause mechanical irritation or drying of the skin. Dust may cause mechanical irritation to eyes. May cause irritation. Mucous Membrane. respiratory tract.

#### 11.2. Information on other hazards

**11.2.1. Endocrine disrupting** This product does not contain any known or suspected endocrine disruptors **properties** 

**11.2.2. Other information** Not applicable

### **SECTION 12: Ecological information**

### Hubercarb® Q3PLT

Issue Date23/Jun/2023Print Date11/Apr/2024	Revision Number 1.1 Page 9 of 12
12.1. Toxicity	Not considered to be harmful to aquatic life
<u>Limestone</u> WGK Classification (AwSV) <u>Stearic Acid</u> WGK Classification (AwSV) <u>Crystalline Silica, quartz (impuri</u> WGK Classification (AwSV)	661: WGK: nwg ity)
12.2. Persistence and degradability	Not readily biodegradable.
12.3. Bioaccumulative potential	None.
Partition coefficient	Not applicable
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	None.
12.5. Results of PBT and vPvB assessment	This substance does not meet the criteria for classification as PBT or vPvB.
12.6. Endocrine disrupting properties	This product does not contain any known or suspected endocrine disruptors

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Disposal Methods	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.
Waste codes	Waste codes should be assigned by the user based on the application for which the product was used
<u>Limestone</u> European Waste Catalog WGK Classification (AwSV) <u>Stearic Acid</u> WGK Classification (AwSV)	10130414 317 WGK: nwg 661: WGK: nwg
Cruetelline Silice guertz (impuri	5

Crystalline Silica, quartz (impurity) WGK Classification (AwSV) 849 WGK: nwg

# Safety Data Sheet

Hubercarb® Q3PLT

Issue Date23/Jun/2023Print Date11/Apr/2024

Revision Number 1.1 Page 10 of 12

### **SECTION 14: Transport information**

Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada	Not regulated
DOT	Not regulated
ADR	Not regulated
RID	Not regulated
ADN	Not regulated
ΙΑΤΑ	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated

14.2. UN proper shipping name	None
14.3. Transport hazard class(es)	None
14.4. Packing group	None
14.5. Environmental hazards	No
14.6. Special precautions for user	Not applicable

**14.7. Maritime transport in bulk according to IMO instruments** Not applicable

### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **Global Inventories**

Chemical Name	CAS Number	EC No	Australia (AIIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	Thailand (TECI)		Philippine s (PICCS)		TSCA: United States
Limestone	1317-65-3	215-279-6	Y	Y (NDSL)	Y	(1)-122(E NCS)(ISH L)		Y	55-1-0141 1	Y	Y	Y	A
Stearic Acid	57-11-4	-	Y	Y	Y	(2)-609 (2)-608 (ENCS)(IS HL)	KE-26333	Y	55-1-0449 9	Y	Y	Y	A
Crystalline Silica, quartz (impurity)	14808-60- 7	238-878-4	Y	Y	Y	(1)-548(E NCS)(ISH L)	KE-29983	Y	55-1-0194 1	Y	Y	Y	A

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

### Hubercarb® Q3PLT

Issue Date23/Jun/2023Print Date11/Apr/2024

Revision Number 1.1 Page 11 of 12

REACH No.

Limestone EU REACH registration number Exempt Stearic Acid EU REACH registration number Exempt Crystalline Silica, quartz (impurity) EU REACH registration number Exempt

#### Germany

 Not considered to be harmful to aquatic life

 Limestone

 WGK Classification (AwSV)
 317 WGK: nwg

 Stearic Acid

 WGK Classification (AwSV)
 661: WGK: nwg

 Crystalline Silica, quartz (impurity)

 WGK Classification (AwSV)
 849 WGK: nwg

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out

### **SECTION 16: Other information**

Reason for Revision	This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 & COMMISSION REGULATION (EU) No. 2020/878
Issue Date Print Date Revision Number	23/Jun/2023 11/Apr/2024 1.1
Prepared by	Huber Engineered Materials Global Regulatory Affairs email: regulatory.affairs@huber.com.
(CLP) Regulation (EC 1272/2008	) Not classified
Labeling	
Symbols/Pictograms	None
Signal Word	None
Hazard Statements	None.
Training Advice	Do not handle until all safety precautions have been read and understood.
Abbreviations and acronyms	IARC (International Agency for Research on Cancer) IUCLID (International Uniform Chemical Information Database) WHMIS (Workplace Hazardous Materials Information System) OSHA (Occupational Safety and Health Administration of the US Department of Labor) TWA (Time-Weighted Average) CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC

# Safety Data Sheet

### Hubercarb® Q3PLT

Issue Date 23/Jun/2023 Print Date 11/Apr/2024 Revision Number 1.1 Page 12 of 12

	1272/2008)) PPE (Personal Protection Equipment)
	NIOSH (National Institute for Occupational Safety and Health)
	CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)
	RQ (Reportable Quantity) (RQ/% in mixture)
	STEL (Short Term Exposure Limit)
	TLV® (Threshold Limit Value)
	DNEL (Derived No Effect Level)
	SVHC (Substances of Very High Concern)
	BOD (Biochemical oxygen demand)
	COD (Chemical oxygen demand)
	ICAO (International Civil Aviation Organization)
	IMDG (International Maritime Dangerous Goods)
	ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
	RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)
	IATA (International Air Transport Association)
	IMDG (International Maritime Dangerous Goods)
	DOT (Department of Transportation)
	TDG (Transport of Dangerous Goods) Canada
	PNEC (Predicted No Effect Concentration)
	SCBA (Self-Contained Breathing Apparatus) Positive Pressure
	GHS (Globally Harmonized System)
	TSCA (Toxic Substances Control Act)
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge,
	information and belief at the date of its publication. The information given is designed only
	as a guidance for safe handling, use, processing, storage, transportation, disposal and
	release and is not to be considered a warranty or quality specification. The information
	relates only to the specific material designated and may not be valid for such material used
	in combination with any other materials or in any process, unless specified in the text.
	in combination with any other matchate of in any process, unless specified in the text.

End of Safety Data Sheet