

Hubercarb® Q40-200 - FSMA

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 COMMISSION REGULATION (EU) No. 2020/878

 Issue Date
 28/Oct/2022

 Print Date
 28/Oct/2022

Revision Number 1.3.1 Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name:

Hubercarb® Q40-200 - FSMA

Pure substance/mixture Substance

Chemical Name	CAS Number	EC No	EU REACH registration number	(CLP) Regulation (EC 1272/2008)	Weight-%
Limestone	1317-65-3	215-279-6	Exempt	Not classified	97 - 100
Crystalline Silica, quartz (impurity)	14808-60-7	238-878-4	Exempt	Carcinogenicity category 1A Specific target organ toxicity (STOT) - repeated exposure, category 2 : Respiratory system	0.2 - 2

1.2. Relevant identified uses of the substance or mixture and uses advised against

- Recommended Use Filler Functional additive
- Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company:	J.M. Huber Corporation 3100 Cumberland Boulevard, Suite 600 Atlanta, GA 30339 USA Tel: +1 678 247-7300
Internet	www.hubermaterials.com
E-mail	hubermaterials@huber.com
1.4. Emergency telephone number	CHEMTREC: +1 800 424 9300 or International +1 703 527 3887
Poison control center phone number	National Anti-Poison Center UK: +44 844 892 0111 (National Poisons Information Service)

SECTION 2: Hazards identification

Safety Data Sheet

Hubercarb® Q40-200 - FSMA

Issue Date 28/Oct/2022 Print Date 28/Oct/2022 Revision Number 1.3.1 Page 2 of 12

2.1. Classification of the substance or mixture

(CLP) Regulation (EC 1272/2008)

Hazards identification Physical Hazard	Not classified
Health Hazards	Carcinogenicity category 1A Specific target organ toxicity (STOT) - repeated exposure, category 2 Lungs
Environmental Hazard	Not classified
2.2. Label elements	
Symbols/Pictograms	
Signal Word	Danger
Hazard Statements	H350 - May cause cancer H373 - May cause damage to organs through prolonged or repeated exposure
Precautionary Statements	
Prevention	 P201 - Obtain special instructions before use P202 - Do not handle until all safety precautions have been read and understood P260 - Do not breathe dust P280 - Wear protective gloves/protective clothing/eye protection/face protection
Response	P308 + P313 - IF exposed or concerned: Get medical advice/attention
Storage	P405 - Store locked up
Disposal	P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.
Additional Information:	Not applicable.
2.3. Other hazards	No information available.

SECTION 3: Composition/information on ingredients

Hubercarb® Q40-200 - FSMA

Issue Date 28/Oct/2022 Print Date 28/Oct/2022

Revision Number 1.3.1 Page 3 of 12

Chemical Name	CAS Number	EC No	EU REACH registration number	(CLP) Regulation (EC 1272/2008)	Annex	Weight-%
Limestone	1317-65-3	215-279-6	Exempt	Not classified		97 - 100
Crystalline Silica, quartz (impurity)	14808-60-7	238-878-4	Exempt	Carcinogenicity category 1A Specific target organ toxicity (STOT) - repeated exposure, category 2 : Respiratory system		0.2 - 2

Additional information

REACH registration No. : Exempt or - : this substance or its uses are exempted from REACH registration or no REACH registration obligation as annual tonnage <1tpa.

SECTION 4: First aid measures

4.1. Description of first aid measures

General Advice	When in doubt or if symptoms are observed, get medical advice.
Eye Contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Skin Contact	Wash with plenty of soap and water.
Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Ingestion	Rinse mouth thoroughly with water.
Aspiration hazard	Not an expected route of exposure.
Notes to Physician	Treat symptomatically.
4.2. Most important symptoms and effects, both acute and delayed	Signs and symptoms may include coughing, gasping, choking and difficulty breathing.
4.3. Indication of any immediate medical attention and special treatment needed	IF exposed or concerned: Get medical advice/attention. Treatment should be symptomatic and supportive. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO2).

Safety Data Sheet

Hubercarb® Q40-200 - FSMA

Issue Date 28/Oct/2022 Print Date 28/Oct/2022 Revision Number 1.3.1 Page 4 of 12

Unsuitable Extinguishing Media None known.

5.2. Special hazards arising from the substance or mixture Do not breathe dust.

5.3. Advice for firefighters

Special protective

equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures	Keep unauthorized personnel away. Use personal protection recommended in Section 8. Avoid dust formation. Ensure adequate ventilation.
For non-emergency personnel	Keep unauthorized personnel away.
For emergency responders	Keep unauthorized personnel away. Use personal protection recommended in Section 8.
6.2. Environmental precautions	Avoid runoff to waterways and sewers.
6.3. Methods and material for containment and cleaning up	Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust Small Spill: Vacuum or sweep material and place in a disposal container
6.4. Reference to other sections	Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1. Precautions for safe	Avoid exposure - obtain special instructions before use
handling	Ensure adequate ventilation
	Do not breathe dust
	Use personal protective equipment as required
	Handle in accordance with good industrial hygiene and safety practice
	Keep container tightly closed and dry

including any incompatibilities Store away from incompatible materials

SECTION 8: Exposure controls/personal protection

Hubercarb® Q40-200 - FSMA

Issue Date 28/Oct/2022 Print Date 28/Oct/2022 Revision Number 1.3.1 Page 5 of 12

8.1. Control parameters

Occupational exposure limits

Limestone ACGIH OSHA	10 mg/m ³ Total Dust, 3 mg/m ³ Respirable Dust 5 mg/m ³ TWA (respirable fraction) 15 mg/m ³ TWA (total dust)
France	10 mg/m ³
Italy	10 mg/m ³
United Kingdom	10 mg/m ³ TWA (inhalable dust); 4 mg/m ³ TWA (respirable dust)
Crystalline Silica, quartz (impurity)	
ACGIH	TWA: 0.025 mg/m ³ respirable fraction
OSHA	TWA: 0.05 mg/m ³
	OSHA Action level: 0.025 mg/m ³
NIOSH	0.05 mg/m ³ TWA (respirable dust)
Austria	MAK: 0,15 mg/m ³ (respirable dust)
Belgium	TWA: 0,1 mg/m ³ (respirable dust)
Bulgaria	TWA: 0,07 mg/m ³ (respirable fraction)
Croatia	MAC: 0,1 mg/m ³
Czech Republic Denmark	TWA: 0,1 mg/m ³ (respirable dust) TLV 0,3 mg/m ³ (total)
Deninark	0,1 mg/m ³ (respirable)
Estonia	TWA: 0,1 mg/m ³ (respirable dust)
Finland	TWA: 0,05 mg/m ³ (respirable)
France	VME: 0,1 mg/m ³ (restrictive limit, alveolar fraction)
Hungary	TWA: 0,15 mg/m ³ (respirable)
Iceland	TWA: 0,3 mg/m ³ (total dust)
	0,1 mg/m ³ (respirable dust)
Ireland	TWA: 0,1 mg/m ³ (respirable dust)
Italy	TWA: 0,025 mg/m ³ (respirable fraction)
Italy	TWA: 0,025 mg/m ³ (respirable fraction)
Lithuania	TWA: 0,1 mg/m ³ (respirable fraction)
Netherlands	TWA: 0,075 mg/m ³ (respirable dust)
Norway	TLV: 0,3 mg/m ³ (total dust)
Deland	0,1 mg/m³ (respirable dust) TWA: 2 mg/m³ (total dust)
Poland	0,3 mg/m ³ (respirable dust)
Portugal	TWA: 0,025 mg/m ³ (respirable fraction)
Slovakia	TWA: 0,1 mg/m ³ (respirable fraction)
Slovenia	TWA: 0,15 mg/m ³ (respirable fraction)
Spain	VLA-ED TWA: 0,1 mg/m ³ (respirable fraction)
Sweden	TWA: 0,1 mg/m ³ (respirable dust)
Switzerland	TWA: 1, 15 mg/m ³ (respirable dust)
United Kingdom	TWA: 0,1 mg/m ³ (respirable)
Recommended monitoring procedures	Refer also to national guidance documents for information on currently recommended monitoring procedures
p. 00044100	
Biological Limit Values	No information available
DNEL (Derived No Effect Level)	No information available

PNEC (Predicted No Effect Concentration) No information available

Hubercarb® Q40-200 - FSMA

Issue Date 28/Oct/2022 Print Date 28/Oct/2022 Revision Number 1.3.1 Page 6 of 12

8.2. Exposure controls	
Engineering Measures	Provide a good standard of controlled ventilation (10 to 15 air changes per hour)
Personal protective equipment	
Eye/Face Protection	Wear safety glasses with side shields (or goggles).
Skin and Body Protection	Wear suitable protective clothing.
Hand Protection	For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn.
Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Thermal hazards	None known.
Hygiene Measures	Follow general hygiene considerations recognized as common good workplace practices The worker should wash daily at the end of each work shift, and prior to eating, drinking, smoking, etc
Environmental Exposure Controls	Dispose of in accordance with local regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:	
Physical State	Solid
Color	White
Odor	Odorless
Odor Threshold	No information available
pH:	8.4 - 10.2 5% Water suspension
Melting point / Freezing point	Not applicable
Boiling Point	Not applicable
Flash Point	Not applicable
Evaporation Rate	Not applicable.
Flammability (solid, gas)	Not applicable
Upper flammability limit:	
Lower flammability limit:	
Vapor Pressure	Not applicable
Vapor Density	Not applicable
Relative Density	2.7 g/cm3 @ 20°C
Water Solubility	1.3 g/l, 20° C
Solubility in other solvents	No information available
Partition coefficient	Not applicable
Autoignition Temperature	Not applicable

Safety Data Sheet

Hubercarb® Q40-200 - FSMA

Issue Date 28/Oct/2022 Print Date 28/Oct/2022 Revision Number 1.3.1 Page 7 of 12

Decomposition Temperature Viscosity Explosive Properties Oxidizing Properties VOC Content (%) 1292 - 1652 °F (700 - 900 °C) Not applicable. Not applicable Not applicable Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity	None
10.2. Chemical stability	Stable
10.3. Possibility of hazardous reactions	No specific hazard known
10.4. Conditions to avoid	Incompatible materials
10.5. Incompatible materials	Strong acids
10.6. Hazardous decomposition products	None known

SECTION 11: Toxicological information

General Information	Users are advised to consider national Occupational Exposure Limits or other equivalent values.	
Information on Likely Routes of	Exposure	
Inhalation	Extended inhalation at levels above the workplace limit value can cause irreversible damage to the lungs (silicosis)	
Skin	Prolonged or repeated contact may dry skin and cause irritation	
Eyes	Avoid contact with eyes Dust contact with the eyes can lead to mechanical irritation	
Ingestion	Ingestion is not a likely route of exposure	
Aspiration hazard	Not an expected route of exposure.	
Symptoms related to the physical, chemical and toxicological characteristics	Contact with dust can cause mechanical irritation or drying of the skin. Dust may cause mechanical irritation to eyes. May cause irritation. Mucous Membrane. respiratory tract.	

11.1. Information on toxicological effects

Safety Data Sheet

Hubercarb® Q40-200 - FSMA

Issue Date 28/Oct/2022 Print Date 28/Oct/2022 Revision Number 1.3.1 Page 8 of 12

Limestone Oral LD50	6450 mg/kg Rat
<u>Crystalline Silica, quartz (impur</u> LD50s and LC50s Oral LD50	<u>ity)</u> 500 mg/kg Oral LD50 Rat 500 mg/kg Rat Mouse
ACGIH IARC	Group 2A - Probably Carcinogenic to Humans Group 1 - Carcinogenic to Humans
Acute Toxicity	Users are advised to consider national Occupational Exposure Limits or other equivalent values
Chronic Toxicity	Potential occupational carcinogen.
Chronic Effects	Extended inhalation at levels above the workplace limit value can cause irreversible damage to the lungs (silicosis).
Respiratory Sensitization	Based on available data, the classification criteria are not met
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met
Skin Corrosion/Irritation	Based on available data, the classification criteria are not met
Skin Sensitization	Based on available data, the classification criteria are not met
Mutagenicity	Based on available data, the classification criteria are not met
Reproductive Effects	Based on available data, the classification criteria are not met.
Carcinogenicity	Crystalline silica (quartz) has been classified by the International Agency for Research on Cancer (IARC) as a known human carcinogen (Group 1).
Target Organ Effects	Respiratory system.
Specific target organ toxicity - Single exposure	No information available.
Specific target organ toxicity - Repeated exposure	May cause damage to organs through prolonged or repeated exposure if inhaled. Lungs.

SECTION 12: Ecological information

12.1. Ecotoxicity

Not considered to be harmful to aquatic life.

Limestone

WGK Classification (AwSV) 317 WGK: nwg

Hubercarb® Q40-200 - FSMA

Issue Date 28/Oct/2022 Print Date 28/Oct/2022 Revision Number 1.3.1 Page 9 of 12

Crystalline Silica, quartz (impurity) WGK Classification (AwSV) 849 WGK: nwg

12.2. Persistence and degradability	Not readily biodegradable.
12.3. Bioaccumulative potential	None.
Partition coefficient	Not applicable
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	None.
12.5. Results of PBT and vPvB assessment	This substance does not meet the criteria for classification as PBT or vPvB.
12.6. Other adverse effects	None known

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal Methods	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.
Waste codes	Waste codes should be assigned by the user based on the application for which the product was used
Limestone European Waste Catalog	10130414

WGK Classification (AwSV) 317 WGK: nwg Crystalline Silica, quartz (impurity)

WGK Classification (AwSV) 849 WGK: nwg

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada	Not regulated
DOT	Not regulated
ΙΑΤΑ	Not regulated

Safety Data Sheet

Hubercarb® Q40-200 - FSMA

Issue Date 28/Oct/2022 Print Date 28/Oct/2022 Revision Number 1.3.1 Page 10 of 12

IMDG/IMO ICAO	Not regulated Not regulated
14.1. UN number	None
14.2. UN proper shipping name	None
14.3. Transport hazard class(es)	None
14.4. Packing group	None
14.5. Environmental hazards	No

14.6. Special precautions for Not applicable **user**

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global Inventories

Pure substance/mixture Substance

Chemical Name	CAS Number	EC No	Australia (AIIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	Thailand (TECI)		Philippine s (PICCS)	Taiwan	TSCA: United States
Limestone	1317-65-3	215-279-6	Y	Y (NDSL)	Y	(1)-122(E NCS)(ISH L)	KE-21996	Y	55-1-0141 1	Y	Y	Y	A
Crystalline Silica, quartz (impurity)	-	238-878-4	Y	Y	Ŷ	(1)-548(E NCS)(ISH L)	KE-29983	Y	55-1-0194 1	Ŷ	Ŷ	Ŷ	A

Legend X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

Limestone EU REACH registration number Exempt Crystalline Silica, quartz (impurity) EU REACH registration number Exempt

Not considered to be harmful to aquatic life

Limestone WGK Classification (AwSV) 317 WGK: nwg Crystalline Silica, quartz (impurity) WGK Classification (AwSV) 849 WGK: nwg

15.2. Chemical safety assessment

Safety Data Sheet

Hubercarb® Q40-200 - FSMA

Issue Date 28/Oct/2022 Print Date 28/Oct/2022 Revision Number 1.3.1 Page 11 of 12

A Chemical Safety Assessment is not required for this substance

SECTION 16: Other information

Reason for Revision	This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 & COMMISSION REGULATION (EU) No. 2020/878			
Issue Date Print Date Revision Number	28/Oct/2022 28/Oct/2022 1.3.1			
Prepared by	Huber Engineered Materials Global Regulatory Affairs email: regulatory.affairs@huber.com.			
(CL B) Bagulation (EC 1272/2008)				

(CLP) Regulation (EC 1272/2008)

Labeling

Symbols/Pictograms

Signal Word Hazard Statements	Danger H350 - May cause cancer. H373 - May cause damage to organs through prolonged or repeated exposure.					
Training Advice	Do not handle until all safety precautions have been read and understood.					
Abbreviations and acronyms	IARC (International Agency for Research on Cancer) IUCLID (International Uniform Chemical Information Database) WHMIS (Workplace Hazardous Materials Information System) OSHA (Occupational Safety and Health Administration of the US Department of Labor) TWA (Time-Weighted Average) CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008)) PPE (Personal Protection Equipment) NIOSH (National Institute for Occupational Safety and Health) CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act) RQ (Reportable Quantity) (RQ/% in mixture) STEL (Short Term Exposure Limit) TLV® (Threshold Limit Value) DNEL (Derived No Effect Level) SVHC (Substances of Very High Concern) BOD (Biochemical oxygen demand) COD (Chemical oxygen demand) COD (Chemical oxygen demand) ICAO (International Maritime Dangerous Goods) ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail) IATA (International Air Transport Association)					

Issue Date 28/Oct/2022

Print Date 28/Oct/2022

Safety Data Sheet

Hubercarb® Q40-200 - FSMA

Revision Number 1.3.1 Page 12 of 12

IMDG (International Maritime Dangerous Goods) DOT (Department of Transportation) TDG (Transport of Dangerous Goods) Canada PNEC (Predicted No Effect Concentration) SCBA (Self-Contained Breathing Apparatus) Positive Pressure GHS (Globally Harmonized System) TSCA (Toxic Substances Control Act)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet