



HuberCrete® M3HST

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03 Canadian Workplace Hazardous Material Information System (WHMIS) 2015 Mexico NOM-018-STPS-2000; NOM-018-STPS-2015 Globally Harmonized System (GHS)

Issue Date: 15/Apr/2019 **Print Date:** 15/Apr/2019 Revision Number: 1.3 Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: HuberCrete® M3HST

1.2. Relevant identified uses of the substance or mixture and uses advised against

- **Recommended Use** Filler. Functional additive.
- 1.3. Details of the supplier of the safety data sheet

Company:	Huber Carbonates, LLC 3100 Cumberland Boulevard, Suite 600 Atlanta, GA 30339 USA	
	Tel: +1 678 247-7300	
Internet	www.hubermaterials.com	
E-mail	hubermaterials@huber.com	
1.4. Emergency telephone	CHEMTREC: +1 800 424 9300 or International +1 703 527 3887	

number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

OSHA Regulatory Status	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)
Physical Hazards	Not classified
Health Hazards	Carcinogenicity category 1A Specific target organ toxicity (STOT) - repeated exposure, category 2 Lungs
Environmental Hazard	Not classified

Safety Data Sheet

HuberCrete® M3HST

Issue Date: 15/Apr/2019 **Print Date:** 15/Apr/2019

2.2. Label elements

Symbols/Pictograms

Signal Word Danger **Hazard Statements** May cause cancer May cause damage to organs through prolonged or repeated exposure if inhaled **Precautionary Statements** Obtain special instructions before use. Prevention Do not handle until all safety precautions have been read and understood. Do not breathe dust Wear protective gloves/protective clothing/eye protection/face protection IF exposed or concerned: Get medical advice/attention Response Storage Store locked up Dispose of contents/containers in accordance with local regulations Disposal **Additional Information:** Not applicable.

Hazards not otherwise classified None known. (HNOC)

SECTION 3: Composition/information on ingredients

Chemical Name	CAS Number	TSCA: United States	Canada (DSL)	Mexico	REACH registration number	OSHA Regulatory Status	WHMIS	Weight-%
Limestone	1317-65-3	Y	Y	Y	Exempt	Not classified	H350; H372	87 - 96
Crystalline Silica, quartz (impurity)	14808-60-7	Ŷ	Y	Y	Exempt	Carcinogenicity category 1A Specific target organ toxicity (STOT) - repeated exposure, category 2	H350; H372	3 - 7
Stearic Acid	57-11-4	Y	Y	Y	Exempt	Not classified	Combustible Dust	0.5 - 1.5

Legend

X / Y: Complies - / N: Not Listed Exempt , ,

Revision Number: 1.3 Page 2 of 12

Safety Data Sheet

HuberCrete® M3HST

Issue Date: 15/Apr/2019 **Print Date:** 15/Apr/2019 Revision Number: 1.3 Page 3 of 12

SECTION 4: First aid measures

4.1. Description of first aid measures

General Advice	When in doubt or if symptoms are observed, get medical advice.
Eye Contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Skin Contact	Wash with plenty of soap and water.
Ingestion	Rinse mouth thoroughly with water.
Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Aspiration hazard	Not an expected route of exposure.
4.2. Most important symptoms and effects, both acute and delayed	Signs and symptoms may include coughing, gasping, choking and difficulty breathing.
4.3. Indication of any immediate medical attention and special treatment needed	For Formatic and supportive. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO2).

Unsuitable Extinguishing Media None known.

5.2. Special hazards arising from the substance or mixture Do not breathe dust.

5.3. Advice for firefighters

Special protective equipment for firefighters Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

Safety Data Sheet

HuberCrete® M3HST

Issue Date: 15/Apr/2019 **Print Date:** 15/Apr/2019 Revision Number: 1.3 Page 4 of 12

In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures	Keep unauthorized personnel away. Use personal protection recommended in Section 8. Avoid dust formation. Ensure adequate ventilation.
For non-emergency personnel	Keep unauthorized personnel away.
For emergency responders	Keep unauthorized personnel away. Use personal protection recommended in Section 8.
6.2. Environmental precautions	Avoid runoff to waterways and sewers.
6.3. Methods and material for containment and cleaning up	Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust Small Spill: Vacuum or sweep material and place in a disposal container
6.4. Reference to other sections	Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling	Avoid exposure - obtain special instructions before use. Ensure adequate ventilation. Do not breathe dust. Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice.
	Keen container tightly closed and dry. Otars away from incompatible materials

7.2. Conditions for safe storage, Keep container tightly closed and dry. Store away from incompatible materials. **including any incompatibilities**

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Limestone

OSHA

5 mg/m³ TWA (respirable fraction) 15 mg/m³ TWA (total dust)

ACGIH Canada Canada - BC TWA 10 mg/m³ Total Dust, 3 mg/m³ Respirable Dust 10 mg/m³ 3 mg/m³ (respirable fraction); 10 mg/m³ (total dust)

Safety Data Sheet

HuberCrete® M3HST

Issue Date: 15/Apr/2019 **Print Date:** 15/Apr/2019

Crystalline Silica, quartz (impurity)

OSHA	TWA: 0.05 mg/m ³
	OSHA Action level: 0.025 mg/m ³
ACGIH	TWA: 0.025 mg/m ³ respirable fraction
NIOSH	0.05 mg/m ³ TWA (respirable dust)
Canada	0.025 mg/m ³ TWA (respirable particulate)
Canada - BC TWA	0.025 mg/m ³ TWA (respirable fraction)
Canada - Manitoba - OEL - TWA	0.025 mg/m ³ TWA (respirable fraction)
Canada - Newfoundland & Labrador -	0.025 mg/m ³ TWA (respirable fraction)
OEL - TWA	
Canada - Nova Scotia - OEL - TWA	0.025 mg/m ³ TWA (respirable fraction)
	0.025 mg/m ³ TWA (respirable fraction)
TWA	
Mexico	0.1 mg/m ³ TWA (respirable fraction)

Biological Limit Values:

No information available

8.2. Exposure controls

Engineering Measures	Provide a good standard of controlled ventilation (10 to 15 air changes per hour).
Personal protective equipment	
Eye/Face Protection	Wear safety glasses with side shields (or goggles).
Skin and Body Protection	Wear suitable protective clothing.
Hand protection	For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn.
Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Thermal hazards	None known. Wear suitable protective clothing.
Hygiene Measures	Follow general hygiene considerations recognized as common good workplace practices. The worker should wash daily at the end of each work shift, and prior to eating, drinking, smoking, etc.
Environmental Exposure Controls	Dispose of in accordance with local regulations.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties Appearance: Physical State Color Odor Odorless Revision Number: 1.3 Page 5 of 12

Safety Data Sheet

HuberCrete® M3HST

Issue Date: 15/Apr/2019 **Print Date:** 15/Apr/2019

Revision	Number:		r:	1.	3
	Page	6	of	1	2

Odor Threshold pH: Melting point / Freezing point Boiling Point Flash Point: Evaporation Rate Flammability (solid, gas) Upper flammability limit:	No information available 8.4 - 10.2 5% Water suspension Not applicable Not applicable. Not applicable. Not applicable. Not applicable
Lower flammability limit: Vapor Pressure	Not applicable
Vapor Density	Not applicable
Relative Density	2.7 g/cm3 @ 20°C
Water Solubility	1.3 g/l, 20° C
Solubility in other solvents	No information available
Partition coefficient	Not applicable
Autoignition Temperature	Not applicable
Decomposition Temperature	700-900° C
Viscosity	Not applicable.
Explosive Properties	Not applicable
Oxidizing Properties	Not applicable
VOC Content (%)	Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity	None
10.2. Chemical stability	Stable
10.3. Possibility of hazardous reactions	No specific hazard known
10.4. Conditions to avoid	Incompatible materials
10.5. Incompatible materials	Strong acids
10.6. Hazardous decomposition products	None known

SECTION 11: Toxicological information

General Information

Users are advised to consider national Occupational Exposure Limits or other equivalent values.

Information on Likely Routes of Exposure

Safety Data Sheet HuberCrete® M3HST

Issue Date: 15/Apr/2019 **Print Date:** 15/Apr/2019

Revision Number: 1.3 Page 7 of 12

Inhalation	Extended inhalation at levels above the workplace limit value can cause irreversible damage to the lungs (silicosis)
Skin	Contact with dust can cause mechanical irritation or drying of the skin
Eyes	Avoid contact with eyes Dust contact with the eyes can lead to mechanical irritation
Ingestion	Ingestion is not a likely route of exposure
Aspiration hazard	Not an expected route of exposure.
Symptoms related to the physical, chemical and toxicological characteristics	Contact with dust can cause mechanical irritation or drying of the skin. Dust may cause mechanical irritation to eyes. May cause irritation. Mucous Membrane. respiratory tract.
11.1. Information on toxicologic	al effects
Limestone Oral LD50	6450 mg/kg Rat
<u>Crystalline Silica, quartz (impur</u> Oral LD50	ity) 500 mg/kg Rat Mouse
ACGIH IARC	Group 2A - Probably Carcinogenic to Humans Group 1 - Carcinogenic to Humans
Stearic Acid Oral LD50	4600 mg/kg (rat)
Acute Toxicity	Users are advised to consider national Occupational Exposure Limits or other equivalent values
Chronic Toxicity	Potential occupational carcinogen.
Chronic Effects	Extended inhalation at levels above the workplace limit value can cause irreversible damage to the lungs (silicosis).
Respiratory Sensitization	Causes respiratory tract irritation if inhaled.
Serious eye damage/eye irritation	Dust may cause mechanical irritation to eyes
Skin Corrosion/Irritation	Prolonged or repeated contact may dry skin and cause irritation
Skin Sensitization	Prolonged or repeated contact may dry skin and cause irritation
Germ cell mutagenicity	No information available.
Reproductive Effects	No information available.
Reproductive Toxicity	No information available.
Carcinogenicity	Crystalline silica (quartz) has been classified by the International Agency for Research on Cancer (IARC) as a known human carcinogen (Group 1).

Safety Data Sheet

HuberCrete® M3HST

Issue Date:	15/Apr/2019
Print Date:	15/Apr/2019

Revision Number: 1.3 Page 8 of 12

Specific target organ toxicity - Single exposure	May cause respiratory irritation.
Specific target organ toxicity - Repeated exposure	May cause damage to organs through prolonged or repeated exposure if inhaled. Lungs.
Mixture versus substance information	No information available

SECTION 12: Ecological information

12.1. Ecotoxicity

Not considered to be harmful to aquatic life.

Limestone

WGK Classification (VwVwS) 317: WGK: nwg Crystalline Silica, quartz (impurity) WGK Classification (VwVwS) 849 WGK: nwg Stearic Acid

WGK Classification (VwVwS) 661: WGK: nwg

12.2. Persistence and Not readily biodegradable. degradability 12.3. Bioaccumulative potential None. Partition coefficient Not applicable **Bioconcentration factor** Not available. (BCF) 12.4. Mobility in soil None. This substance does not meet the criteria for classification as PBT or vPvB. 12.5. Results of PBT and vPvB assessment 12.6. Other adverse effects None known

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal Methods	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Empty containers should be taken to an approved waste handling site for recycling

Safety Data Sheet

HuberCrete® M3HST

Issue Date: 15/Apr/2019 **Print Date:** 15/Apr/2019 Revision Number: 1.3 Page 9 of 12

or disposal.

Waste codes

Waste codes should be assigned by the user based on the application for which the product was used

Limestone European Waste Catalog 10130414 WGK Classification (VwVwS) 317: WGK: nwg Crystalline Silica, quartz (impurity) WGK Classification (VwVwS) 849 WGK: nwg Stearic Acid WGK Classification (VwVwS) 661: WGK: nwg

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada	Not regulated
DOT	Not regulated
ADR	Not regulated
RID	Not regulated
ADN	Not regulated
ΙΑΤΑ	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated

14.1.	UN number	None

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

14.6. Special precautions for Not applicable

user

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

SECTION 15: Regulatory information

Global Inventories

Chemical Name	CAS	EC No	REACH	Australia	Canada	China	Japan	S. Korea	Mexico	New	Philippine	Taiwan	TSCA:	1
---------------	-----	-------	-------	-----------	--------	-------	-------	----------	--------	-----	------------	--------	-------	---

Safety Data Sheet

HuberCrete® M3HST

Issue Date: 15/Apr/2019 Print Date: 15/Apr/2019

Revision Number: 1.3 Page 10 of 12

	Number		registrati on number	(AICS)	(DSL)	(IECSC)		(KECL)		Zealand	s (PICCS)		United States
Limestone	1317-65-3	215-279-6	Exempt	Y	Y	Y	(1)-122(EN CS)(ISHL)	KE-21996	Y	Y	Y	Y	Y
Crystalline Silica, quartz (impurity)		238-878-4	Exempt	Y	Y	Y	(1)-548(EN CS)(ISHL)	KE-29983	Y	Y	Y	Y	Y
Stearic Acid	57-11-4	-	Exempt	Ŷ	Ŷ	Ŷ	(2)-609 (2)-608 (ENCS)(ISH L)	KE-26333	Y	Y	Ŷ	Ŷ	Ŷ

Legend

X / Y: Complies - / N: Not Listed Exempt

US Federal Regulations

EPA

CERCLA	
Limestone	
CERCLA	Not Listed
SARA 311/312 Hazardous	Not Listed
Categorization	
Crystalline Silica, quartz (impurity)	
CERCLA	Not Listed
SARA 304	Listed
SARA 313	Listed

SARAH 302 RQ, lbs Not listed

SARA 304 Not listed

SARA 311/312 Hazardous Categorization

Hazardous chemical Immediate health effects Delayed health effects Yes

Crvstalline Silica, guartz (impurity) Acute Health Hazard

Chronic Health Hazard	Yes

CWA (Clean Water Act)

Not listed

U.S. State Right-to-Know Regulations

Chemical Name	CAS Number	California Proposition 65	 Massachusetts	Minnesota	New Jersey	Pennsylvania
Limestone	1317-65-3		Y	Y		Y
Crystalline Silica, quartz (impurity)	14808-60-7	Y	Y	Y	Y	Y
Stearic Acid	57-11-4	No	No	No	No	No

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65)

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm

Respirable crystalline silica is known to the State of California to cause cancer.

Safety Data Sheet

HuberCrete® M3HST

Issue Date: 15/Apr/2019 **Print Date:** 15/Apr/2019

CANADA

WHMIS:

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR

Limestone

H350; H372 <u>Crystalline Silica, quartz (impurity)</u> H350; H372 <u>Stearic Acid</u> Combustible Dust

SECTION 16: Other information Huber Engineered Materials (HEM) Global Regulatory Affairs Prepared by regulatory.affairs@huber.com **Issue Date:** 15/Apr/2019 Print Date: 15/Apr/2019 **Revision Number:** 1.3 **Reason for Version** OSHA (Occupational Safety and Health Administration of the US Department of Labor). Do not handle until all safety precautions have been read and understood. Training Advice International Agency for Research on Cancer (IARC) Abbreviations and acronyms International Air Transport Association (IATA) International Maritime Dangerous Goods (IMDG) International Uniform Chemical Information Database (IUCLID) Workplace Hazardous Materials Information System (WHMIS) status and classification EPA SARA Title III Section 312 (40 CFR 370) Hazard Classification DOT (Department of Transportation) OSHA (Occupational Safety and Health Administration of the US Department of Labor) TWA - Time-Weighted Average Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) The Classification, Labeling and Packaging of Substances and Mixtures (CLP) Regulation (EC 1272/2008) PPE - Personal Protection Equipment NIOSH - National Institute for Occupational Safety and Health TDG (Transport of Dangerous Goods) Canada CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act) Reportable Quantity (RQ) (RQ/% in mixture) STEL - Short Term Exposure Limit TLV® - Threshold Limit Value Derived No Effect Level (DNEL) SVHC: Substances of Very High Concern for Authorization: Land transport (ADR/RID) Biochemical oxygen demand (BOD) Chemical oxygen demand (COD) ICAO (air) (IMDG) International Maritime Dangerous Goods Positive Pressure Self-Contained Breathing Apparatus (SCBA) Predicted No Effect Concentration (PNEC) Globally Harmonized System (GHS) Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information

Revision Number: 1.3 Page 11 of 12

Safety Data Sheet

HuberCrete® M3HST

Issue Date: 15/Apr/2019 **Print Date:** 15/Apr/2019

Revision Number: 1.3 Page 12 of 12

relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet