



HuberPureTM 6-14 NSF

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03 Canadian Workplace Hazardous Material Information System (WHMIS) 2015 Mexico NOM-018-STPS-2000; NOM-018-STPS-2015 GHS (Globally Harmonized System)

Issue Date 27/Jun/2022 Print Date 27/Jun/2022 Revision Number 1.2 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: HuberPure[™] 6-14 NSF

Pure substance/mixture Substance

1.2. Relevant identified uses of the substance or mixture and uses advised against

- Recommended Use Filler Functional additive
- Uses advised against None known.
- 1.3. Details of the supplier of the safety data sheet

, Suite 600

- Tel: +1 678 247-7300
- Internet www.hubermaterials.com
- E-mail hubermaterials@huber.com

1.4. Emergency telephone number

SECTION 2: Hazards identification

CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

2.1. Classification of the substance or mixture

OSHA Regulatory Status	Carcinogenicity category 1A Specific target organ toxicity (STOT) - repeated exposure, category 2
GHS Classification	Carcinogenicity category 1A Specific target organ toxicity (STOT) - repeated exposure, category 2

Safety Data Sheet HuberPure™ 6-14 NSF

Issue Date 27/Jun/2022 Print Date 27/Jun/2022	Revision Number 1.2 Page 2 of 11
Physical Hazards	Not classified
Health Hazards	Carcinogenicity category 1A Specific target organ toxicity (STOT) - repeated exposure, category 2 Respiratory system
Environmental Hazard	Not classified
2.2. Label elements	
Symbols/Pictograms	
Signal Word	Danger
Hazard Statements	H350 - May cause cancer H373 - May cause damage to organs through prolonged or repeated exposure
Precautionary Statements	
Prevention	Obtain special instructions before use Do not handle until all safety precautions have been read and understood Do not breathe dust Wear protective gloves/protective clothing/eye protection/face protection
Response	IF exposed or concerned: Get medical advice/attention
Storage	Store locked up
Disposal	Dispose of contents/containers in accordance with local regulations
Additional Information:	Not applicable.
Hazards not otherwise classifie (HNOC)	d None known.

HuberPure[™] 6-14 NSF

Issue Date 27/Jun/2022 Print Date 27/Jun/2022

Revision Number 1.2 Page 3 of 11

SECTION 3: Composition/information on ingredients

Pure substance/mixture

Substance

Chemical Name	CAS Number	TSCA: United States	Canada (DSL)	Mexico	EU REACH registration number	OSHA Regulatory Status	WHMIS	Weight-%
Limestone	1317-65-3	A	Y (NDSL)	Y	Exempt	Not classified	H350; H372	97 - 100
Crystalline Silica, quartz (impurity)	14808-60-7	A	Y	Y	Exempt	Carcinogenicity category 1A Specific target organ toxicity (STOT) - repeated exposure, category 2	H350; H372	0.2 - 2

Legend X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed ; NDSL (Non-Domestic Substances List)

SECTION 4: First aid measures

4.1. Description of first aid measures

General Advice	When in doubt or if symptoms are observed, get medical advice.
Eye Contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Skin Contact	Wash with plenty of soap and water.
Ingestion	Rinse mouth thoroughly with water.
Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Aspiration hazard	Not an expected route of exposure.
4.2. Most important symptoms and effects, both acute and delayed	Signs and symptoms may include coughing, gasping, choking and difficulty breathing.
4.3. Indication of any immediate medical attention and special treatment needed	• IF exposed or concerned: Get medical advice/attention. Treatment should be symptomatic and supportive. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Safety Data Sheet

HuberPureTM 6-14 NSF

Issue Date 27/Jun/2022 Print Date 27/Jun/2022 Revision Number 1.2 Page 4 of 11

Suitable Extinguishing Media Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO2).

Unsuitable Extinguishing Media None known.

5.2. Special hazards arising from the substance or mixture Do not breathe dust.

5.3. Advice for firefighters

Special protective

equipment for firefighters Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures	Keep unauthorized personnel away. Use personal protection recommended in Section 8. Avoid dust formation. Ensure adequate ventilation.
For non-emergency personnel	Keep unauthorized personnel away.
For emergency responders	Keep unauthorized personnel away. Use personal protection recommended in Section 8.
6.2. Environmental precautions	Avoid runoff to waterways and sewers.
6.3. Methods and material for containment and cleaning up	Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust Small Spill: Vacuum or sweep material and place in a disposal container
6.4. Reference to other sections	Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1. Precautions for safe
handlingAvoid exposure - obtain special instructions before use. Ensure adequate
ventilation. Do not breathe dust. Use personal protective equipment as required.
Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, Keep container tightly closed and dry. Store away from incompatible materials. **including any incompatibilities**

HuberPure[™] 6-14 NSF

Issue Date 27/Jun/2022 Print Date 27/Jun/2022 Revision Number 1.2 Page 5 of 11

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Limestone OSHA	5 mg/m³ TWA (respirable fraction) 15 mg/m³ TWA (total dust)
OSHA - Final PELs -TWA ACGIH Canada Canada - British Columbia - OEL- STELs	15 mg/m ³ TWA 10 mg/m ³ Total Dust, 3 mg/m ³ Respirable Dust 10 mg/m ³ 20 mg/m ³
Crystalline Silica, quartz (impur OSHA ACGIH Canada Canada - British Columbia - OEL - Designated Substances Canada - Ontario - OEL - TWA EVs Canada - Ontario - OEL - TWA Canada - Nova Scotia - OEL - TWA Canada - Prince Edward Island - OEL TWA Mexico	ity)TWA: 0.05 mg/m³OSHA Action level: 0.025 mg/m³TWA: 0.025 mg/m³ respirable fraction0.025 mg/m³ TWA (respirable particulate)ACGIH Category A2 - Suspected Human CarcinogenIARC Category 1 - Human Carcinogen0.10 mg/m³0.025 mg/m³ TWA (respirable fraction)0.025 mg/m³ TWA (respirable fraction)0.025 mg/m³ TWA (respirable fraction)- 0.025 mg/m³ TWA (respirable fraction)- 0.025 mg/m³ TWA (respirable fraction)Mexican Carcinogen Category: A2 (Suspected Human Carcinogen)TWA (VLE-PPT): 0.025 mg/m³.
PNEC (Predicted No Effect Concentration)	No information available
DNEL (Derived No Effect Level)	No information available
Biological Limit Values	No information available
8.2. Exposure controls	
Engineering Measures	Provide a good standard of controlled ventilation (10 to 15 air changes per hour).
Personal protective equipment	
Eye/Face Protection	Wear safety glasses with side shields (or goggles).
Skin and Body Protection	Wear suitable protective clothing.
Hand Protection	For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn.
Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Thermal hazards	None known. Wear suitable protective clothing.

Safety Data Sheet

HuberPureTM 6-14 NSF

Issue Date 27/Jun/2022 Print Date 27/Jun/2022 Revision Number 1.2 Page 6 of 11

Hygiene MeasuresFollow general hygiene considerations recognized as common good workplace
practices. The worker should wash daily at the end of each work shift, and prior to
eating, drinking, smoking, etc.Environmental Exposure
ControlsDispose of in accordance with local regulations.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance: Physical State Solid White Color Odor Odorless **Odor Threshold** No information available 8.4 - 10.2 5% Water suspension pH: Melting point / Freezing point Not applicable **Boiling Point** Not applicable Not applicable **Flash Point Evaporation Rate** Not applicable. Flammability (solid, gas) Not applicable Upper flammability limit: Lower flammability limit: Vapor Pressure Not applicable Not applicable Vapor Density **Relative Density** 2.7 g/cm3 @ 20°C Water Solubility 1.3 g/l, 20° C Solubility in other solvents No information available Partition coefficient Not applicable Autoignition Temperature Not applicable 1292 - 1652 °F (700 - 900 °C) **Decomposition Temperature** Not applicable. Viscositv **Explosive Properties** Not applicable **Oxidizing Properties** Not applicable **VOC Content (%)** Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity	None
10.2. Chemical stability	Stable
10.3. Possibility of hazardous reactions	No specific hazard known
10.4. Conditions to avoid	Incompatible materials
10.5. Incompatible materials	Strong acids

HuberPure[™] 6-14 NSF

Issue Date 27/Jun/2022 Print Date 27/Jun/2022 Revision Number 1.2 Page 7 of 11

10.6. Hazardous decomposition None known products

SECTION 11: Toxicological information

General Information	Users are advised to consider national Occupational Exposure Limits or other equivalent values.		
Information on Likely Routes of Exposure			
Inhalation	Extended inhalation at levels above the workplace limit value can cause irreversible damage to the lungs (silicosis)		
Skin	Prolonged or repeated contact may dry skin and cause irritation		
Eyes	Avoid contact with eyes Dust contact with the eyes can lead to mechanical irritation		
Ingestion	Ingestion is not a likely route of exposure		
Aspiration hazard	Not an expected route of exposure.		
Symptoms related to the physical, chemical and toxicological characteristics	Contact with dust can cause mechanical irritation or drying of the skin. Dust may cause mechanical irritation to eyes. May cause irritation. Mucous Membrane. respiratory tract.		
11.1. Information on toxicological effects			
Limestone Oral LD50	6450 mg/kg Rat		
Crystalline Silica, quartz (impur			
LD50s and LC50s Oral LD50	500 mg/kg Oral LD50 Rat 500 mg/kg Rat Mouse		
ACGIH IARC	Group 2A - Probably Carcinogenic to Humans Group 1 - Carcinogenic to Humans		
Acute Toxicity	Users are advised to consider national Occupational Exposure Limits or other equivalent values		
Chronic Toxicity	Potential occupational carcinogen.		
Chronic Effects	Extended inhalation at levels above the workplace limit value can cause irreversible damage to the lungs (silicosis).		
Respiratory Sensitization	Based on available data, the classification criteria are not met		
Serious eye damage/eye	Based on available data, the classification criteria are not met		

Safety Data Sheet

HuberPure[™] 6-14 NSF

Issue Date 27/Jun/2022 Print Date 27/Jun/2022

irritation	
Skin Corrosion/Irritation	Based on available data, the classification criteria are not met
Skin Sensitization	Based on available data, the classification criteria are not met
Mutagenicity	Based on available data, the classification criteria are not met
Reproductive Effects	Based on available data, the classification criteria are not met.
Carcinogenicity	Crystalline silica (quartz) has been classified by the International Agency for Research on Cancer (IARC) as a known human carcinogen (Group 1).
Target Organ Effects	Respiratory system.
Specific target organ toxicity - Single exposure	No information available.

May cause damage to organs through prolonged or repeated exposure if inhaled. Specific target organ toxicity -Repeated exposure Lungs.

SECTION 12: Ecological information

12.1. Ecotoxicity Not considered to be harmful to aquatic life.

Limestone WGK Classification (AwSV) 317 WGK: nwg Crystalline Silica, quartz (impurity) WGK Classification (AwSV) 849 WGK: nwg

12.2. Persistence and Not readily biodegradable.

degradability

(BCF)

12.3. Bioaccumulative potential None.

Partition coefficient Not applicable

Bioconcentration factor Not available.

12.4. Mobility in soil None.

This substance does not meet the criteria for classification as PBT or vPvB. 12.5. Results of PBT and vPvB

assessment 12.6. Other adverse effects None known **Revision Number** 1.2 Page 8 of 11

HuberPure[™] 6-14 NSF

Issue Date 27/Jun/2022 Print Date 27/Jun/2022 Revision Number 1.2 Page 9 of 11

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal should be in accordance with applicable regional, national and local laws and regulations.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Waste codes should be assigned by the user based on the application for which the product was used
10130414
317 WGK: nwg
<u>ity)</u>

WGK Classification (AwSV) 849 WGK: nwg

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada	Not regulated
DOT	Not regulated
ΙΑΤΑ	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated

14.1. UN number	None
-----------------	------

- 14.2. UN proper shipping name None
- 14.3. Transport hazard class(es) None
- 14.4. Packing group None
- 14.5. Environmental hazards No
- **14.6. Special precautions for** Not applicable user

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

HuberPure[™] 6-14 NSF

Issue Date 27/Jun/2022 Print Date 27/Jun/2022 Revision Number 1.2 Page 10 of 11

SECTION 15: Regulatory information

Global Inventories

Pure substance/mixture Substance

Chemical Name	CAS Number	EC No	EU REACH registrati on number	Australia (AIIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	-	Philippine s (PICCS)	Taiwan	TSCA: United States
Limestone	1317-65-3	215-279-6	Exempt	Y	Y (NDSL)	Y	(1)-122(EN CS)(ISHL)	KE-21996	Y	Y	Y	Y	А
Crystalline Silica, quartz (impurity)	-	238-878-4	Exempt	Ŷ	Ŷ	Ŷ	(1)-548(EN CS)(ISHL)	KE-29983	Y	Ŷ	Ý	Ŷ	A

Legend

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed ; NDSL (Non-Domestic Substances List)

US Federal Regulations

<u>EPA</u>

SARA 311/312 Hazardous Categorization Carcinogenicity

CWA (Clean Water Act) Not listed

CAA (Clean Air Act) Not listed

U.S. State Right-to-Know Regulations

Chemical Name	CAS Number	California Proposition 65	Massachusetts	Minnesota	New Jersey	Pennsylvania
Limestone	1317-65-3	N	Y	Y	sn 4001	Y
Crystalline Silica, quartz (impurity)	14808-60-7	Y	Y	Y	sn 1660	Y

Legend X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed ; NDSL (Non-Domestic Substances List)

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65)

This product can expose you to crystalline silica, which is known to the State of California to cause cancer.

CANADA

WHMIS

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR

Limestone

H350; H372 <u>Crystalline Silica, quartz (impurity)</u> H350; H372

Safety Data Sheet HuberPure™ 6-14 NSF

Issue Date 27/Jun/2022 Print Date 27/Jun/2022

Revision Number 1.2 Page 11 of 11

Prepared by	Huber Engineered Materials (HEM) Global Regulatory Affairs regulatory.affairs@huber.com
Issue Date Print Date	27/Jun/2022 27/Jun/2022
Revision Number	1.2
Reason for Version	OSHA (Occupational Safety and Health Administration of the US Department of Labor).
Training Advice	Do not handle until all safety precautions have been read and understood.
Abbreviations and acronyms	 IARC (International Agency for Research on Cancer) IATA (International Air Transport Association) IMDG (International Maritime Dangerous Goods) IUCLID (International Uniform Chemical Information Database) WHMIS (Workplace Hazardous Materials Information System) DOT (Department of Transportation) OSHA (Occupational Safety and Health Administration of the US Department of Labor) TWA (Time-Weighted Average) CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008)) PPE (Personal Protection Equipment) NIOSH (National Institute for Occupational Safety and Health) TDG (Transport of Dangerous Goods) Canada CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act) RQ (Reportable Quantity) (RQ% in mixture) STEL (Short Term Exposure Limit) TLV@ (Threshold Limit Value) DNEL (Derived No Effect Level) SVHC (Substances of Very High Concern) BOD (Biochemical oxygen demand) ICAO (International Cavitage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet