# ADVANCED MATERIALS

## **Safety Data Sheet**

#### **Hydral® Brite 100**

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 COMMISSION REGULATION (EU) No. 2020/878

Issue Date 16/Feb/2023 Revision Number 1.3.1
Print Date 16/Feb/2023 Page 1 of 10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: Hydral® Brite 100

Chemical Name Aluminum Hydroxide

Chemical Name	CAS Number	EC No	EU REACH registration number	(CLP) Regulation (EC 1272/2008)	Weight-%
Aluminum Hydroxide	21645-51-2	244-492-7	01-2119529246-39	Not classified	30-70
Water	7732-18-5	231-791-2	Exempt	Not classified	30-70

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Flame retardant Smoke suppressant

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Manufacturer MARTINSWERK GmbH

Kölner Strasse 110 50127 Bergheim

Germany: +49-2271-90.22.78 Fax.: +49-2271-90.27.17

Internet www.hubermaterials.com

E-mail hubermaterials@huber.com

1.4. Emergency telephone

number

CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

Poison control center phone

number

National Anti-Poison Center UK: +44 844 892 0111 (National Poisons

Information Service)

## **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture

(CLP) Regulation (EC 1272/2008) Not classified

Hazards identification

## Safety Data Sheet

Hydral® Brite 100

Issue Date 16/Feb/2023 Revision Number 1.3.1
Print Date 16/Feb/2023 Page 2 of 10

Physical Hazard Not classified

Health Hazards Not classified

Environmental Hazard Not classified

2.2. Label elements

Symbols/Pictograms None

Signal Word None

Hazard Statements None

**Precautionary Statements** 

**Prevention** Employ good industrial hygiene practice

Wash hands thoroughly after handling

**Response** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing IF ON SKIN: Wash with plenty of soap and water

Storage Keep in a dry place

Store away from incompatible materials

**Disposal** Disposal should be in accordance with applicable regional, national and local laws

and regulations.

**2.3. Other hazards**No information available.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixture Mixture

Chemical Name	CAS Number	EC No	EU REACH registration number	(CLP) Regulation (EC 1272/2008)	Annex	Weight-%
Aluminum Hydroxide	21645-51-2	244-492-7	01-2119529246-39	Not classified		30-70
Water	7732-18-5	231-791-2	Exempt	Not classified		30-70

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

**General Advice** When in doubt or if symptoms are observed, get medical advice. Ensure that

medical personnel are aware of the material(s) involved and take precautions to

protect themselves.

Eye Contact In case of eye contact, remove contact lens and rinse immediately with plenty of

## Safety Data Sheet

Hydral® Brite 100

Issue Date 16/Feb/2023 **Revision Number** 1.3.1 Print Date 16/Feb/2023 Page 3 of 10

water, also under the eyelids, for at least 15 minutes.

Skin Contact Wash with plenty of soap and water.

Inhalation Do not breathe dust. IF INHALED: Remove to fresh air and keep at rest in a

position comfortable for breathing.

Ingestion Rinse mouth thoroughly with water.

Based on available data, the classification criteria are not met. **Aspiration hazard** 

**Notes to Physician** Treat symptomatically.

4.2. Most important symptoms and effects, both acute and

delayed

Dust contact with the eyes can lead to mechanical irritation. Contact with dust can

cause mechanical irritation or drying of the skin.

medical attention and special

treatment needed

**4.3.** Indication of any immediate Treat symptomatically. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of

contamination.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable Extinguishing

#### Media

Use extinguishing agent suitable for type of surrounding fire. Water spray (fog). Dry chemical. Foam. Carbon dioxide (CO2).

#### **Unsuitable Extinguishing Media**

None known.

#### 5.2. Special hazards arising from the substance or mixture

Non-combustible.

#### 5.3. Advice for firefighters

#### Special protective

#### equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

#### Fire-fighting measures

Water mist may be used to cool closed containers.

## **SECTION 6: Accidental release measures**

6.1. Personal precautions, Avoid dust formation. Ensure adequate ventilation. Use personal protection

## Safety Data Sheet

Hydral® Brite 100

Issue Date 16/Feb/2023 Revision Number 1.3.1
Print Date 16/Feb/2023 Page 4 of 10

protective equipment and emergency procedures

recommended in Section 8. Keep unauthorized personnel away.

For non-emergency personnel Keep unauthorized personnel away.

For emergency responders Keep unauthorized personnel away. Use personal protection recommended in

Section 8.

**6.2. Environmental precautions** Avoid runoff to waterways and sewers.

6.3. Methods and material for containment and cleaning up

Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust Small Spill: Vacuum or sweep material and place in a

disposal container

6.4. Reference to other sections Section 8: Exposure controls and personal protection. See Section 13 for

additional waste treatment information.

## **SECTION 7: Handling and storage**

7.1. Precautions for safe

handling

Avoid exposure - obtain special instructions before use

Do not handle until all safety precautions have been read and understood.

Minimize dust generation and accumulation

Ensure adequate ventilation

Handle in accordance with good industrial hygiene and safety practice

Use personal protective equipment as required

**7.2. Conditions for safe storage**, Keep container tightly closed and dry **including any incompatibilities** Store away from incompatible materials

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Occupational exposure limits

Aluminum Hydroxide

ACGIH TLV/TWA 8-hr: 1 mg/m³ (respirable fraction)

OSHA TWA: 15 mg/m³ Total Dust 5 mg/m³ Respirable Dust

NIOSH TWA: 5 mg/m³ (respirable dust); 10 mg/m³ TWA (total dust)

France Not established (Non établi)
France Not established (Non établi)

**Poland** 2.5 mg/m³ (inhalable); 1.2 mg/m³ (respirable)

Switzerland TWA: 3 mg/m<sup>3</sup>

United Kingdom 10 mg.m-3 (inhalable); 4 mg.m-3 (respirable)

**Recommended monitoring** 

procedures

Refer also to national guidance documents for information on currently

recommended monitoring procedures

Biological Limit Values None

## Safety Data Sheet

Hydral® Brite 100

Issue Date 16/Feb/2023 Revision Number 1.3.1
Print Date 16/Feb/2023 Page 5 of 10

8.2. Exposure controls

Engineering Measures Do not handle until all safety precautions have been read and understood

Ensure adequate ventilation, especially in confined areas

Provide a good standard of controlled ventilation (10 to 15 air changes per hour) Use exhaust ventilation to keep airborne concentrations below exposure limits

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment

**Eye/Face Protection** Wear safety glasses with side shields (or goggles).

**Skin and Body Protection** Wear suitable protective clothing.

Thermal hazards None known.

Hygiene Measures No information available

**Environmental Exposure** 

**Controls** 

Dispose of in accordance with local regulations

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Appearance:

Physical State Slurry

Color Opaque Liquid White slurry

Odor Slight

Odor Threshold No information available

pH:

Melting point / Freezing point
Initial boiling point
Freezing Point
Freezing Point
Flash Point
Evaporation Rate
Flammability (solid, gas)

9.0 - 11.0
Not applicable

0 °C (32 °F)
Non-combustible
No data available.
Not applicable

Upper flammability limit: -Lower flammability limit: --

Vapor Pressure No information available

Vapor DensityNot applicableVapor DensityNo data availableDensityNo data availableRelative Density1.42 g/cm3, 20°C

Water SolubilityInsolublePartition coefficientNot applicableAutoignition TemperatureNot applicable

## **Safety Data Sheet**

Hydral® Brite 100

Issue Date 16/Feb/2023 Revision Number 1.3.1
Print Date 16/Feb/2023 Page 6 of 10

**Decomposition Temperature** 200° C

Viscosity No information available.

**Kinematic viscosity**Oxidizing Properties
Not applicable
Not oxidizing

Particle Size No information available

VOC Content (%) Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

Not applicable

## **SECTION 10: Stability and reactivity**

**10.1. Reactivity** Stable under normal conditions

**10.2. Chemical stability** Stable under normal conditions

10.3. Possibility of hazardous

reactions

No specific hazard known

**10.4. Conditions to avoid** Incompatible materials Dust formation

**10.5. Incompatible materials** None known

10.6. Hazardous decomposition None known

products

## **SECTION 11: Toxicological information**

General Information Users are advised to consider national Occupational Exposure Limits or other

equivalent values.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Aluminum Hydroxide

**Oral LD50** > 2000 mg/kg Rat

Inhalation LC50 Rat > 2.3 mg/l (Al2O3) Aerosol Maximum attainable concentration

IARC Not Listed

Information on Likely Routes of Exposure

**Inhalation** Avoid inhalation of the product

#### Safety Data Sheet Hydral® Brite 100

Issue Date 16/Feb/2023 **Revision Number** 1.3.1 Print Date 16/Feb/2023

Page 7 of 10

Ingestion is not a likely route of exposure Ingestion

Skin Prolonged or repeated contact may dry skin and cause irritation

Dust contact with the eyes can lead to mechanical irritation **Eyes** 

**Aspiration hazard** Not an expected route of exposure.

11.2. Information on other hazards

This product does not contain any known or suspected endocrine disruptors 11.2.1. Endocrine disrupting

properties

11.2.2. Other information Not applicable

**SECTION 12: Ecological information** 

12.1. Toxicity Not considered to be harmful to aquatic life

**Aluminum Hydroxide** 

WGK Classification (AwSV) 5220 WGK: nwg

12.2. Persistence and No data available.

degradability

**12.3. Bioaccumulative potential** No data available.

Not applicable Partition coefficient

**Bioconcentration factor** 

(BCF)

No data available.

No data available. 12.4. Mobility in soil

12.5. Results of PBT and vPvB

assessment

No data available.

12.6. Endocrine disrupting

properties

This product does not contain any known or suspected endocrine disruptors

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

**Disposal Methods** Disposal should be in accordance with applicable regional, national and local laws

and regulations.

## **Safety Data Sheet**

Hydral® Brite 100

Issue Date 16/Feb/2023 Revision Number 1.3.1
Print Date 16/Feb/2023 Page 8 of 10

Contaminated Packaging Product residue may remain in empty containers. Empty containers should be

taken to an approved waste handling site for recycling or disposal.

Waste codes Waste codes should be assigned by the user based on the application for which

the product was used

**Aluminum Hydroxide** 

European Waste Catalog 060299

WGK Classification (AwSV) 5220 WGK: nwg

## **SECTION 14: Transport information**

#### Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada Not regulated Not regulated IATA Not regulated IMDG/IMO Not regulated ICAO Not regulated

14.1. UN number or ID number None

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

**14.6. Special precautions for** Not applicable

user

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **Global Inventories**

Chemical Name	CAS Number	EC No	Australia (AIIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	Thailand (TECI)		Philippine s (PICCS)	Taiwan	TSCA: United States
Aluminum Hydroxide	21645-51- 2	244-492-7	Y	Υ	Y	(1)-17 (ENCS); ISHL	KE-00980	Y	55-1-0259 4	Υ	Y	Υ	Α
Water	7732-18-5	231-791-2	Y	Υ	Y	Y	KE-35400	Υ	55-1-0602	Υ	Y	Υ	Α

## **Safety Data Sheet**

Hydral® Brite 100

Issue Date 16/Feb/2023 Revision Number 1.3.1
Print Date 16/Feb/2023 Page 9 of 10

3

Legend X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

#### REACH No.

**Aluminum Hydroxide** 

**EU REACH registration number** 01-2119529246-39 **Turkish KKDIK pre-registration** 05-0000193352-73-0000

<u>Water</u>

EU REACH registration number Exempt

Germany

**Aluminum Hydroxide** 

WGK Classification (AwSV) 5220 WGK: nwg

15.2. Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance

### **SECTION 16: Other information**

**Reason for Revision**This safety data sheet complies with the requirements of Regulation (EC) No.

1907/2006 & COMMISSION REGULATION (EU) No. 2020/878

 Issue Date
 16/Feb/2023

 Print Date
 16/Feb/2023

Revision Number 1.3.1

Prepared by Huber Engineered Materials Global Regulatory Affairs

email: regulatory.affairs@huber.com.

(CLP) Regulation (EC 1272/2008) Not classified

Labeling

Symbols/Pictograms None

Signal Word None

Hazard Statements None.

**Training Advice** Do not handle until all safety precautions have been read and understood.

Abbreviations and acronyms IARC (International Agency for Research on Cancer)

IUCLID (International Uniform Chemical Information Database) WHMIS (Workplace Hazardous Materials Information System)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

TWA (Time-Weighted Average)

CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC

1272/2008))

PPE (Personal Protection Equipment)

NIOSH (National Institute for Occupational Safety and Health)

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)

## **Safety Data Sheet**

Hydral® Brite 100

Issue Date 16/Feb/2023 Print Date 16/Feb/2023 Revision Number 1.3.1 Page 10 of 10

RQ (Reportable Quantity) (RQ/% in mixture)

STEL (Short Term Exposure Limit)

TLV® (Threshold Limit Value)

DNEL (Derived No Effect Level)

SVHC (Substances of Very High Concern)

BOD (Biochemical oxygen demand)

COD (Chemical oxygen demand)

ICAO (International Civil Aviation Organization)

IMDG (International Maritime Dangerous Goods)

ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)

IATA (International Air Transport Association)

IMDG (International Maritime Dangerous Goods)

DOT (Department of Transportation)

TDG (Transport of Dangerous Goods) Canada

PNEC (Predicted No Effect Concentration)

SCBA (Self-Contained Breathing Apparatus) Positive Pressure

GHS (Globally Harmonized System)

TSCA (Toxic Substances Control Act)

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**