Safety Data Sheet



HYMOD® M9400 SP

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03
Canadian Workplace Hazardous Material Information System (WHMIS) 2015
Mexico NOM-018-STPS-2000; NOM-018-STPS-2015
Globally Harmonized System (GHS)

Issue Date: 09/May/2019 Revision Number: 1.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: HYMOD® M9400 SP

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Flame retardant.

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company: J.M. Huber Corporation

3100 Cumberland Boulevard, Suite 600

Atlanta, GA 30339 USA Tel: +1 678 247-7300

Internet www.hubermaterials.com

E-mail hubermaterials@huber.com

1.4. Emergency telephone

number

CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Physical Hazards Not classified

Health Hazards Not classified

Environmental Hazard Not classified

2.2. Label elements

Symbols/Pictograms None

Safety Data Sheet HYMOD® M9400 SP

Issue Date: 09/May/2019 **Revision Number: 1.3** Print Date: 09/May/2019

Page 2 of 10

None Signal Word

Hazard Statements None

Precautionary Statements

Prevention Do not handle until all safety precautions have been read and understood.

Employ good industrial hygiene practice

Do not breathe dust

Wear protective gloves/protective clothing/eye protection/face protection

Response IF INHALED: Remove to fresh air and keep at rest in a position comfortable for

breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing IF ON SKIN: Wash with plenty of soap and water

If swallowed, rinse mouth with water (only if the person is conscious)

Drink plenty of water

Storage Store away from incompatible materials

Keep in a dry place

Dispose of contents/containers in accordance with local regulations Disposal

Hazards not otherwise classified None known.

(HNOC)

SECTION 3: Composition/information on ingredients

Chemical Name	CAS Number	TSCA: United States	Canada (DSL)	Mexico	REACH registration number	OSHA Regulatory Status	WHMIS	Weight-%
Aluminum Hydroxide	21645-51-2	Υ	Υ	Y	01-211952924 6-39-0016	Not classified		>99
Proprietary Surface Treatment	Proprietary	Y	Y	Y	Registered	Not classified		<1

Legend

X / Y: Complies , - / N: Not Listed , Exempt

SECTION 4: First aid measures

4.1. Description of first aid measures

General Advice Do not handle until all safety precautions have been read and understood. Employ

> good industrial hygiene practice. Wear suitable protective clothing, gloves and eye/face protection. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. When in doubt or if

symptoms are observed, get medical advice.

Safety Data Sheet **HYMOD® M9400 SP**

Issue Date: 09/May/2019 **Revision Number: 1.3**

Print Date: 09/May/2019 Page 3 of 10

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact **Eye Contact**

lenses, if present and easy to do. Continue rinsing.

Skin Contact Wash with plenty of soap and water.

Ingestion Rinse mouth thoroughly with water.

Do not breathe dust. If breathing is difficult, remove victim to fresh air and keep at Inhalation

rest in a position comfortable for breathing.

Based on available data, the classification criteria are not met. **Aspiration hazard**

4.2. Most important symptoms and effects, both acute and

delayed

May cause irritation to mucous membranes and respiratory tract. Contact with dust

can cause mechanical irritation or drying of the skin.

medical attention and special

treatment needed

4.3. Indication of any immediate Treatment should be symptomatic and supportive. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and

prevent spread of contamination.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing

Media

Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO2).

Unsuitable Extinguishing Media

None known.

5.2. Special hazards arising

from the substance or mixture

None known.

5.3. Advice for firefighters

Special protective

equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

Water mist may be used to cool closed containers. No special fire protection measures are necessary. Standard procedure for chemical fires.

SECTION 6: Accidental release measures

Safety Data Sheet **HYMOD® M9400 SP**

Issue Date: 09/May/2019 Revision Number: 1.3 **Print Date:** 09/May/2019

Page 4 of 10

6.1. Personal precautions, protective equipment and emergency procedures

Keep unauthorized personnel away. Avoid dust formation. Ensure adequate

ventilation. Use personal protection recommended in Section 8.

For non-emergency personnel Keep unauthorized personnel away.

Keep unauthorized personnel away. Use personal protection recommended in For emergency responders

Section 8.

6.2. Environmental precautions Avoid runoff to waterways and sewers.

6.3. Methods and material for containment and cleaning up Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust Small Spill: Vacuum or sweep material and place in a

disposal container

6.4. Reference to other sections Section 8: Exposure controls and personal protection. See Section 13 for

additional waste treatment information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Minimize dust generation and accumulation. Do not breathe dust. Ensure adequate ventilation. Wear appropriate personal protective clothing to prevent skin contact. Handle in accordance with good industrial hygiene and safety practice.

including any incompatibilities

7.2. Conditions for safe storage. Keep container tightly closed and dry. Store away from incompatible materials.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Aluminum Hydroxide

OSHA TWA: 15 mg/m3 Total Dust 5 mg/m³ Respirable Dust

ACGIH TLV/TWA 8-hr: 1 mg/m³ (respirable fraction)

NIOSH TWA: 5 mg/m³ (respirable dust); 10 mg/m³ TWA (total dust)

Canada - BC TWA TWA: 1 mg/m³ (respirable) Canada - Manitoba - OEL - TWA TWA: 1 mg/m³ (respirable) Canada - Newfoundland & Labrador - TWA: 1 mg/m3 (respirable)

OEL - TWA Canada - Nova Scotia - OEL - TWA TWA: 1 mg/m3 (respirable)

Canada - Prince Edward Island - OEL - TWA: 1 mg/m3 (respirable) TWA

Mexico No se ha establecido

Safety Data Sheet HYMOD® M9400 SP

Issue Date: 09/May/2019 Revision Number: 1.3

Biological Limit Values: No information available

8.2. Exposure controls

Engineering Measures Provide a good standard of controlled ventilation (5 to 10 air changes per hour).

Use exhaust ventilation to keep airborne concentrations below exposure limits. In

case of insufficient ventilation, wear suitable respiratory equipment.

Personal protective equipment

Eye/Face Protection Wear safety glasses with side shields (or goggles).

Skin and Body Protection Wear suitable protective clothing.

Hand protection For operations where prolonged or repeated skin contact may occur, impervious

gloves should be worn.

Respiratory Protection In case of inadequate ventilation wear respiratory protection.

Thermal hazards None known. Wear suitable protective clothing.

Hygiene Measures No information available.

Environmental Exposure

Controls

Dispose of in accordance with local regulations.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:

Physical State Solid Powder Color White Odorless

Odor Threshold No information available

pH:
 Melting Point / Melting Range
 Boiling Point
 8.4 - 10.2 (5% water suspension)
 Decomposition occurs prior to melting.
 Decomposition occurs prior to boiling.

Freezing Point
Flash Point:

Evaporation Rate
Flammability (solid, gas)

Not applicable
Not applicable.
Not applicable

Upper flammability limit: Lower flammability limit:

Vapor Pressure
Vapor Density

Not applicable
Not applicable
2.4 g/cm3, 20°C

Safety Data Sheet HYMOD® M9400 SP

Issue Date: 09/May/2019 **Revision Number: 1.3** Print Date: 09/May/2019

Page 6 of 10

Relative Density

Water Solubility Insoluble

Solubility in other solvents

Partition coefficient Not applicable **Autoignition Temperature** Not applicable

200° C **Decomposition Temperature**

Explosive Properties Not applicable **Oxidizing Properties** Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity Stable under normal conditions

Stable under normal conditions 10.2. Chemical stability

10.3. Possibility of hazardous

reactions

No specific hazard known

10.4. Conditions to avoid Incompatible materials Dust formation

10.5. Incompatible materials None known

10.6. Hazardous decomposition None known

products

SECTION 11: Toxicological information

General Information Users are advised to consider national Occupational Exposure Limits or other

equivalent values.

Information on Likely Routes of Exposure

Inhalation Do not breathe dust

Inhalation of dust may cause irritation of the respiratory system

Skin Contact with dust can cause mechanical irritation or drying of the skin

Dust contact with the eyes can lead to mechanical irritation **Eyes**

Ingestion Ingestion is not a likely route of exposure

Not an expected route of exposure. **Aspiration hazard**

11.1. Information on toxicological effects

Aluminum Hydroxide

Safety Data Sheet HYMOD® M9400 SP

Issue Date: 09/May/2019 **Revision Number: 1.3 Print Date:** 09/May/2019

Page 7 of 10

Oral LD50 > 2000 mg/kg Rat

Inhalation LC50 Rat > 2.3 mg/l (Al2O3) Aerosol Maximum attainable concentration

IARC Not Listed

Not classified. **Chronic Toxicity**

Respiratory Sensitization No data available

Serious eye damage/eye

irritation

Dust may cause mechanical irritation to eyes

Skin Corrosion/Irritation Prolonged or repeated contact may dry skin and cause irritation

Mutagenicity No data available

Germ cell mutagenicity No data available.

Based on available data, the classification criteria are not met. **Reproductive Toxicity**

Carcinogenicity Not listed.

Specific target organ toxicity -

Single exposure

No data available.

Specific target organ toxicity -

Repeated exposure

No data available.

SECTION 12: Ecological information

Not considered to be harmful to aquatic life. 12.1. Ecotoxicity

Aluminum Hydroxide

WGK Classification (VwVwS) 5220 WKG: nwg

12.2. Persistence and

degradability

No data available.

12.3. Bioaccumulative potential No data available.

Partition coefficient Not applicable

Bioconcentration factor

(BCF)

No data available.

12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB

assessment

No data available.

Safety Data Sheet HYMOD® M9400 SP

Issue Date: 09/May/2019 Revision Number: 1.3

Print Date: 09/May/2019 **Page 8 of 10**

12.6. Other adverse effects No information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal Methods Disposal should be in accordance with applicable regional, national and local laws

and regulations.

Contaminated Packaging Product residue may remain in empty containers. Empty containers should be

taken to an approved waste handling site for recycling or disposal.

Waste codes Waste codes should be assigned by the user based on the application for which

the product was used

Aluminum Hydroxide

European Waste Catalog 060299

WGK Classification (VwVwS) 5220 WKG: nwg

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada Not regulated Not regulated DOT **ADR** Not regulated RID Not regulated Not regulated **ADN** Not regulated IATA Not regulated IMDG/IMO Not regulated **ICAO**

14.1. UN number None

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

14.6. Special precautions for Not applicable

user

Safety Data Sheet

Issue Date: 09/May/2019 Revision Number: 1.3

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

Global Inventories

Chemical Name	CAS Number	EC No	REACH registrati on number	Australia (AICS)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico		Philippine s (PICCS)		TSCA: United States
Aluminum Hydroxide	21645-51- 2		01-211952 9246-39-0 016		Υ	Y	(1)-17 (ENCS); ISHL	KE-00980	Y	Y	Y	Υ	Y
Proprietary Surface Treatment	Proprietar y	*	Registere d	Y	Υ	Y	Y	Y	Y	-	Y	Υ	Y

Legend

X / Y: Complies - / N: Not Listed Exempt

US Federal Regulations

EPA

CERCLA

Aluminum Hydroxide

CERCLA Not listed
SARA 311/312 Hazardous Not listed
Categorization
SARAH 302 RQ, lbs Not listed

U.S. State Right-to-Know Regulations

Chemic	cal Name	CAS Number	California	California CPR	Massachusetts	Minnesota	New Jersey	Pennsylvania
			Proposition 65				_	-
Aluminum	n Hydroxide	21645-51-2	No		No	No	No	No
	ary Surface atment	Proprietary						

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65)

This product does not contain any Proposition 65 chemicals

CANADA

WHMIS:

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR

SECTION 16: Other information

Safety Data Sheet **HYMOD® M9400 SP**

Issue Date: 09/May/2019 **Revision Number: 1.3** Print Date: 09/May/2019

Page 10 of 10

Huber Engineered Materials (HEM) Global Regulatory Affairs Prepared by

regulatory.affairs@huber.com

09/May/2019 Issue Date: 09/May/2019 **Print Date:**

1.3 **Revision Number:**

Reason for Version OSHA (Occupational Safety and Health Administration of the US Department of

Labor).

Training Advice Do not handle until all safety precautions have been read and understood.

International Agency for Research on Cancer (IARC) Abbreviations and acronyms

International Air Transport Association (IATA) International Maritime Dangerous Goods (IMDG)

International Uniform Chemical Information Database (IUCLID)

Workplace Hazardous Materials Information System (WHMIS) status and classification

EPA SARA Title III Section 312 (40 CFR 370) Hazard Classification

DOT (Department of Transportation)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

TWA - Time-Weighted Average

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) The Classification, Labeling and Packaging of Substances and Mixtures (CLP) Regulation (EC

PPE - Personal Protection Equipment

NIOSH - National Institute for Occupational Safety and Health

TDG (Transport of Dangerous Goods) Canada

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)

Reportable Quantity (RQ) (RQ/% in mixture)

STEL - Short Term Exposure Limit TLV® - Threshold Limit Value Derived No Effect Level (DNEL)

SVHC: Substances of Very High Concern for Authorization:

Land transport (ADR/RID)

Biochemical oxygen demand (BOD) Chemical oxygen demand (COD)

ICAO (air)

(IMDG) International Maritime Dangerous Goods

Positive Pressure Self-Contained Breathing Apparatus (SCBA)

Predicted No Effect Concentration (PNEC) Globally Harmonized System (GHS)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet