ADVANCED MATERIALS

Safety Data Sheet

Hymod® SB336-SP1

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03
Canadian Workplace Hazardous Material Information System (WHMIS) 2015
Mexico NOM-018-STPS-2000; NOM-018-STPS-2015
GHS (Globally Harmonized System)

Issue Date 23/Jan/2023 Revision Number 1.3
Print Date 08/Jun/2023 Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: Hymod® SB336-SP1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Flame retardant Smoke suppressant

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company: J.M. Huber Corporation

3100 Cumberland Boulevard, Suite 600

Atlanta, GA 30339 USA Tel: +1 678 247-7300

Internet www.hubermaterials.com

E-mail hubermaterials@huber.com

1.4. Emergency telephone

number

CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Physical Hazards Not classified

Health Hazards Not classified

Environmental Hazard Not classified

2.2. Label elements

Symbols/Pictograms None
Signal Word None

Safety Data Sheet

Hymod® SB336-SP1

Issue Date 23/Jan/2023 Revision Number 1.3
Print Date 08/Jun/2023 Page 2 of 10

Hazard Statements None

Precautionary Statements

Prevention Do not handle until all safety precautions have been read and understood

Employ good industrial hygiene practice

Do not breathe dust

Wear protective gloves/protective clothing/eye protection/face protection

Response IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing IF ON SKIN: Wash with plenty of soap and water

Storage Store away from incompatible materials

Keep in a dry place

Disposal Disposal should be in accordance with applicable regional, national and local laws

and regulations

Hazards not otherwise classified None known. **(HNOC)**

(....

SECTION 3: Composition/information on ingredients

Chemical Name	CAS Number	TSCA: United	Canada (DSL)	Mexico	EU REACH	OSHA	WHMIS	Weight-%
		States			registration number	Regulatory Status		
Aluminum Hydroxide	21645-51-2	Α	Y	Y	01-211952924 6-39	Not classified	-	-
Surface Treatment		Y	Present (DSL)			Not classified	-	<1

Legend

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

SECTION 4: First aid measures

4.1. Description of first aid measures

General Advice Do not handle until all safety precautions have been read and understood. Employ

good industrial hygiene practice. Wear suitable protective clothing, gloves and eye/face protection. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. When in doubt or if

symptoms are observed, get medical advice.

Eye Contact In case of eye contact, remove contact lens and rinse immediately with plenty of

water, also under the eyelids, for at least 15 minutes.

Skin Contact Wash with plenty of soap and water.

Safety Data Sheet

Hymod® SB336-SP1

Issue Date 23/Jan/2023 **Revision Number** 1.3 Print Date 08/Jun/2023 Page 3 of 10

Ingestion Rinse mouth thoroughly with water.

Do not breathe dust. IF INHALED: Remove to fresh air and keep at rest in a Inhalation

position comfortable for breathing.

Aspiration hazard Not an expected route of exposure.

4.2. Most important symptoms and effects, both acute and

delayed

Dust contact with the eyes can lead to mechanical irritation. Contact with dust can

cause mechanical irritation or drying of the skin.

medical attention and special treatment needed

4.3. Indication of any immediate Treatment should be symptomatic and supportive. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing

Media

Water spray (fog). Dry chemical. Foam. Carbon dioxide (CO2).

Unsuitable Extinguishing Media

None known.

5.2. Special hazards arising from the substance or mixture

None known.

5.3. Advice for firefighters

Special protective

equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

Water mist may be used to cool closed containers. No special fire protection measures are necessary. Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Ensure adequate ventilation. Use personal protection recommended in Section 8. Keep unauthorized personnel away.

Safety Data Sheet

Hymod® SB336-SP1

Issue Date 23/Jan/2023 Revision Number 1.3
Print Date 08/Jun/2023 Page 4 of 10

For non-emergency personnel Keep unauthorized personnel away.

For emergency responders Keep unauthorized personnel away. Use personal protection recommended in

Section 8.

6.2. Environmental precautions Avoid runoff to waterways and sewers.

6.3. Methods and material for containment and cleaning up

Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust Small Spill: Vacuum or sweep material and place in a

disposal container

6.4. Reference to other sections Section 8: Exposure controls and personal protection. See Section 13 for

additional waste treatment information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Minimize dust generation and accumulation. Do not breathe dust. Ensure adequate ventilation. Wear appropriate personal protective clothing to prevent skin contact. Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

7.2. Conditions for safe storage, Keep container tightly closed and dry. Store away from incompatible materials.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Aluminum Hydroxide

OSHA TWA: 15 mg/m³ Total Dust 5 mg/m³ Respirable Dust

ACGIH TLV/TWA 8-hr: 1 mg/m³ (respirable fraction)

Canada - Nova Scotia - OEL - TWA 1 mg/m³ TWA (respirable fraction)

PNEC (Predicted No Effect

Concentration)

No information available

DNEL (Derived No Effect Level) No information available

Biological Limit Values No information available

8.2. Exposure controls

Safety Data Sheet

Hymod® SB336-SP1

Issue Date 23/Jan/2023 Revision Number 1.3
Print Date 08/Jun/2023 Page 5 of 10

Engineering Measures Provide a good standard of controlled ventilation (5 to 10 air changes per hour).

Use exhaust ventilation to keep airborne concentrations below exposure limits. In

case of insufficient ventilation, wear suitable respiratory equipment.

Personal protective equipment

Eye/Face Protection Wear safety glasses with side shields (or goggles).

Skin and Body Protection Wear suitable protective clothing.

Hand Protection For operations where prolonged or repeated skin contact may occur, impervious

gloves should be worn.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

Thermal hazards Wear appropriate thermal clothing, when necessary.

Hygiene Measures Follow general hygiene considerations recognized as common good workplace

practices. The worker should wash daily at the end of each work shift, and prior to

eating, drinking, smoking, etc.

Environmental Exposure

Controls

Dispose of in accordance with local regulations.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:

Physical State Solid Powder Color White Odor Odorless

Odor Threshold No information available

pH: 8.4-10.2 (5% water suspension)

Melting point / Freezing pointNot applicableFreezing PointNot applicableFlash PointNon-combustibleEvaporation RateNot determinedFlammability (solid, gas)Not applicable

Upper flammability limit: --Lower flammability limit: ---

Vapor PressureNot applicableVapor DensityNot applicableDensityNo data availableRelative Density2.4 g/cm3, 20° C

Water Solubility Insoluble

Partition coefficient
Autoignition Temperature

No information available
No data available
392 °F (200 °C)

Viscosity No information available.

Kinematic viscosity Not applicable

Safety Data Sheet

Hymod® SB336-SP1

Issue Date 23/Jan/2023 **Revision Number** 1.3

Print Date 08/Jun/2023 Page 6 of 10

Oxidizing Properties Not applicable

No information available **Particle Size**

VOC Content (%) Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity Stable under normal conditions

10.2. Chemical stability Stable under normal conditions

10.3. Possibility of hazardous

reactions

No specific hazard known

10.4. Conditions to avoid Incompatible materials Dust formation

Strong acids 10.5. Incompatible materials

10.6. Hazardous decomposition None known

products

SECTION 11: Toxicological information

Users are advised to consider national Occupational Exposure Limits or other **General Information**

equivalent values.

11.1. Information on toxicological effects

Aluminum Hydroxide

Oral LD50 > 2000 mg/kg Rat

Inhalation LC50 Rat > 2.3 mg/l (Al2O3) Aerosol Maximum attainable concentration

Not Listed **IARC**

Acute Toxicity Not classified

Respiratory Sensitization Not expected to be a sensitizer.

Skin Corrosion/Irritation Prolonged or repeated contact may dry skin and cause irritation

Safety Data Sheet

Hymod® SB336-SP1

Issue Date 23/Jan/2023 Revision Number 1.3

Print Date 08/Jun/2023 Page 7 of 10

Skin Sensitization Not expected to be a skin sensitizer.

Mutagenicity This product is unlikely to have any mutagenic effects

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Information on Likely Routes of Exposure

Inhalation Avoid inhalation of the product

Ingestion Ingestion is not a likely route of exposure

Skin Prolonged or repeated contact may dry skin and cause irritation

Eyes Dust contact with the eyes can lead to mechanical irritation

Aspiration hazard Not an expected route of exposure.

11.2. Information on other hazards

11.2.1. Endocrine disrupting This product does not contain any known or suspected endocrine disruptors

properties

11.2.2. Other information Not applicable

SECTION 12: Ecological information

12.1. Toxicity Not considered to be harmful to aquatic life

Aluminum Hydroxide

WGK Classification (AwSV) 5220 WGK: nwg

12.2. Persistence and No data available.

degradability

12.3. Bioaccumulative potential No data available.

Bioconcentration factor No data available.

12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB No data available.

assessment

(BCF)

12.6. Endocrine disrupting This product does not contain any known or suspected endocrine disruptors

properties

Safety Data Sheet

Hymod® SB336-SP1

Issue Date 23/Jan/2023 Print Date 08/Jun/2023 Revision Number 1.3 Page 8 of 10

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal MethodsDisposal should be in accordance with applicable regional, national and local laws

and regulations.

Contaminated Packaging Product residue may remain in empty containers. Empty containers should be

taken to an approved waste handling site for recycling or disposal.

Waste codes Waste codes should be assigned by the user based on the application for which

the product was used

Aluminum Hydroxide

European Waste Catalog 060299

WGK Classification (AwSV) 5220 WGK: nwg

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada Not regulated DOT Not regulated IATA Not regulated IMDG/IMO Not regulated ICAO Not regulated

14.1. UN number or ID number None

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

14.6. Special precautions for Not applicable

user

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Safety Data Sheet

Hymod® SB336-SP1

Issue Date 23/Jan/2023 Revision Number 1.3
Print Date 08/Jun/2023 Page 9 of 10

SECTION 15: Regulatory information

Global Inventories

Chemical Name	CAS Number	EC No	EU REACH registrati on number	Australia (AIIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico		Philippine s (PICCS)	Taiwan	TSCA: United States
Aluminum Hydroxide	21645-51- 2	244-492-7	01-211952 9246-39	Y	Υ	Y	(1)-17 (ENCS); ISHL	KE-00980	Υ	Y	Y	Υ	Α
Surface Treatment		*	Exempt	Y	Present (DSL)	Present	Present	Present		Present	Present		Y

Legend

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

US Federal Regulations

EPA

Aluminum Hydroxide

CERCLA Not listed SARA 302 Not listed

CWA (Clean Water Act)

Not regulated

CAA (Clean Air Act)

Not regulated

U.S. State Right-to-Know Regulations

Chemical Name	CAS Number	California Proposition 65	Massachusetts	Minnesota	New Jersey	Pennsylvania
Aluminum Hydroxide	21645-51-2	N	N	N	N	N

Legend Y: Listed; N: Not Listed

CANADA

WHMIS

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR

SECTION 16: Other information

Prepared by Huber Engineered Materials (HEM) Global Regulatory Affairs

regulatory.affairs@huber.com

 Issue Date
 23/Jan/2023

 Print Date
 08/Jun/2023

Revision Number 1.3

Safety Data Sheet

Hymod® SB336-SP1

Issue Date 23/Jan/2023 Print Date 08/Jun/2023 Revision Number 1.3 Page 10 of 10

Reason for Version

OSHA (Occupational Safety and Health Administration of the US Department of Labor).

Training Advice

Do not handle until all safety precautions have been read and understood.

Abbreviations and acronyms

IARC (International Agency for Research on Cancer)
IATA (International Air Transport Association)
IMDG (International Maritime Dangerous Goods)

IUCLID (International Uniform Chemical Information Database) WHMIS (Workplace Hazardous Materials Information System)

DOT (Department of Transportation)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

TWA (Time-Weighted Average)

CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC

1272/2008))

PPE (Personal Protection Equipment)

NIOSH (National Institute for Occupational Safety and Health)

TDG (Transport of Dangerous Goods) Canada

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)

RQ (Reportable Quantity) (RQ/% in mixture)

STEL (Short Term Exposure Limit) TLV® (Threshold Limit Value) DNEL (Derived No Effect Level)

SVHC (Substances of Very High Concern) BOD (Biochemical oxygen demand) COD (Chemical oxygen demand)

ICAO (International Civil Aviation Organization) IMDG (International Maritime Dangerous Goods)

ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)

SCBA (Self-Contained Breathing Apparatus) Positive Pressure

GHS (Globally Harmonized System)

SARA (Superfund Amendments and Reauthorization Act of 1986)

TSCA (Toxic Substances Control Act)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet