



**ADVANCED MATERIALS**

# Safety Data Sheet

## Hymod® SB432-SH2

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03  
Canadian Workplace Hazardous Material Information System (WHMIS) 2015  
Mexico NOM-018-STPS-2000; NOM-018-STPS-2015  
GHS (Globally Harmonized System)

**Issue Date** 28/Feb/2023  
**Print Date** 31/May/2023

**Revision Number** 1.3  
**Page** 1 of 10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Product Name:** Hymod® SB432-SH2

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Flame retardant Smoke suppressant

**Uses advised against** None known.

### 1.3. Details of the supplier of the safety data sheet

**Company:** J.M. Huber Corporation  
3100 Cumberland Boulevard, Suite 600  
Atlanta, GA 30339 USA  
Tel: +1 678 247-7300

**Internet** [www.hubermaterials.com](http://www.hubermaterials.com)

**E-mail** [hubermaterials@huber.com](mailto:hubermaterials@huber.com)

**1.4. Emergency telephone number** CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

**Physical Hazards** Not classified

**Health Hazards** Not classified

**Environmental Hazard** Not classified

### 2.2. Label elements

**Symbols/Pictograms** None

**Signal Word** None

# Safety Data Sheet

Hymod® SB432-SH2

Issue Date 28/Feb/2023

Print Date 31/May/2023

Revision Number 1.3

Page 2 of 10

**Hazard Statements** None**Hazard Statements** None**Precautionary Statements****Prevention**  
Employ good industrial hygiene practice  
Do not breathe dust  
Wear protective gloves/protective clothing/eye protection/face protection**Response** Wash with plenty of soap and water**Storage**  
Store away from incompatible materials  
Keep in a dry place**Disposal** Dispose of contents/containers in accordance with local regulations**Additional Information:** Not applicable.**Hazards not otherwise classified (HNOC)** Not classified.

## SECTION 3: Composition/information on ingredients

Chemical Name	CAS Number	TSCA: United States	Canada (DSL)	Mexico	EU REACH registration number	OSHA Regulatory Status	WHMIS	Weight-%
Aluminum Hydroxide	21645-51-2	A	Y	Y	01-211952924-6-39	Not classified	--	99
Surface Treatment		A	Y	Y		Not classified	--	1

**Legend**

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

**General Advice** When in doubt or if symptoms are observed, get medical advice. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.**Eye Contact** In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.**Skin Contact** Wash with plenty of soap and water.**Ingestion** Rinse mouth thoroughly with water.

# Safety Data Sheet

Hymod® SB432-SH2

Issue Date 28/Feb/2023

Print Date 31/May/2023

Revision Number 1.3

Page 3 of 10

<b>Inhalation</b>	Do not breathe dust. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
<b>Aspiration hazard</b>	Not an expected route of exposure.
<b>4.2. Most important symptoms and effects, both acute and delayed</b>	Signs and symptoms may include coughing, gasping, choking and difficulty breathing.
<b>4.3. Indication of any immediate medical attention and special treatment needed</b>	Treatment should be symptomatic and supportive.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

**Suitable Extinguishing Media**

Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO2).

**Unsuitable Extinguishing Media**

None known.

### 5.2. Special hazards arising from the substance or mixture

None known.

### 5.3. Advice for firefighters

**Special protective equipment for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing.

**Fire-fighting measures**

In case of fire and/or explosion do not breathe fumes.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protection recommended in Section 8.  
Avoid dust formation. Keep unauthorized personnel away.

**For non-emergency personnel** Keep unauthorized personnel away.

**For emergency responders** Keep unauthorized personnel away. Use personal protection recommended in

# Safety Data Sheet

**Hymod® SB432-SH2****Issue Date** 28/Feb/2023**Print Date** 31/May/2023**Revision Number** 1.3**Page** 4 of 10

Section 8.

**6.2. Environmental precautions** Avoid runoff to waterways and sewers.**6.3. Methods and material for containment and cleaning up** Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust**6.4. Reference to other sections** Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

## SECTION 7: Handling and storage

**7.1. Precautions for safe handling** Handle in accordance with good industrial hygiene and safety practice. Avoid exposure - obtain special instructions before use. Minimize dust generation and accumulation.**7.2. Conditions for safe storage, including any incompatibilities** Store away from incompatible materials. Keep container tightly closed and dry.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

##### Aluminum Hydroxide

OSHA

ACGIH

Canada - Nova Scotia - OEL - TWA

TWA: 15 mg/m<sup>3</sup> Total Dust5 mg/m<sup>3</sup> Respirable DustTLV/TWA 8-hr: 1 mg/m<sup>3</sup> (respirable fraction)1 mg/m<sup>3</sup> TWA (respirable fraction)**PNEC (Predicted No Effect Concentration)** No information available**DNEL (Derived No Effect Level)** No information available**Biological Limit Values** No information available

### 8.2. Exposure controls

**Engineering Measures** Provide a good standard of controlled ventilation (5 to 10 air changes per hour). Use exhaust ventilation to keep airborne concentrations below exposure limits. In case of insufficient ventilation, wear suitable respiratory equipment.**Personal protective equipment**

# Safety Data Sheet

**Hymod® SB432-SH2****Issue Date** 28/Feb/2023**Print Date** 31/May/2023**Revision Number** 1.3**Page** 5 of 10

<b>Eye/Face Protection</b>	Wear safety glasses with side shields (or goggles).
<b>Skin and Body Protection</b>	Wear suitable protective clothing.
<b>Hand Protection</b>	For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn.
<b>Respiratory Protection</b>	In case of inadequate ventilation wear respiratory protection.
<b>Thermal hazards</b>	None known. Wear suitable protective clothing.
<b>Hygiene Measures</b>	Follow general hygiene considerations recognized as common good workplace practices. The worker should wash daily at the end of each work shift, and prior to eating, drinking, smoking, etc.
<b>Environmental Exposure Controls</b>	Dispose of in accordance with local regulations.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**Appearance:**

<b>Physical State</b>	Powder
<b>Color</b>	White
<b>Odor</b>	Odorless
<b>Odor Threshold</b>	No information available
<b>pH:</b>	8.4-10.2 (5% water suspension)
<b>Melting Point / Melting Range</b>	Not applicable
<b>Melting point / Freezing point</b>	Not applicable
<b>Freezing Point</b>	Not applicable
<b>Flash Point</b>	Not determined
<b>Evaporation Rate</b>	Not applicable.
<b>Flammability (solid, gas)</b>	Not applicable
<b>Upper flammability limit:</b>	--
<b>Lower flammability limit:</b>	--
<b>Vapor Pressure</b>	Not applicable
<b>Vapor Density</b>	Not applicable
<b>Vapor Density</b>	Not applicable
<b>Density</b>	No data available
<b>Relative Density</b>	2.4 g/cm <sup>3</sup> , 20° C
<b>Water Solubility</b>	Insoluble
<b>Partition coefficient</b>	Not applicable
<b>Autoignition Temperature</b>	Not applicable
<b>Decomposition Temperature</b>	392 °F (200 °C)
<b>Viscosity</b>	Not applicable.
<b>Kinematic viscosity</b>	Not applicable
<b>Oxidizing Properties</b>	Not applicable
<b>Particle Size</b>	No information available
<b>VOC Content (%)</b>	Not applicable

# Safety Data Sheet

Hymod® SB432-SH2

Issue Date 28/Feb/2023

Print Date 31/May/2023

Revision Number 1.3

Page 6 of 10

## 9.2. Other information

### 9.2.1. Information with regard to physical hazard classes

Not applicable

### 9.2.2. Other safety characteristics

Not applicable

## SECTION 10: Stability and reactivity

10.1. Reactivity Stable under normal conditions

10.2. Chemical stability Stable under normal conditions

10.3. Possibility of hazardous reactions No specific hazard known

10.4. Conditions to avoid Incompatible materials

10.5. Incompatible materials Strong acids

10.6. Hazardous decomposition products None known

## SECTION 11: Toxicological information

**General Information** Users are advised to consider national Occupational Exposure Limits or other equivalent values.

### 11.1. Information on toxicological effects

#### Aluminum Hydroxide

Oral LD50	> 2000 mg/kg Rat
Inhalation LC50	Rat > 2.3 mg/l (Al <sub>2</sub> O <sub>3</sub> ) Aerosol Maximum attainable concentration
IARC	Not Listed

**Chronic Effects** Based on available data, the classification criteria are not met.

**Mutagenicity** Not mutagenic

**Reproductive Effects** This product does not contain any known or suspected reproductive hazards.

**Carcinogenicity** This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

**Information on Likely Routes of Exposure**

# Safety Data Sheet

**Hymod® SB432-SH2****Issue Date** 28/Feb/2023**Print Date** 31/May/2023**Revision Number** 1.3**Page** 7 of 10

<b>Inhalation</b>	Avoid inhalation of the product Inhalation of dust may cause irritation of the respiratory system
<b>Ingestion</b>	Ingestion is not a likely route of exposure
<b>Skin</b>	Avoid contact with skin and clothing Prolonged exposure may cause skin irritation
<b>Eyes</b>	Avoid contact with eyes Dust contact with the eyes can lead to mechanical irritation
<b>Aspiration hazard</b>	Not an expected route of exposure.
<b>Symptoms related to the physical, chemical and toxicological characteristics</b>	Signs and symptoms may include coughing, gasping, choking and difficulty breathing.

## 11.2. Information on other hazards

<b>11.2.1. Endocrine disrupting properties</b>	This product does not contain any known or suspected endocrine disruptors
<b>11.2.2. Other information</b>	Not applicable

## SECTION 12: Ecological information

<b>12.1. Toxicity</b>	Not considered to be harmful to aquatic life
-----------------------	--

### Aluminum Hydroxide

<b>WGK Classification (AwSV)</b>	5220 WGK: nwg
----------------------------------	---------------

<b>12.2. Persistence and degradability</b>	Not readily biodegradable.
--	----------------------------

<b>12.3. Bioaccumulative potential</b>	None.
--	-------

<b>Partition coefficient</b>	Not applicable
------------------------------	----------------

<b>Bioconcentration factor (BCF)</b>	No data available.
--------------------------------------	--------------------

<b>12.4. Mobility in soil</b>	None.
-------------------------------	-------

<b>12.5. Results of PBT and vPvB assessment</b>	No data available.
---	--------------------

<b>12.6. Endocrine disrupting</b>	This product does not contain any known or suspected endocrine disruptors
-----------------------------------	---

# Safety Data Sheet

Hymod® SB432-SH2

Issue Date 28/Feb/2023

Print Date 31/May/2023

Revision Number 1.3

Page 8 of 10

properties

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

<b>Disposal Methods</b>	Disposal should be in accordance with applicable regional, national and local laws and regulations.
<b>Contaminated Packaging</b>	Product residue may remain in empty containers. Empty containers should be taken to an approved waste handling site for recycling or disposal.
<b>Waste codes</b>	Waste codes should be assigned by the user based on the application for which the product was used

#### Aluminum Hydroxide

<b>European Waste Catalog</b>	060299
<b>WGK Classification (AwSV)</b>	5220 WGK: nwg

## SECTION 14: Transport information

### Mode of Transportation (Road, Water, Air, Rail)

<b>TDG -Canada</b>	Not regulated
<b>DOT</b>	Not regulated
<b>IATA</b>	Not regulated
<b>IMDG/IMO</b>	Not regulated
<b>ICAO</b>	Not regulated

14.1. UN number or ID number None

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

14.6. Special precautions for user Not applicable

14.7. Maritime transport in bulk according to IMO instruments  
Not applicable



# Safety Data Sheet

Hymod® SB432-SH2

Issue Date 28/Feb/2023

Print Date 31/May/2023

Revision Number 1.3

Page 9 of 10

## SECTION 15: Regulatory information

### Global Inventories

Chemical Name	CAS Number	EC No	EU REACH registration number	Australia (AIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	New Zealand	Philippines (PICCS)	Taiwan	TSCA: United States
Aluminum Hydroxide	21645-51-2	244-492-7	01-211952 9246-39	Y	Y	Y	(1)-17 (ENCS); ISHL	KE-00980	Y	Y	Y	Y	A
Surface Treatment		Y	Exempt	Y	Y	Y	Y	Y	Y	Y	Y	Y	A

#### Legend

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

### US Federal Regulations

#### EPA

##### Aluminum Hydroxide

CERCLA

Not listed

SARA 302

Not listed

##### CWA (Clean Water Act)

Not regulated

##### CAA (Clean Air Act)

Not regulated

### U.S. State Right-to-Know Regulations

Chemical Name	CAS Number	California Proposition 65	Massachusetts	Minnesota	New Jersey	Pennsylvania
Aluminum Hydroxide	21645-51-2	N	N	N	N	N

Legend Y: Listed ; N: Not Listed

### CANADA

#### WHMIS

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR

## SECTION 16: Other information

#### Prepared by

Huber Engineered Materials (HEM) Global Regulatory Affairs  
regulatory.affairs@huber.com

#### Issue Date

28/Feb/2023

#### Print Date

31/May/2023

# Safety Data Sheet

**Hymod® SB432-SH2****Issue Date** 28/Feb/2023**Print Date** 31/May/2023**Revision Number** 1.3**Page 10 of 10****Revision Number** 1.3**Reason for Version** OSHA (Occupational Safety and Health Administration of the US Department of Labor). May 25, 2012.**Training Advice** Do not handle until all safety precautions have been read and understood.**Abbreviations and acronyms**

IARC (International Agency for Research on Cancer)  
IATA (International Air Transport Association)  
IMDG (International Maritime Dangerous Goods)  
IUCLID (International Uniform Chemical Information Database)  
WHMIS (Workplace Hazardous Materials Information System)  
DOT (Department of Transportation)  
OSHA (Occupational Safety and Health Administration of the US Department of Labor)  
TWA (Time-Weighted Average)  
CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008))  
PPE (Personal Protection Equipment)  
NIOSH (National Institute for Occupational Safety and Health)  
TDG (Transport of Dangerous Goods) Canada  
CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)  
RQ (Reportable Quantity) (RQ/% in mixture)  
STEL (Short Term Exposure Limit)  
TLV® (Threshold Limit Value)  
DNEL (Derived No Effect Level)  
SVHC (Substances of Very High Concern)  
BOD (Biochemical oxygen demand)  
COD (Chemical oxygen demand)  
ICAO (International Civil Aviation Organization)  
IMDG (International Maritime Dangerous Goods)  
ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)  
SCBA (Self-Contained Breathing Apparatus) Positive Pressure  
GHS (Globally Harmonized System)  
SARA (Superfund Amendments and Reauthorization Act of 1986)  
TSCA (Toxic Substances Control Act)

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**