

Kemgard® 1100

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 **COMMISSION REGULATION (EU) No. 2020/878**

Issue Date 01/Jan/2024 Revision Number 1.6.1 Print Date 13/Dec/2023

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: Kemgard® 1100

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Flame retardant Smoke suppressant

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company: J.M. Huber Corporation

Cumberland Boulevard, Suite 600, GA 30339 USA: +1 678 247-7300

Internet www.huberadvancedmaterials.com

Contact E-Mail www.huberadvancedmaterials.com/contact

E-mail hubermaterials@huber.com

1.4. Emergency telephone

number

CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

Poison control center phone

number

National Anti-Poison Center UK: +44 844 892 0111 (National Poisons

Information Service)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

(CLP) Regulation (EC 1272/2008) This mixture is classified as hazardous according to regulation (EC) No. 1272/2008

[CLP]

Hazards identification

Not classified **Physical Hazard**

Health Hazards Specific target organ toxicity (STOT) - repeated exposure, category 2

Environmental Hazard Chronic Aquatic Toxicity, Category 3

Kemgard® 1100

Issue Date 01/Jan/2024 Revision Number 1.6.1
Print Date 13/Dec/2023 Page 2 of 13

2.2. Label elements

Symbols/Pictograms



Signal Word Warning

Hazard Statements H373 - May cause damage to organs through prolonged or repeated exposure

H412 - Harmful to aquatic life with long lasting effects

Precautionary Statements

Prevention P260 - Do not breathe dust

P273 - Avoid release to the environment Employ good industrial hygiene practice Wash hands thoroughly after handling

Response P314 - Get medical advice/attention if you feel unwell

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing IF ON SKIN: Wash with plenty of soap and water

Storage Keep in a dry place

Store away from incompatible materials

Disposal P501 - Dispose of contents/container in accordance with local, regional, national,

and international regulations as applicable.

Additional Information: Crystalline silica (quartz) has been classified by the International Agency for

Research on Cancer (IARC) as a known human carcinogen (Group 1).

2.3. Other hazards No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixture Mixture

Chemical Name	CAS Number	EC No	(CLP) Regulation (EC 1272/2008)	Weight-%
Talc	14807-96-6	238-877-9	Not classified.	75 - 90
Zinc Molybdenum Oxide	22914-58-5 61583-60-6	245-322-4	Acute Tox. 4, H332 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 2, H411.	10 - 25
Crystalline Silica, quartz (impurity)	14808-60-7	238-878-4	Carcinogenicity category	<0.1

Safety Data Sheet

Kemgard® 1100

Issue Date 01/Jan/2024 Revision Number 1.6.1 Print Date 13/Dec/2023 Page 3 of 13

	1 /	
	1A.	
	Specific target organ	
	toxicity (STOT) - repeated	
	exposure, category 2. :.	
	Respiratory system.	

Additional information

Exempt or -: this substance or its uses are exempted from REACH registration or no REACH registration obligation as annual tonnage <1tpa. TSCA A: Component is listed on Inventory as Active

SECTION 4: First aid measures

4.1. Description of first aid measures

General Advice When in doubt or if symptoms are observed, get medical advice. Ensure that

medical personnel are aware of the material(s) involved and take precautions to

protect themselves.

In case of eye contact, remove contact lens and rinse immediately with plenty of **Eye Contact**

water, also under the eyelids, for at least 15 minutes.

Wash with plenty of soap and water. **Skin Contact**

Inhalation Do not breathe dust. IF INHALED: Remove to fresh air and keep at rest in a

position comfortable for breathing.

Ingestion Rinse mouth thoroughly with water.

Aspiration hazard Not an expected route of exposure.

Notes to Physician Treat symptomatically.

4.2. Most important symptoms

and effects, both acute and

delayed

Dust contact with the eyes can lead to mechanical irritation. Contact with dust can

cause mechanical irritation or drying of the skin.

medical attention and special

treatment needed

4.3. Indication of any immediate Treat symptomatically. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of

contamination.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing

Media

Use extinguishing agent suitable for type of surrounding fire. Water spray (fog). Dry chemical. Foam. Carbon dioxide (CO2).

Safety Data Sheet

Kemgard® 1100

Issue Date 01/Jan/2024 Revision Number 1.6.1 Print Date 13/Dec/2023

Page 4 of 13

Unsuitable Extinguishing Media

Do not use water jetstream.

5.2. Special hazards arising from the substance or mixture

Heating can release hazardous gases.

5.3. Advice for firefighters

Special protective

equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

Water mist may be used to cool closed containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Ensure adequate ventilation. Use personal protection

recommended in Section 8. Keep unauthorized personnel away.

For non-emergency personnel

Keep unauthorized personnel away.

For emergency responders

Keep unauthorized personnel away. Use personal protection recommended in

Section 8.

6.2. Environmental precautions Avoid runoff to waterways and sewers.

6.3. Methods and material for containment and cleaning up Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust Small Spill: Vacuum or sweep material and place in a

disposal container

6.4. Reference to other sections Section 8: Exposure controls and personal protection. See Section 13 for

additional waste treatment information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid exposure - obtain special instructions before use

Do not handle until all safety precautions have been read and understood.

Minimize dust generation and accumulation

Ensure adequate ventilation

Handle in accordance with good industrial hygiene and safety practice

Use personal protective equipment as required

7.2. Conditions for safe storage, Keep container tightly closed and dry including any incompatibilities Store away from incompatible materials

Kemgard® 1100

Issue Date 01/Jan/2024 Revision Number 1.6.1

Print Date 13/Dec/2023 Page 5 of 13

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Talc

ACGIH TWA: 2 mg/m³ (respirable dust)

OSHA TWA: 20 mppcf

Austria MAK: 2 mg/m³ (respirable fraction)

Belgium TWA: 2 mg/m³

Bulgaria TWA: 1 fibers/cm3 (respirable fraction)

6 mg/m³ (inhalable fraction) 3 mg/m³ (respirable fraction)

Croatia MAČ: 1 mg/m³
Cyprus TWA: 706 particle/m³

Czech Republic TWA: 10 mg/m³ (respirable dust)

10 mg/m³ (total dust)

Greece TWA: 2 mg/m³ (respirable); 10 mg/m³ (inhalable)

Hungary TWA: 2 mg/m³ (respirable)

Ireland TWA: 10 mg/m³ (total inhalable dust)

0,8 mg/m³ (respirable dust)

ItalyTWA: 2 mg/m³ (respirable fraction)ItalyTWA: 2 mg/m³ (respirable fraction)LithuaniaTWA: 2 mg/m³ (inhalable fraction)1 mg/m³ (respirable fraction)

Netherlands TWA: 0,25 mg/m³ (respirable dust)

Norway

TLV: 6 mg/m³ (total dust)
2 mg/m³ (respirable dust)

Poland TWA: 4 mg/m³ (total dust) 1 mg/m³ (respirable dust)

Portugal TWA: 2 mg/m³ (respirable fraction)
Slovakia TWA: 2 mg/m³ (respirable fraction)

10 mg/m³ (total)

Slovenia TWA: 2 mg/m³ (respirable fraction)
Spain TWA: 2 mg/m³ (respirable fraction)

Sweden TWA: 2 mg/m³ (total dust) 1 mg/m³ (respirable dust)

Switzerland TWA: 2 mg/m³ (respirable dust)
United Kingdom TWA: 1 mg/m³ (respirable dust)

Zinc Molybdenum Oxide

ACGIH TWA: 10 mg/m³ dust

0.5 mg/m³ Respirable fraction

OSHA TWA: 5 mg/m³ (respirable); 10 mg/m³ (dust)

PEL: 5 mg/m³ (respirable)

 NIOSH
 8-hr TWA: 10 mg/m³

 Bulgaria
 TWA: 10 mg/m³

 Czech Republic
 Ceiling: 25mg/m³

 TWA: 5 mg/m³

Estonia TWA: 5 mg/m³ (respirable dust)

10 mg/m³ (total dust) STEL: 0.5 mg/m³

 Estonia
 STEL: 0.5 mg/m³

 Finland
 TWA: 0,5 mg/m³

 France
 VLE: 10 mg/m³

 VME: 5 mg/m³

Kemgard® 1100

Issue Date 01/Jan/2024 Revision Number 1.6.1 Print Date 13/Dec/2023

Page 6 of 13

DFG MAK: TWA: 2 mg/m3 (inhalable fraction) Germany

0,1 mg/m³ (respirable fraction)

Poland STEL: 10 mg/m³

TWA: 4 mg/m³

STEL 10 mg/m³ Poland

TWA 2 mg/m³ Inhalable fraction Slovakia 0,1 mg/m3 Respirable fraction TWA: 5 mg/m³ (inhalable fraction) Slovenia

STEL 10 mg/m3 Respirable fraction Spain

Crystalline Silica, quartz (impurity)

ACGIH TWA: 0.025 mg/m³ respirable fraction

TWA: 0.05 mg/m³ **OSHA**

OSHA Action level: 0.025 mg/m³ **NIOSH** 0.05 mg/m³ TWA (respirable dust) MAK: 0,15 mg/m³ (respirable dust) Austria TWA: 0,1 mg/m³ (respirable dust) **Belgium** TWA: 0,07 mg/m³ (respirable fraction) Bulgaria

MAC: 0,1 mg/m3 Croatia

Czech Republic TWA: 0,1 mg/m³ (respirable dust)

Denmark TLV 0,3 mg/m³ (total) 0,1 mg/m³ (respirable)

TWA: 0,1 mg/m³ (respirable dust) **Estonia** TWA: 0,05 mg/m³ (respirable) **Finland**

VME: 0,1 mg/m³ (restrictive limit, alveolar fraction) **France**

TWA: 0,15 mg/m³ (respirable) Hungary Iceland TWA: 0,3 mg/m³ (total dust) 0,1 mg/m³ (respirable dust)

Ireland TWA: 0,1 mg/m³ (respirable dust) TWA: 0,025 mg/m³ (respirable fraction) Italy TWA: 0,025 mg/m³ (respirable fraction) Italy TWA: 0,1 mg/m³ (respirable fraction) Lithuania TWA: 0,075 mg/m³ (respirable dust) Netherlands

TLV: 0,3 mg/m3 (total dust) Norway 0,1 mg/m³ (respirable dust)

TWA: 2 mg/m³ (total dust) **Poland** 0,3 mg/m³ (respirable dust)

TWA: 0,025 mg/m³ (respirable fraction) **Portugal** Slovakia TWA: 0,1 mg/m³ (respirable fraction) Slovenia TWA: 0,15 mg/m³ (respirable fraction)

Spain VLA-ED TWA: 0,1 mg/m³ (respirable fraction)

Sweden TWA: 0,1 mg/m³ (respirable dust) **Switzerland** TWA: 1, 15 mg/m³ (respirable dust) TWA: 0,1 mg/m³ (respirable) **United Kingdom**

Recommended monitoring

procedures

Refer also to national guidance documents for information on currently

recommended monitoring procedures

Biological Limit Values None

DNEL (Derived No Effect Level) No data available

PNEC (Predicted No Effect Concentration) No information available

Safety Data Sheet

Kemgard® 1100

Issue Date 01/Jan/2024 Revision Number 1.6.1

Print Date 13/Dec/2023 **Page 7 of 13**

8.2. Exposure controls

Engineering Measures Do not handle until all safety precautions have been read and understood

Ensure adequate ventilation, especially in confined areas

Provide a good standard of controlled ventilation (10 to 15 air changes per hour) Use exhaust ventilation to keep airborne concentrations below exposure limits

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment

Eye/Face Protection Wear safety glasses with side shields (or goggles).

Skin and Body Protection Wear suitable protective clothing.

Thermal hazards None known.

Hygiene Measures Follow general hygiene considerations recognized as common good workplace

practices

Environmental Exposure

Controls

Dispose of in accordance with local regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:

Physical State Solid Powder Color White Odor Odorless

Odor Threshold No information available

pH: 6.5

Melting Point / Melting Range No information available

Melting point / Freezing point Not applicable

Initial boiling point

Boiling Point

Freezing Point

Flash Point

Evaporation Rate
Flammability (solid, gas)

No information available
No information available
No data available
Not applicable.
Not applicable

Upper flammability limit: -Lower flammability limit: --

Vapor PressureNo data availableVapor DensityNot applicableVapor DensityNo data availableDensityNo data available

Relative Density 2.8 g/cm³ **Water Solubility** Slightly soluble

Solubility in other solvents No information available

Safety Data Sheet

Kemgard® 1100

Issue Date 01/Jan/2024 Revision Number 1.6.1 Print Date 13/Dec/2023

Page 8 of 13

No data available **Partition coefficient Autoignition Temperature** No data available

Decomposition Temperature No information available **Viscosity** No information available.

Kinematic viscosity Not applicable **Oxidizing Properties** Not applicable

No information available **Particle Size**

Molecular Weight Not available **Molecular Weight** Not available **Specific Gravity** 2.8 (H2O = 1)

VOC Content (%) 0%

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

Not applicable

SECTION 10: Stability and reactivity

Stable under normal conditions 10.1. Reactivity

10.2. Chemical stability Stable under normal conditions

10.3. Possibility of hazardous

reactions

None under normal processing

10.4. Conditions to avoid Incompatible materials Dust formation

10.5. Incompatible materials Strong oxidizing agents

Strong acids

10.6. Hazardous decomposition None known

products

SECTION 11: Toxicological information

General Information Users are advised to consider national Occupational Exposure Limits or other

equivalent values.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Talc

NTP (National Toxicology male rat-some evidence; female rat-clear evidence; male mice-no evidence;

Program) female mice-no evidence

Kemgard® 1100

Issue Date 01/Jan/2024 Revision Number 1.6.1

Print Date 13/Dec/2023 Page 9 of 13

Zinc Molybdenum Oxide

Oral LD50 >10000 mg/kg Rat

IARC Not Listed

Specific target organ toxicity Kidney (based on tubular degeneration/regeneration of male Han Wistar rats at

- Repeated exposure 125 mg/kg/day). NOAEL – 60 mg/kg Rat; Oral; 90-day.

Crystalline Silica, quartz (impurity)

LD50s and LC50s 500 mg/kg Oral LD50 Rat Oral LD50 500 mg/kg Rat Mouse

ACGIH Group 2A - Probably Carcinogenic to Humans

IARC Group 1 - Carcinogenic to Humans

Acute Toxicity Avoid inhalation of dust. Product dust may be irritating to eyes, skin and respiratory

system

Reproductive Toxicity No data available.

Carcinogenicity Crystalline silica (quartz) has been classified by the International Agency for

Research on Cancer (IARC) as a known human carcinogen (Group 1).

Target Organ Effects Skin. Eyes. Respiratory system.

Specific target organ toxicity -

Single exposure

No data available.

Specific target organ toxicity -

Repeated exposure

May cause damage to organs through prolonged or repeated exposure if inhaled.

Kidney.

Information on Likely Routes of Exposure

Inhalation Avoid inhalation of the product

Ingestion is not a likely route of exposure Ingestion

Prolonged or repeated contact may dry skin and cause irritation Skin

Dust contact with the eyes can lead to mechanical irritation **Eves**

Aspiration hazard Not an expected route of exposure.

11.2. Information on other hazards

11.2.1. Endocrine disrupting This product does not contain any known or suspected endocrine disruptors

properties

11.2.2. Other information Not applicable

SECTION 12: Ecological information

Safety Data Sheet

Kemgard® 1100

Issue Date 01/Jan/2024 Revision Number 1.6.1 Print Date 13/Dec/2023

Page 10 of 13

Harmful to aquatic life with long lasting effects Avoid release to the environment 12.1. Toxicity

Talc

WGK Classification (AwSV) 1315 WGK: nwg

Crystalline Silica, quartz (impurity)

WGK Classification (AwSV) 849 WGK: nwg

12.2. Persistence and

degradability

Not readily biodegradable.

12.3. Bioaccumulative potential No information available.

Partition coefficient No data available

Bioconcentration factor

(BCF)

No data available.

12.4. Mobility in soil No information available.

12.5. Results of PBT and vPvB

assessment

This substance does not meet the criteria for classification as PBT or vPvB.

12.6. Endocrine disrupting

properties

This product does not contain any known or suspected endocrine disruptors

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal should be in accordance with applicable regional, national and local laws **Disposal Methods**

and regulations.

Product residue may remain in empty containers. Empty containers should be **Contaminated Packaging**

taken to an approved waste handling site for recycling or disposal.

Waste codes Waste codes should be assigned by the user based on the application for which

the product was used

Talc

WGK Classification (AwSV) 1315 WGK: nwg

Crystalline Silica, quartz (impurity)

WGK Classification (AwSV) 849 WGK: nwg

SECTION 14: Transport information

Safety Data Sheet

Kemgard® 1100

Issue Date 01/Jan/2024 Revision Number 1.6.1
Print Date 13/Dec/2023 Page 11 of 13

Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada Not regulated Not regulated IATA Not regulated IMDG/IMO Not regulated ICAO Not regulated

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

14.6. Special precautions for Not applicable

user

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global Inventories

Pure substance/mixture Mixture

Chemical Name	CAS Number	EC No	Australia (AIIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	Thailand (TECI)		Philippine s (PICCS)	Taiwan	TSCA: United States
Talc	6	238-877-9		Υ	Υ	(1)-468 (ENCS)(IS HL)	KE-32773	Υ	55-1-0194 0	Y	Y	Υ	Α
	5 61583-60- 6			Y	Y	(1)-781 (ENCS)(IS HL)	KE-11910	Z	Y	N	N	Υ	Α
Crystalline Silica, quartz (impurity)		238-878-4	Y	Υ	Υ	(1)-548(E NCS)(ISH L)	KE-29983	Υ	55-1-0194 1	Y	Y	Υ	Α

Talc

EU REACH registration number Exempt

Zinc Molybdenum Oxide

EU REACH registration number 01-2120800481-68-0000 **Turkish KKDIK pre-registration** 05-0000192714-03-0000

Safety Data Sheet

Kemgard® 1100

Issue Date 01/Jan/2024 Revision Number 1.6.1 Print Date 13/Dec/2023

Page 12 of 13

Crystalline Silica, quartz (impurity)

EU REACH registration number Exempt

Germany

Harmful to aquatic life with long lasting effects Avoid release to the environment

1315 WGK: nwg WGK Classification (AwSV)

Crystalline Silica, quartz (impurity)

849 WGK: nwg WGK Classification (AwSV)

15.2. Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance

SECTION 16: Other information

Reason for Revision This safety data sheet complies with the requirements of Regulation (EC) No.

1907/2006 & COMMISSION REGULATION (EU) No. 2020/878

Issue Date 01/Jan/2024 **Print Date** 13/Dec/2023

Revision Number 1.6.1

Prepared by **Huber Engineered Materials Global Regulatory Affairs**

(Email – HEM.FRARegulatory@huber.com).

(CLP) Regulation (EC 1272/2008) This mixture is classified as hazardous according to regulation (EC) No. 1272/2008

[CLP]

Labeling

Symbols/Pictograms



Signal Word Warning

Hazard Statements H373 - May cause damage to organs through prolonged or repeated exposure.

H412 - Harmful to aquatic life with long lasting effects.

Do not handle until all safety precautions have been read and understood. **Training Advice**

IARC (International Agency for Research on Cancer) Abbreviations and acronyms

IUCLID (International Uniform Chemical Information Database) WHMIS (Workplace Hazardous Materials Information System)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

TWA (Time-Weighted Average)

Safety Data Sheet

Kemgard® 1100

Issue Date 01/Jan/2024 Print Date 13/Dec/2023 Revision Number 1.6.1 Page 13 of 13

CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008))

PPE (Personal Protection Equipment)

NIOSH (National Institute for Occupational Safety and Health)

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)

RQ (Reportable Quantity) (RQ/% in mixture)

STEL (Short Term Exposure Limit)

TLV® (Threshold Limit Value)

DNEL (Derived No Effect Level)

SVHC (Substances of Very High Concern)

BOD (Biochemical oxygen demand)

COD (Chemical oxygen demand)

ICAO (International Civil Aviation Organization)

IMDG (International Maritime Dangerous Goods)

ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)

IATA (International Air Transport Association)

IMDG (International Maritime Dangerous Goods)

DOT (Department of Transportation)

TDG (Transport of Dangerous Goods) Canada

PNEC (Predicted No Effect Concentration)

SCBA (Self-Contained Breathing Apparatus) Positive Pressure

GHS (Globally Harmonized System)

TSCA (Toxic Substances Control Act)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet