



**ADVANCED  
MATERIALS**

# Safety Data Sheet

Malaysia CLASS Regulation, 2013  
GHS (Globally Harmonized System)

Issue Date 01/Jan/2024  
Print Date 14/Dec/2023

Revision Number 1.2.1

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

**Product Name:** Kemgard® 605

**Pure substance/mixture** Mixture

#### Aluminum Hydroxide

**CAS Number** 21645-51-2

**Weight-%** > 75

#### Zinc Molybdenum Oxide

**CAS Number** 22914-58-5

61583-60-6

**Weight-%** < 25

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Smoke suppressant

**Uses advised against** None known.

### 1.3. Details of the supplier of the safety data sheet

**Company:** J.M. Huber Corporation  
3100 Cumberland Boulevard, Suite 600  
Atlanta, GA 30339 USA  
Tel: +1 678 247-7300

**Internet** [www.huberadvancedmaterials.com](http://www.huberadvancedmaterials.com)

**E-mail** [hubermaterials@huber.com](mailto:hubermaterials@huber.com)

**1.4. Emergency telephone number** CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

## 2. HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

**GHS Classification** This product is not classified as hazardous according to the UN GHS guideline and labeling is not required

**Hazards identification**

# Safety Data Sheet

**Kemgard® 605****Issue Date** 01/Jan/2024**Print Date** 14/Dec/2023**Revision Number** 1.2.1**Page** 2 of 10

<b>Physical Hazard</b>	Not classified
<b>Health Hazards</b>	Not classified
<b>Environmental Hazard</b>	Chronic Aquatic Toxicity Category 3

## 2.2. Label elements

### Symbols/Pictograms

<b>Signal Word</b>	None
<b>Hazard Statements</b>	Harmful to aquatic life with long lasting effects

## Precautionary Statements

<b>Prevention</b>	Avoid release to the environment Employ good industrial hygiene practice Wash hands thoroughly after handling Do not handle until all safety precautions have been read and understood Take precautionary measures against static discharges
<b>Response</b>	IF ON SKIN: Wash with plenty of soap and water IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
<b>Storage</b>	Keep in a dry place. Store away from incompatible materials. Collect spillage.
<b>Disposal</b>	Dispose of contents/containers in accordance with local regulations. See Section 13: DISPOSAL CONSIDERATIONS.

**2.3. Other hazards** No information available.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Pure substance/mixture** Mixture

Chemical Name	CAS Number	TSCA: United States	EU REACH registration number	Weight-%
Aluminum Hydroxide	21645-51-2	A	01-2119529246-39	> 75
Zinc Molybdenum Oxide	22914-58-5 61583-60-6	A	01-2120800481-68-0000	< 25

X / Y: Complies ; A: Active ; - / N: Exempt Not Listed

## 4. FIRST AID MEASURES

### 4.1. Description of first aid measures

<b>General Advice</b>	When in doubt or if symptoms are observed, get medical advice. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
-----------------------	--

# Safety Data Sheet

**Kemgard® 605****Issue Date** 01/Jan/2024**Print Date** 14/Dec/2023**Revision Number** 1.2.1**Page** 3 of 10

<b>Eye Contact</b>	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
<b>Skin Contact</b>	Wash with plenty of soap and water.
<b>Ingestion</b>	Rinse mouth thoroughly with water.
<b>Inhalation</b>	Do not breathe dust. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
<b>Aspiration hazard</b>	Not an expected route of exposure.
<b>Notes to Physician</b>	Treat symptomatically.
<b>4.2. Most important symptoms and effects, both acute and delayed</b>	Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin.
<b>4.3. Indication of any immediate medical attention and special treatment needed</b>	Treat symptomatically. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

## 5. FIRE-FIGHTING MEASURES

### 5.1. Extinguishing media

#### **Suitable Extinguishing Media**

Use extinguishing agent suitable for type of surrounding fire. Water spray (fog). Dry chemical. Foam. Carbon dioxide (CO<sub>2</sub>).

#### **Unsuitable Extinguishing Media**

None known.

### 5.2. Special hazards arising from the substance or mixture

Non-combustible.

### 5.3. Advice for firefighters

#### **Special protective equipment for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing.

#### **Fire-fighting measures**

Water mist may be used to cool closed containers.

# Safety Data Sheet

Kemgard® 605

Issue Date 01/Jan/2024

Print Date 14/Dec/2023

Revision Number 1.2.1

Page 4 of 10

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Keep unauthorized personnel away. Avoid dust formation. Ensure adequate ventilation. Use personal protection recommended in Section 8.

#### For non-emergency personnel

Keep unauthorized personnel away.

#### For emergency responders

Keep unauthorized personnel away. Use personal protection recommended in Section 8.

### 6.2. Environmental precautions

Avoid runoff to waterways and sewers.

### 6.3. Methods and material for containment and cleaning up

Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust. Small Spill: Vacuum or sweep material and place in a disposal container.

### 6.4. Reference to other sections

Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

## 7. HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Minimize dust generation and accumulation. Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Use personal protective equipment as required.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed and dry. Store away from incompatible materials.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Occupational exposure limits

##### Aluminum Hydroxide

NIOSH

TWA: 5 mg/m<sup>3</sup> (respirable dust); 10 mg/m<sup>3</sup> TWA (total dust)

ACGIH

TLV/TWA 8-hr: 1 mg/m<sup>3</sup> (respirable fraction)

OSHA

TWA: 15 mg/m<sup>3</sup> (Total Dust)5 mg/m<sup>3</sup> (Respirable Dust)

##### Zinc Molybdenum Oxide

Malaysia

TWA: 5 mg/m<sup>3</sup>

NIOSH

8-hr TWA: 10 mg/m<sup>3</sup>

ACGIH

TWA: 10 mg/m<sup>3</sup> dust0.5 mg/m<sup>3</sup> Respirable fraction

OSHA

TWA: 5 mg/m<sup>3</sup> (respirable); 10 mg/m<sup>3</sup> (dust)PEL: 5 mg/m<sup>3</sup> (respirable)

# Safety Data Sheet

**Kemgard® 605****Issue Date** 01/Jan/2024**Print Date** 14/Dec/2023**Revision Number** 1.2.1**Page** 5 of 10**Biological Limit Values** None**Recommended monitoring procedures** Refer also to national guidance documents for information on currently recommended monitoring procedures**8.2. Exposure controls****Engineering Measures** Do not handle until all safety precautions have been read and understood  
Ensure adequate ventilation, especially in confined areas  
Provide a good standard of controlled ventilation (10 to 15 air changes per hour)  
Use exhaust ventilation to keep airborne concentrations below exposure limits  
In case of insufficient ventilation, wear suitable respiratory equipment**Personal protective equipment****Eye/Face Protection** Wear safety glasses with side shields (or goggles)**Skin and Body Protection** Wear suitable protective clothing.**Hand Protection** Wear suitable gloves.**Respiratory Protection** In case of inadequate ventilation wear respiratory protection.**Thermal hazards** Wear suitable protective clothing.**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use.**Environmental Exposure Controls** Dispose of in accordance with local regulations.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**9.1. Information on basic physical and chemical properties****Appearance:****Physical State**

Solid Powder

**Color**

White to off-white

**Odor**

Odorless

**Odor Threshold**

No information available

**pH:**

8.4 (5% water suspension)

**Melting Point / Melting Range**

Not applicable

**Freezing Point**

Not applicable

**Boiling Point**

Not applicable

**Flash Point**

Non-combustible.

**Evaporation Rate**

Not applicable.

**Flammability (solid, gas)**

Not applicable

**Upper flammability limit:****Lower flammability limit:****Vapor Pressure**

Not applicable

**Vapor Density**

Not applicable

**Density**2.5 – 2.7 g/cm<sup>3</sup>, 20°C

# Safety Data Sheet

**Kemgard® 605****Issue Date** 01/Jan/2024**Print Date** 14/Dec/2023**Revision Number** 1.2.1**Page** 6 of 10

<b>Relative Density</b>	2.6 g/cm <sup>3</sup> , 20° C
<b>Water Solubility</b>	11.7 mg/l , 25° C
<b>Solubility in other solvents</b>	No data available
<b>Partition coefficient</b>	Not applicable
<b>Autoignition Temperature</b>	Not applicable
<b>Decomposition Temperature</b>	No data available
<b>Viscosity</b>	Not applicable.

## 10. STABILITY AND REACTIVITY

<b>10.1. Reactivity</b>	Stable under normal conditions
<b>10.2. Chemical stability</b>	Stable under normal conditions
<b>10.3. Possibility of hazardous reactions</b>	No specific hazard known
<b>10.4. Conditions to avoid</b>	Incompatible materials Dust formation
<b>10.5. Incompatible materials</b>	None known
<b>10.6. Hazardous decomposition products</b>	None known

## 11. TOXICOLOGICAL INFORMATION

<b>General Information</b>	Users are advised to consider national Occupational Exposure Limits or other equivalent values.
----------------------------	---

### Information on Likely Routes of Exposure

<b>Inhalation</b>	Inhalation of dust may cause irritation of the respiratory system
<b>Skin</b>	Contact with dust can cause mechanical irritation or drying of the skin
<b>Eyes</b>	Dust contact with the eyes can lead to mechanical irritation
<b>Ingestion</b>	Ingestion is not a likely route of exposure
<b>Aspiration hazard</b>	Not an expected route of exposure.

### 11.1. Information on toxicological effects

<b><u>Aluminum Hydroxide</u></b>	
<b>Oral LD50</b>	> 2000 mg/kg Rat

# Safety Data Sheet

**Kemgard® 605****Issue Date** 01/Jan/2024**Print Date** 14/Dec/2023**Revision Number** 1.2.1**Page** 7 of 10

<b>Inhalation LC50</b>	Rat > 2.3 mg/l (Al <sub>2</sub> O <sub>3</sub> ) Aerosol Maximum attainable concentration
<b>IARC</b>	Not Listed
<b><u>Zinc Molybdenum Oxide</u></b>	
<b>Oral LD50</b>	>10000 mg/kg Rat
<b>IARC</b>	Not Listed
<b>Specific target organ toxicity - Repeated exposure</b>	Kidney (based on tubular degeneration/regeneration of male Han Wistar rats at 125 mg/kg/day). NOAEL – 60 mg/kg Rat; Oral; 90-day.
<b>Acute Toxicity</b>	No data available
<b>Respiratory Sensitization</b>	Inhalation of dust in high concentration may cause irritation of respiratory system.
<b>Serious eye damage/eye irritation</b>	Dust may cause mechanical irritation to eyes
<b>Skin Corrosion/Irritation</b>	Prolonged or repeated contact may dry skin and cause irritation
<b>Skin Sensitization</b>	Not a skin sensitizer
<b>Mutagenicity</b>	No data available
<b>Reproductive Effects</b>	This product does not contain any known or suspected reproductive hazards.
<b>Carcinogenicity</b>	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
<b>Target Organ Effects</b>	Skin. Eyes. Respiratory system.
<b>Specific target organ toxicity - Single exposure</b>	No data available.
<b>Specific target organ toxicity - Repeated exposure</b>	May cause damage to organs through prolonged or repeated exposure if inhaled. Kidney.
<b>Mixture versus substance information</b>	Mixture

## 12. ECOLOGICAL INFORMATION

**12.1. Ecotoxicity** Harmful to aquatic life with long lasting effects.

### Aluminum Hydroxide

**WGK Classification (AwSV)** 5220 WGK: nwg

**12.2. Persistence and degradability** No data available.

**12.3. Bioaccumulative potential** No data available.

# Safety Data Sheet

Kemgard® 605

Issue Date 01/Jan/2024

Print Date 14/Dec/2023

Revision Number 1.2.1

Page 8 of 10

Partition coefficient Not applicable

Bioconcentration factor  
(BCF) No data available.

12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB  
assessment No data available.

12.6. Other adverse effects No information available

## 13. DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

Disposal Methods Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Product residue may remain in empty containers. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Waste codes Waste codes should be assigned by the user based on the application for which the product was used

### Aluminum Hydroxide

European Waste Catalog 060299  
WGK Classification (AwSV) 5220 WGK: nwg

## 14. TRANSPORT INFORMATION

### Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada Not regulated  
DOT Not regulated  
IATA Not regulated  
IMDG/IMO Not regulated  
ICAO Not regulated

14.1. UN number None

14.2. UN proper shipping name None



# Safety Data Sheet

Kemgard® 605

Issue Date 01/Jan/2024

Print Date 14/Dec/2023

Revision Number 1.2.1

Page 9 of 10

**14.3. Transport hazard class(es)** None**Subsidiary Risk** -**14.4. Packing group** None**14.5. Environmental hazards** No**14.6. Special precautions for user** Not applicable**14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**  
Not applicable

## 15. REGULATORY INFORMATION

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****Global Inventories**

Chemical Name	CAS Number	EC No	EU REACH registration number	Australia (AIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	New Zealand	Philippines (PICCS)	Taiwan	TSCA: United States
Aluminum Hydroxide	21645-51-2	244-492-7	01-211952924-6-39	Y	Y	Y	(1)-17 (ENCS); ISHL	KE-00980	Y	Y	Y	Y	A
Zinc Molybdenum Oxide	22914-58-5 61583-60-6	245-322-4	01-212080048-1-68-0000	N	Y	Y	(1)-781 (ENCS)(ISHL)	KE-11910	N	N	N	Y	A

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

## 16. OTHER INFORMATION

**Prepared by**Huber Engineered Materials Global Regulatory Affairs  
email: regulatory.affairs@huber.com.**GHS Classification**

This product is not classified as hazardous according to the UN GHS guideline and labeling is not required

**Physical Hazard**

Not classified

**Health Hazards**

Not classified

**Environmental Hazard**

Chronic Aquatic Toxicity Category 3

**Labeling**

# Safety Data Sheet

**Kemgard® 605****Issue Date** 01/Jan/2024**Print Date** 14/Dec/2023**Revision Number** 1.2.1**Page 10 of 10****Symbols/Pictograms****Signal Word**

None

**Hazard Statements**

Harmful to aquatic life with long lasting effects

**Training Advice**

Do not handle until all safety precautions have been read and understood

**Abbreviations and acronyms**

IARC (International Agency for Research on Cancer)  
IATA (International Air Transport Association)  
IMDG (International Maritime Dangerous Goods)  
IUCLID (International Uniform Chemical Information Database)  
WHMIS (Workplace Hazardous Materials Information System)  
DOT (Department of Transportation)  
OSHA (Occupational Safety and Health Administration of the US Department of Labor)  
TWA (Time-Weighted Average)  
CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008))  
PPE (Personal Protection Equipment)  
NIOSH (National Institute for Occupational Safety and Health)  
TDG (Transport of Dangerous Goods) Canada  
CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)  
RQ (Reportable Quantity) (RQ/% in mixture)  
STEL (Short Term Exposure Limit)  
TLV® (Threshold Limit Value)  
DNEL (Derived No Effect Level)  
SVHC (Substances of Very High Concern)  
BOD (Biochemical oxygen demand)  
COD (Chemical oxygen demand)  
ICAO (International Civil Aviation Organization)  
IMDG (International Maritime Dangerous Goods)  
ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)  
SCBA (Self-Contained Breathing Apparatus) Positive Pressure  
PNEC (Predicted No Effect Concentration)  
GHS (Globally Harmonized System)  
TSCA (Toxic Substances Control Act)

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**