



Kemgard® 911B

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03
Canadian Workplace Hazardous Material Information System (WHMIS) 2015
Mexico NOM-018-STPS-2000; NOM-018-STPS-2015
GHS (Globally Harmonized System)

Issue Date 01/Jan/2024
Print Date 13/Dec/2023

Revision Number 1.5
Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: Kemgard® 911B
Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Flame retardant Smoke suppressant
Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company: J.M. Huber Corporation
3100 Cumberland Boulevard, Suite 600
Atlanta, GA 30339 USA
Tel: +1 678 247-7300

Internet www.huberadvancedmaterials.com

Contact E-Mail www.huberadvancedmaterials.com/contact

1.4. Emergency telephone number CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS Classification

Physical Hazards Not classified
Health Hazards Acute toxicity - Inhalation Category 4
Specific target organ toxicity (STOT) - repeated exposure, category 2
Environmental Hazard Acute Aquatic Toxicity: Category 1
Chronic Aquatic Toxicity: Category 1

Safety Data Sheet

Kemgard® 911B

Issue Date 01/Jan/2024

Print Date 13/Dec/2023

Revision Number 1.5

Page 2 of 13

2.2. Label elements

Symbols/Pictograms



Signal Word

Warning

Hazard Statements

H332 - Harmful if inhaled

H373 - May cause damage to organs through prolonged or repeated exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention

P202 - Do not handle until all safety precautions have been read and understood

P260 - Do not breathe dust

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P271 - Use only outdoors or in a well-ventilated area.

P273 - Avoid release to the environment

Response

P317 - Get emergency medical help.

P319 - Get medical help if you feel unwell.

P391 - Collect spillage

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water [or shower]

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Storage

P402 - Store in a dry place

Disposal

P501 - Dispose of contents/containers in accordance with local regulations

Hazards not otherwise classified None known.
(HNOC)

Safety Data Sheet

Kemgard® 911B

Issue Date 01/Jan/2024

Print Date 13/Dec/2023

Revision Number 1.5

Page 3 of 13

SECTION 3: Composition/information on ingredients

Pure substance/mixture

Mixture

Chemical Name	CAS Number	Weight-%
Zinc Oxide	1314-13-2	>25
Zinc Molybdenum Oxide	22914-58-5 61583-60-6	>25

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

SECTION 4: First aid measures

4.1. Description of first aid measures

General Advice

Do not handle until all safety precautions have been read and understood. Employ good industrial hygiene practice. Wear suitable protective clothing, gloves and eye/face protection. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. When in doubt or if symptoms are observed, get medical advice.

Eye Contact

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Skin Contact

Wash with plenty of soap and water.

Ingestion

Rinse mouth thoroughly with water.

Inhalation

Do not breathe dust. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

Aspiration hazard

Not an expected route of exposure.

4.2. Most important symptoms and effects, both acute and delayed

Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment should be symptomatic and supportive. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing
Media

Safety Data Sheet

Kemgard® 911B**Issue Date** 01/Jan/2024**Print Date** 13/Dec/2023**Revision Number** 1.5**Page** 4 of 13

Water spray (fog). Dry chemical. Foam. Carbon dioxide (CO₂).

Unsuitable Extinguishing Media

None known.

5.2. Special hazards arising from the substance or mixture

None known.

5.3. Advice for firefighters**Special protective equipment for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

Water mist may be used to cool closed containers. No special fire protection measures are necessary. Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Ensure adequate ventilation. Use personal protection recommended in Section 8. Keep unauthorized personnel away.

For non-emergency personnel

Keep unauthorized personnel away.

For emergency responders

Keep unauthorized personnel away. Use personal protection recommended in Section 8.

6.2. Environmental precautions

Avoid runoff to waterways and sewers.

6.3. Methods and material for containment and cleaning up

Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust Small Spill: Vacuum or sweep material and place in a disposal container

6.4. Reference to other sections

Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Minimize dust generation and accumulation. Do not breathe dust. Ensure adequate ventilation. Wear appropriate personal protective clothing to prevent skin contact. Handle in accordance with good industrial hygiene and safety practice.

Safety Data Sheet

Kemgard® 911B**Issue Date** 01/Jan/2024**Print Date** 13/Dec/2023**Revision Number** 1.5**Page** 5 of 13

7.2. Conditions for safe storage, Keep container tightly closed and dry. Store away from incompatible materials. including any incompatibilities

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Zinc Oxide

OSHA	PEL: 15 mg/m ³ (total dust) 5 mg/m ³ (respirable fraction)
ACGIH	STEL: 10 mg/m ³ (respirable) TWA: 2 mg/m ³ (respirable)
NIOSH	Ceiling: 15 mg/m ³ (total dust) STEL: 10 mg/m ³ (fume) TWA: 5 mg/m ³ (total dust)
Canada - British Columbia - OEL- STELs	10 mg/m ³
Canada - Ontario - OEL - STEVs	10 mg/m ³ STEV
Canada - Ontario - OEL - TWA EVs	2 mg/m ³

Zinc Molybdenum Oxide

OSHA	TWA: 5 mg/m ³ (respirable); 10 mg/m ³ (dust) PEL: 5 mg/m ³ (respirable)
ACGIH	TWA: 10 mg/m ³ dust 0.5 mg/m ³ Respirable fraction
NIOSH	TWA: 10 mg/m ³ 8-hour

PNEC (Predicted No Effect Concentration) No information available

DNEL (Derived No Effect Level) No information available

Biological Limit Values No information available

8.2. Exposure controls

Engineering Measures Provide a good standard of controlled ventilation (5 to 10 air changes per hour). Use exhaust ventilation to keep airborne concentrations below exposure limits. In case of insufficient ventilation, wear suitable respiratory equipment.

Personal protective equipment

Eye/Face Protection	Wear safety glasses with side shields (or goggles).
Skin and Body Protection	Wear suitable protective clothing.
Hand Protection	For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn.
Respiratory Protection	In case of inadequate ventilation wear respiratory protection.

Safety Data Sheet

Kemgard® 911B**Issue Date** 01/Jan/2024**Print Date** 13/Dec/2023**Revision Number** 1.5**Page** 6 of 13

Thermal hazards	None known. Wear suitable protective clothing.
Hygiene Measures	Follow general hygiene considerations recognized as common good workplace practices. The worker should wash daily at the end of each work shift, and prior to eating, drinking, smoking, etc.
Environmental Exposure Controls	Dispose of in accordance with local regulations. Do not empty into drains or water courses.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:

Physical State	Solid Powder
Color	White
Odor	Odorless
Odor Threshold	No information available
pH:	6.5 5% Water suspension
Melting Point / Melting Range	No information available
Melting point / Freezing point	Not applicable
Initial boiling point	No information available
Boiling Point	No information available
Freezing Point	No information available
Flash Point	Not applicable Product/Substance is inorganic
Evaporation Rate	Not applicable.
Flammability (solid, gas)	Not applicable
Flammability (solid, gas)	Non-combustible
Upper flammability limit:	Not applicable
Lower flammability limit:	Not applicable
Vapor Pressure	No data available
Vapor Density	Not applicable
Vapor Density	No data available
Density	No data available
Relative Density	5.1
Water Solubility	Slightly soluble
Solubility in other solvents	No information available
Partition coefficient	No data available
Autoignition Temperature	No data available
Decomposition Temperature	No information available
Viscosity	No information available.
Kinematic viscosity	Not applicable
Oxidizing Properties	Not applicable
Particle Size	No information available
VOC Content (%)	Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

Not applicable

Safety Data Sheet

Kemgard® 911B

Issue Date 01/Jan/2024

Print Date 13/Dec/2023

Revision Number 1.5

Page 7 of 13

SECTION 10: Stability and reactivity

10.1. Reactivity	Stable under normal conditions
10.2. Chemical stability	Stable under normal conditions
10.3. Possibility of hazardous reactions	None under normal processing
10.4. Conditions to avoid	Dust formation Incompatible materials
10.5. Incompatible materials	Strong oxidizing agents
10.6. Hazardous decomposition products	None known

SECTION 11: Toxicological information

General Information	Users are advised to consider national Occupational Exposure Limits or other equivalent values.
---------------------	---

11.1. Information on toxicological effects

Zinc Oxide

LD50s and LC50s 5000 mg/kg Oral LD50 Rat

Oral LD50 7950 mg/kg Rat

Zinc Molybdenum Oxide

Oral LD50 >10000 mg/kg Rat

IARC Not Listed

Specific target organ toxicity - Repeated exposure Kidney (based on tubular degeneration/regeneration of male Han Wistar rats at 125 mg/kg/day). NOAEL – 60 mg/kg Rat; Oral; 90-day.

Acute Toxicity	Low hazard for usual industrial or commercial handling
Respiratory Sensitization	Does not cause sensitization
Serious eye damage/eye irritation	Dust may cause mechanical irritation to eyes
Skin Corrosion/Irritation	Contact with dust can cause mechanical irritation or drying of the skin
Skin Sensitization	Not a skin sensitizer

Safety Data Sheet

Kemgard® 911B**Issue Date** 01/Jan/2024**Print Date** 13/Dec/2023**Revision Number** 1.5**Page** 8 of 13

Germ cell mutagenicity	No data available.
Reproductive Effects	This product does not contain any known or suspected reproductive hazards.
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Target Organ Effects	Skin. Eyes. Respiratory system.
Specific target organ toxicity - Single exposure	No data available.
Specific target organ toxicity - Repeated exposure	May cause damage to organs through prolonged or repeated exposure if inhaled. Kidney.

Information on Likely Routes of Exposure

Inhalation	May cause respiratory tract irritation
Ingestion	Ingestion is not a likely route of exposure
Skin	No known hazard in contact with skin
Eyes	Dust contact with the eyes can lead to mechanical irritation
Aspiration hazard	Not an expected route of exposure.
Symptoms related to the physical, chemical and toxicological characteristics	Dust may cause mechanical irritation to eyes.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties	This product does not contain any known or suspected endocrine disruptors
11.2.2. Other information	Not applicable

SECTION 12: Ecological information

12.1. Toxicity	Very toxic to aquatic life with long lasting effects
-----------------------	--

Zinc Oxide**WGK Classification (AwSV)** 2187 WGK: 2

12.2. Persistence and degradability	No data available.
--	--------------------

Safety Data Sheet

Kemgard® 911B**Issue Date** 01/Jan/2024**Print Date** 13/Dec/2023**Revision Number** 1.5**Page** 9 of 13**12.3. Bioaccumulative potential** No data available.**Partition coefficient** No data available**Bioconcentration factor (BCF)** No data available.**12.4. Mobility in soil** No data available.**12.5. Results of PBT and vPvB assessment** This substance does not meet the criteria for classification as PBT or vPvB.**12.6. Endocrine disrupting properties** This product does not contain any known or suspected endocrine disruptors

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal Methods Dispose of waste product or used containers according to local regulations. Do not allow to enter into surface water or drains.**Contaminated Packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.**Waste codes** Waste codes should be assigned by the user based on the application for which the product was used

Zinc Oxide

WGK Classification (AwSV) 2187 WGK: 2

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc Oxide, Zinc Molybdate)
DOT	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc Oxide, Zinc Molybdate), , Not regulated in non-bulk packages (<119 gal)
ADR	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc Oxide, Zinc Molybdate)
ADN	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc Oxide, Zinc Molybdate)
IATA	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc Oxide, Zinc Molybdate)


Safety Data Sheet

Kemgard® 911B**Issue Date** 01/Jan/2024**Print Date** 13/Dec/2023**Revision Number** 1.5**Page 10 of 13****IMDG/IMO**

UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc Oxide, Zinc Molybdate)

ICAO

UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc Oxide, Zinc Molybdate)

14.1. UN number UN3077**14.2. UN proper shipping name** UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc Oxide, Zinc Molybdate)**14.3. Transport hazard class(es)** 9**Subsidiary Risk** -**14.4. Packing group** III**14.5. Environmental hazards** Marine Pollutant**EmS:** F-A, S-F**14.6. Special precautions for user** Do not handle until all safety precautions have been read and understood.**14.7. Maritime transport in bulk according to IMO instruments****Marine Pollutant**

Safety Data Sheet

Kemgard® 911B

Issue Date 01/Jan/2024

Print Date 13/Dec/2023

Revision Number 1.5

Page 11 of 13

SECTION 15: Regulatory information

Global Inventories

Pure substance/mixture

Mixture

Chemical Name	CAS Number	EC No	EU REACH registration number	Australia (AIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	New Zealand	Philippines (PICCS)	Taiwan	TSCA: United States
Zinc Oxide	1314-13-2	215-222-5	01-211946 3881-32	Y	Y	Y	ENCS: (1)-561 ISHL: (1)-561	KE-35565	Y	Y	Y	Y	A
Zinc Molybdenum Oxide	22914-58-5 61583-60-6	245-322-4	01-212080 0481-68-0 000	N	Y	Y	(1)-781 (ENCS)(ISHL)	KE-11910	N	N	N	Y	A

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

US Federal Regulations

EPA

CERCLA

The components of this product are regulated under the following section of SARA 313, 42 USC 11023, 40 CFR 372.65 (Zinc). The components of this product are regulated under the following sections of CERCLA, 42 USC 9604, 40 CFR 302, as a Hazardous Substance, RQ of 1,000 lbs (Zinc).

SARA 302

Not listed

SARA 304

Listed

Zinc Oxide

SARA 313

Listed

Zinc Molybdenum Oxide

CERCLA

Listed

SARA 313

Listed

SARA 311/312 Hazardous Categorization

None

CWA (Clean Water Act)

The components of this product are regulated under the following sections of the Clean Water Act: Section 311 Hazardous Substances.

CAA (Clean Air Act)

The components of this product are not regulated under any of the following sections of the Clean Air Act: Section 112 Hazardous Air Pollutants, Section 112 Statutory Air Pollutants, Section 112 High-Risk Pollutants, Section 112(r) Accidental Release Prevention Substances or Section 602 Ozone Depleting Substance. As a powder product, it would be regulated under Section 109 Criteria Pollutants particulates.

Safety Data Sheet

Kemgard® 911B**Issue Date** 01/Jan/2024**Print Date** 13/Dec/2023**Revision Number** 1.5**Page 12 of 13****U.S. State Right-to-Know Regulations**

Chemical Name	CAS Number	California Proposition 65	Massachusetts	Minnesota	New Jersey	Pennsylvania
Zinc Oxide	1314-13-2	N	Y	Y	Y	Y
Zinc Molybdenum Oxide	22914-58-5 61583-60-6	N	Y	Y	Y	Y

Y: Listed ; N: Not Listed

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65)

This product does not contain any Proposition 65 chemicals

CANADA**WHMIS**

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

SECTION 16: Other information

Prepared by	Huber Engineered Materials (HEM) Global Regulatory Affairs regulatory.affairs@huber.com
Issue Date	01/Jan/2024
Print Date	13/Dec/2023
Revision Number	1.5
Reason for Version	OSHA (Occupational Safety and Health Administration of the US Department of Labor).
Training Advice	Do not handle until all safety precautions have been read and understood
Abbreviations and acronyms	IARC (International Agency for Research on Cancer) IATA (International Air Transport Association) IMDG (International Maritime Dangerous Goods) IUCLID (International Uniform Chemical Information Database) WHMIS (Workplace Hazardous Materials Information System) DOT (Department of Transportation) OSHA (Occupational Safety and Health Administration of the US Department of Labor) TWA (Time-Weighted Average) CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008)) PPE (Personal Protection Equipment) NIOSH (National Institute for Occupational Safety and Health) TDG (Transport of Dangerous Goods) Canada CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act) RQ (Reportable Quantity) (RQ/% in mixture) STEL (Short Term Exposure Limit) TLV® (Threshold Limit Value) DNEL (Derived No Effect Level) SVHC (Substances of Very High Concern) BOD (Biochemical oxygen demand) COD (Chemical oxygen demand) ICAO (International Civil Aviation Organization) IMDG (International Maritime Dangerous Goods) ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

HUBER

Safety Data Sheet

Kemgard® 911B

Issue Date 01/Jan/2024

Print Date 13/Dec/2023

Revision Number 1.5

Page 13 of 13

RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)
SCBA (Self-Contained Breathing Apparatus) Positive Pressure
GHS (Globally Harmonized System)
SARA (Superfund Amendments and Reauthorization Act of 1986)
TSCA (Toxic Substances Control Act)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet