

SAFETY DATA SHEET

Kemgard® 911C

MoEL's Public Notice No. 2016-19 Standards for Classification and Labeling of Chemical Substances and Safety Data Sheet (SDS)

Issue Date 01/Jan/2024 Revision Number 1.5.2

Print Date 13/Dec/2023 Page 1 of 10

Section 1: PRODUCT AND COMPANY IDENTIFICATION

A. Product name Kemgard® 911C

Pure substance/mixture Mixture

Talc

CAS Number 14807-96-6 Weight-% 75 - 90

Zinc Molybdenum Oxide

CAS Number 22914-58-5

61583-60-6

Weight-% 10 - 25 Crystalline Silica, quartz (impurity)

CAS Number 14808-60-7 Weight-% < 0.1

B. Recommended use and Limitations on use

Recommended Use Flame retardant Smoke suppressant

None known Uses advised against

C. Supplier information

Company Name J.M. Huber Corporation

3100 Cumberland Boulevard, Suite 600

Atlanta, GA 30339 USA Tel: +1 678 247-7300

E-mail hubermaterials@huber.com

Internet www.huberadvancedmaterials.com

Contact person CHEMTREC

+1 800 424 9300 International +1 703 527 3887 Emergency phone number

Section 2: HAZARDS IDENTIFICATION

A. Hazard category/Classification

Not classified **Physical Hazards**

Health Hazards Specific target organ toxicity (STOT) - repeated exposure, category 2

Kemgard® 911C

Issue Date 01/Jan/2024 Revision Number 1.5.2

Print Date 13/Dec/2023 Page 2 of 10

Environmental Hazards Chronic Aquatic Toxicity Category 3

B. Warning label items including precautionary statement

Label Elements

Symbols/Pictograms



Signal Words Warning

Hazard Statements May cause damage to organs through prolonged or repeated exposure

Harmful to aquatic life with long lasting effects

Precautionary statement

Prevention Do not breathe dust

Avoid release to the environment

Do not handle until all safety precautions have been read and understood

Employ good industrial hygiene practice

Wear protective gloves/protective clothing/eye protection/face protection

Response Get medical advice/attention if you feel unwell

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing IF ON SKIN: Wash with plenty of soap and water

Storage Keep in a dry place

Store away from incompatible materials

Disposal Disposal should be in accordance with applicable regional, national and local laws

and regulations

Additional Information: Crystalline silica (quartz) has been classified by the International Agency for

Research on Cancer (IARC) as a known human carcinogen (Group 1).

C. Other hazards not included in the hazard category criteria (e.g. dust explosion hazard)

None known

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture Mixture

| Chemical Name | CAS Number | S. Korea (KECL) | Korean GHS Classification | Weight-% | | |
|---------------|------------|-----------------|------------------------------|----------|--|--|
| Talc | 14807-96-6 | KE-32773 | Not classified | 75 - 90 | | |

Kemgard® 911C

Issue Date 01/Jan/2024 Revision Number 1.5.2 Print Date 13/Dec/2023

Page 3 of 10

| Zinc Molybdenum Oxide | 22914-58-5 | KE-11910 | Acute Tox. 4, H332 | 10 - 25 |
|---------------------------------------|------------|----------|--------------------------|---------|
| | 61583-60-6 | | STOT RE 2, H373 | |
| | | | Aquatic Acute 1, H400 | |
| | | | Aquatic Chronic 2, H411 | |
| Crystalline Silica, quartz (impurity) | 14808-60-7 | KE-29983 | Carcinogenicity category | <0.1 |
| | | | 1A | |
| | | | Category 2 | |

Section 4: FIRST AID MEASURES

A. In case of eye contact Rinse with water. Get medical attention if irritation develops and persists.

B. In case of skin contact Wash off with soap and water. Get medical attention if irritation develops and

persists.

C. In case of inhalation Move to fresh air. Call a physician if symptoms develop or persist.

D. In case of swallowing Rinse mouth. Get medical attention if symptoms occur.

Treat symptomatically. E. Note to physician

Section 5: FIRE FIGHTING MEASURES

A. Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jetstream

B. Specific hazards arising from the chemical (example: hazardous combustion products)

None known **Explosion hazard:**

C. Specific methods of fire-fighting

Self-contained breathing apparatus and full protective clothing must be worn in case of fire. In the event of fire and/or explosion do not breathe fumes. Move container from fire area if it can be done without risk.

Section 6: SPILLAGE, ACCIDENTAL RELEASE MEASURES

- A. Personal precautions, protective equipment and emergency measures Ensure adequate ventilation. Avoid dust formation. See section 8 for more information.
- B. Environmental precautions Avoid discharge into drains, water courses or onto the ground.
- C. Methods and materials for containment and cleaning up Vacuum or sweep material and place in a disposal

Kemgard® 911C

Issue Date 01/Jan/2024 Revision Number 1.5.2 Print Date 13/Dec/2023

Page 4 of 10

container.

Section 7: HANDLING AND STORAGE

A. Precautions for safe handling

In case of exposure to environments exceeding the occupational exposure limit, wear a respirator in compliance with national legislation.

B. Conditions for safe storage (including any incompatibilities)

Keep container tightly closed in a dry and well-ventilated place

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

A. Exposure limit values, biological limit values, etc

Talc

Korea TWA: 6 mg/m³

2 mg/m³

ACGIH TWA: 2 mg/m3 (respirable dust)

OSHA TWA: 20 mppcf

Zinc Molybdenum Oxide

Korea TWA: 8-hour 0.5 mg/m3 Korea STEL: Not established TWA: 10 mg/m³ dust **ACGIH**

0.5 mg/m³ Respirable fraction

OSHA TWA: 5 mg/m³ (respirable); 10 mg/m³ (dust)

PEL: 5 mg/m³ (respirable)

Crystalline Silica, quartz (impurity)

TWA: 0.05 mg/m³ respirable franction **ACGIH** TWA: 0.025 mg/m³ respirable fraction

TWA: 0.05 mg/m³ **OSHA**

OSHA Action level: 0.025 mg/m3

B. Engineering Controls

Engineering Measures Do not handle until all safety precautions have been read and understood

Ensure adequate ventilation, especially in confined areas

Provide a good standard of controlled ventilation (10 to 15 air changes per hour) Use exhaust ventilation to keep airborne concentrations below exposure limits

In case of insufficient ventilation, wear suitable respiratory equipment

C. Personal protective equipment

If contact is likely, safety glasses with side shields are recommended. Eye protection Hand protection For prolonged or repeated skin contact use suitable protective gloves.

 Body protection Wear suitable protective clothing.

Always observe good personal hygiene measures, such as washing after handling **Hygiene Measures**

the material and before eating, drinking, and/or smoking. Routinely wash work

Kemgard® 911C

Issue Date 01/Jan/2024 Revision Number 1.5.2
Print Date 13/Dec/2023 Page 5 of 10

clothing and protective equipment to remove contaminants.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State Solid Powder

ColorWhiteOdorOdorless

Odor Threshold No information available

pH: 6.5

Melting Point / Melting Range No information available **Initial boiling point** No information available **Freezing Point** No information available **Boiling Point** No information available **Flash Point** No data available Not applicable **Evaporation Rate** Not applicable Flammability (solid, gas) No data available **Upper flammability limit:**

Upper flammability limit:
Lower flammability limit:
Vapor Pressure
Vapor Density

No data available
No data available
No data available
No data available

Relative Density

Water Solubility

2.8 g/cm³
Slightly soluble

Solubility in other solvents
Partition coefficient
Autoignition Temperature
Decomposition Temperature
No information available
No data available
No information available

Viscosity
No information available
Kinematic viscosity
No data available.

Milematic viscosity No data available

Molecular WeightNot availableSpecific Gravity2.8 (H2O = 1)

VOC Content (%) 0%

Section 10: STABILITY AND REACTIVITY

A. Stability and hazardous reaction potential

Stability Stable under normal conditions

Hazardous reaction None known

potential

B. Conditions to avoid (e.g. static discharge, shock or Vibration, etc) Avoid creating dust. Incompatible materials.

Kemgard® 911C

Issue Date 01/Jan/2024 Revision Number 1.5.2 Print Date 13/Dec/2023

Page 6 of 10

C. Incompatible materials Strong oxidizing agents

D. Hazardous decomposition products No hazardous decomposition products are known.

Section 11: TOXICOLOGICAL INFORMATION

A. Information on likely routes of exposure

Extended inhalation at levels above the workplace limit value can cause Respiratory organs

irreversible damage to the lungs (silicosis).

 Mouth Not an expected route of exposure

Dust contact with the eyes can lead to mechanical irritation Eyes

 Skin Contact with dust can cause mechanical irritation or drying of the skin

B. Information on health hazards

Zinc Molybdenum Oxide

Oral LD50 >10000 mg/kg Rat

Crystalline Silica, quartz (impurity)

Oral LD50 500 mg/kg Rat Mouse

Zinc Molybdenum Oxide

Not Listed **IARC**

Specific target organ toxicity Kidney (based on tubular degeneration/regeneration of male Han Wistar rats at

- Repeated exposure 125 mg/kg/day). NOAEL – 60 mg/kg Rat; Oral; 90-day.

Crystalline Silica, quartz (impurity)

ACGIH Group 2A - Probably Carcinogenic to Humans

Group 1 - Carcinogenic to Humans **IARC**

Acute Toxicity Avoid inhalation of dust. Product dust may be irritating to eyes, skin and respiratory

svstem

Reproductive Toxicity No data available.

Crystalline silica (quartz) has been classified by the International Agency for Carcinogenicity

Research on Cancer (IARC) as a known human carcinogen (Group 1).

Target Organ Effects Skin. Eyes. Respiratory system.

Specific target organ toxicity -

Single exposure

No data available.

Specific target organ toxicity -

Repeated exposure

May cause damage to organs through prolonged or repeated exposure if inhaled.

Kidnev.

Section 12: ECOLOGICAL INFORMATION

Kemgard® 911C

Issue Date 01/Jan/2024 Revision Number 1.5.2 Print Date 13/Dec/2023

Page 7 of 10

Hazardous to the aquatic environment, acute hazard Not classified

Hazardous to the aquatic environment, long-term

Harmful to aquatic life with long lasting effects

hazard

- B. Persistence/degradability No data available
- C. Bioaccumulative potential No data available
- D. Mobility in soil No data available
- E. Other adverse effects No data available

Section 13: DISPOSAL CONSIDERATIONS

A. Method of disposal

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in accordance with all applicable regulations.

B. Disposal considerations (including disposal of contaminated containers or packaging) Disposal should be in accordance with applicable regional, national and local laws and regulations

Waste codes Dispose of in accordance with federal, state and local regulations

Section 14: TRANSPORT INFORMATION

Mode of Transportation (Road, Water, Air, Rail)

14.1. UN number None

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

Not applicable 14.6. Special precautions for

user

Kemgard® 911C

Issue Date 01/Jan/2024 Revision Number 1.5.2

 Print Date
 13/Dec/2023

 Page
 8 of 10

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

A. Method of disposal

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in accordance with all applicable regulations.

B. Disposal considerations (including disposal of contaminated containers or packaging) Disposal should be in accordance with applicable regional, national and local laws and regulations

Waste codes Dispose of in accordance with federal, state and local regulations

Section 15: REGULATORY INFORMATION

National Regulations

Talc

CAS Number 14807-96-6 Weight-% 75 - 90 Korean GHS Classification Not classified

Zinc Molybdenum Oxide

CAS Number 22914-58-5

61583-60-6

Weight-% 10 - 25

Korean GHS Classification Acute Tox. 4, H332

STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 2, H411

Crystalline Silica, quartz (impurity)

CAS Number 14808-60-7

Weight-% <0.1

Korean GHS Classification Carcinogenicity category 1A

Category 2

Other domestic and foreign regulations

Global Inventories

| Chemical Name | CAS Number | EC No | EU REACH registrati on number | Australia (AIIC) | Canada (DSL) | China (IECSC) | Japan | S. Korea (KECL) | Mexico | | Philippine s (PICCS) | Taiwan | TSCA: United States |
|---------------------------------------|----------------------------------|-----------|-------------------------------------------|---------------------|-----------------|------------------|-----------------------------|--------------------|--------|---|-------------------------|--------|---------------------------|
| Talc | 14807-96- 6 | 238-877-9 | Exempt | Y | Y | Y | (1)-468 (ENCS)(ISH L) | KE-32773 | Y | Y | Y | Υ | Α |
| Oxide | 22914-58- 5 61583-60- 6 | | 01-212080 0481-68-0 000 | | Ý | Ý | (1)-781 (ENCS)(ISH L) | KE-11910 | Z | N | N | Ý | A |
| Crystalline Silica, quartz (impurity) | 14808-60- 7 | 238-878-4 | Exempt | Y | Y | Y | (1)-548(EN CS)(ISHL) | KE-29983 | Y | Y | Y | Υ | Α |

Kemgard® 911C

Issue Date 01/Jan/2024 Print Date 13/Dec/2023 **Revision Number** 1.5.2

Page 9 of 10

Section 16: OTHER INFORMATION

A. Source of Information

Abbreviations and acronyms IARC (International Agency for Research on Cancer)

IATA (International Air Transport Association)

IMDG (International Maritime Dangerous Goods)

IUCLID (International Uniform Chemical Information Database)
WHMIS (Workplace Hazardous Materials Information System)

DOT (Department of Transportation)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

TWA (Time-Weighted Average)

CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC

1272/2008))

PPE (Personal Protection Equipment)

NIOSH (National Institute for Occupational Safety and Health)

TDG (Transport of Dangerous Goods) Canada

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)

RQ (Reportable Quantity) (RQ/% in mixture)

STEL (Short Term Exposure Limit)

TLV® (Threshold Limit Value)

DNEL (Derived No Effect Level)

SVHC (Substances of Very High Concern)

BOD (Biochemical oxygen demand)

COD (Chemical oxygen demand)

ICAO (International Civil Aviation Organization)

IMDG (International Maritime Dangerous Goods)

ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)

SCBA (Self-Contained Breathing Apparatus) Positive Pressure

PNEC (Predicted No Effect Concentration) TSCA (Toxic Substances Control Act) GHS (Globally Harmonized System)

B. Issue Date 01/Jan/2024 Print Date 01/Jan/2023

C. Number of revisions and Date 1.5.2 of most recent revision

D. Other

Prepared by Huber Engineered Materials Global Regulatory Affairs

(Email – HEM.FRARegulatory@huber.com)

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

HUBER

Safety Data Sheet

Kemgard® 911C

Issue Date 01/Jan/2024 Print Date 13/Dec/2023 Revision Number 1.5.2 Page 10 of 10

End of Safety Data Sheet