



Kemgard® 911C-LC

Prepared in accordance with GB/T 16483-2008, GB/T 24774-2009, GB 13690 – 2009, GB/T 17519–2013
GHS (Globally Harmonized System)

Issue Date 01/Jan/2024

Print Date 13/Dec/2023

Revision Number 1.5.2

Page 1 of 11

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name:	Kemgard® 911C-LC
Pure substance/mixture	Mixture
<u>Talc</u>	
CAS Number	14807-96-6
Weight-%	75 - 90
<u>Zinc Molybdenum Oxide</u>	
CAS Number	22914-58-5
	61583-60-6
Weight-%	10 - 25
<u>Crystalline Silica, quartz (impurity)</u>	
CAS Number	14808-60-7
Weight-%	<0.1
Recommended Use	Flame retardant Smoke suppressant
Uses advised against	None known
Company:	J.M. Huber Corporation 3100 Cumberland Boulevard, Suite 600 Atlanta, GA 30339 USA Tel: +1 678 247-7300
Emergency Telephone	CHEMTREC China: 4001-204937 (Mandarin) Local call: +86 532 5879 2008
E-mail	hubermaterials@huber.com
Internet	www.huberadvancedmaterials.com
Registration Number	No information available

Section 2: HAZARDS IDENTIFICATION

GHS Classification

Physical Hazard	Not classified
Health Hazard	Acute toxicity - Inhalation Category 5 Specific target organ toxicity (STOT) - repeated exposure, category 2

Safety Data Sheet

Kemgard® 911C-LC**Issue Date** 01/Jan/2024**Print Date** 13/Dec/2023**Revision Number** 1.5.2**Page** 2 of 11**Environmental Hazard**Chronic Aquatic Toxicity, Category 3
Acute Aquatic Toxicity Category 2**Label Elements****Symbols/Pictograms****Signal Word**

Warning

Hazard StatementMay be harmful if inhaled
May cause damage to organs through prolonged or repeated exposure
Toxic to aquatic life
Harmful to aquatic life with long lasting effects**Precautionary Statements****Prevention**Observe good industrial hygiene practices.
Avoid breathing dust.
Use mechanical ventilation (dilution and local exhaust) to control exposure
Avoid release to the environment**Response**Get medical help if you feel unwell
IF ON SKIN: Wash with plenty of soap and water
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
IF INHALED: Get medical help.**Spills and Leaks**

Collect spillage

StorageStore in a dry place
Store away from incompatible materials.**Disposal**

Dispose in accordance with local, state and national regulations

Additional Information:

Crystalline silica (quartz) has been classified by the International Agency for Research on Cancer (IARC) as a known human carcinogen (Group 1).

Hazards not otherwise classified (HNOC) None known

Safety Data Sheet

Kemgard® 911C-LC

Issue Date 01/Jan/2024

Print Date 13/Dec/2023

Revision Number 1.5.2

Page 3 of 11

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture

Mixture

Chemical Name	CAS Number	China (IECSC)	China classification	TSCA: United States	EU REACH registration number	Weight-%
Talc	14807-96-6	Y	Not classified	A	Exempt	75 - 90
Zinc Molybdenum Oxide	22914-58-5 61583-60-6	Y	Acute Tox. 4, H332 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 2, H411	A	01-2120800481-68 -0000	10 - 25
Crystalline Silica, quartz (impurity)	14808-60-7	Y	Carcinogenicity category 1A Respiratory system	A	Exempt	<0.1

Section 4: FIRST AID MEASURES

General Advice

In case of doubt or when symptoms persist, seek medical attention.

Eye Contact

Hold eyelids apart and flush eyes with a steady, gentle stream of water for several minutes.

Skin Contact

IF ON SKIN: Wash with plenty of soap and water

Inhalation

Do not breathe dust

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

Notes to Physician

Treat symptomatically

**Personal Protective Equipment
For First Aid Responders**

Wear suitable protective clothing

IF exposed or concerned: Get medical advice/attention

**Expected acute symptoms and
delayed symptoms**

None known

Section 5: FIRE FIGHTING MEASURES

Flammable Properties

None known

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media: Do not use water jetstream

Safety Data Sheet

Kemgard® 911C-LC**Issue Date** 01/Jan/2024**Print Date** 13/Dec/2023**Revision Number** 1.5.2**Page** 4 of 11

Specific Hazards Arising from the Chemical Heating can release hazardous gases

Unusual fire & explosion hazards: None

Protective Equipment and Precautions for Firefighters Wear self-contained breathing apparatus and protective suit

Section 6: SPILLAGE, ACCIDENTAL RELEASE MEASURES

Personal Precautions Ensure adequate ventilation. Avoid dust formation. Avoid inhalation of dust. Refer to Section 8 for personal protective equipment.

Environmental Precautions Prevent from entering into soil, ditches, sewers and waterways.

Methods for cleaning up Sweep or vacuum spilled material Dispose of according to local and regional authority requirements

Other Information: None known

Section 7: HANDLING AND STORAGE

Handling In case of exposure to environments exceeding the occupational exposure limit, wear a respirator in compliance with national legislation. Handle in accordance with good industrial hygiene and safety practice.

Storage Keep container tightly closed in a dry and well-ventilated place

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits Provide adequate ventilation as well as local exhaust at critical locations

Talc

China

TWA: 3 mg/m³ (total dust)
1 mg/m³ (respirable dust)
TWA: 2 mg/m³ (respirable dust)
TWA: 20 mppcf

ACGIH

OSHA

Zinc Molybdenum Oxide

China

China

ACGIH

TWA: 8-hour: 4 mg/m³
STEL: Not established
TWA: 10 mg/m³ dust
0.5 mg/m³ Respirable fraction
8-hr TWA: 10 mg/m³
TWA: 5 mg/m³ (respirable); 10 mg/m³ (dust)
PEL: 5 mg/m³ (respirable)

NIOSH

OSHA

Crystalline Silica, quartz (impurity)

China

TWA: 0.5 mg/m³ (total dust)
0.2 mg/m³ (respirable dust)
TWA: 0.025 mg/m³ respirable fraction
0.05 mg/m³ TWA (respirable dust)

ACGIH

NIOSH

Safety Data Sheet

Kemgard® 911C-LC**Issue Date** 01/Jan/2024**Print Date** 13/Dec/2023**Revision Number** 1.5.2**Page** 5 of 11**OSHA**TWA: 0.05 mg/m³
OSHA Action level: 0.025 mg/m³**Engineering Measures**

Do not handle until all safety precautions have been read and understood
Ensure adequate ventilation, especially in confined areas
Provide a good standard of controlled ventilation (10 to 15 air changes per hour)
Use exhaust ventilation to keep airborne concentrations below exposure limits
In case of insufficient ventilation, wear suitable respiratory equipment

Personal Protective Equipment**Eye/Face Protection**

Wear safety glasses with side shields (or goggles)

Skin and Body Protection

Wear suitable protective clothing

Hand Protection

Protective gloves

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice Wash hands and face before breaks and immediately after handling the product.

Environmental Exposure Controls

Dispose of in accordance with local regulations

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties**Appearance:****Physical State**Solid
Powder**Color**

White

Odor

Odorless

Odor Threshold

No information available

pH:

6.5

Melting Point / Melting Range

No information available

Initial boiling point

No information available

Freezing Point

No information available

Boiling Point

No information available

Flash Point

No data available.

Evaporation Rate

Not applicable

Flammability (solid, gas)

Not applicable

Upper flammability limit:**Lower flammability limit:****Vapor Pressure**

No data available

Vapor Density

No data available

Relative Density2.8 g/cm³**Water Solubility**

Slightly soluble

Solubility in other solvents

No information available

Safety Data Sheet

Kemgard® 911C-LC**Issue Date** 01/Jan/2024**Print Date** 13/Dec/2023**Revision Number** 1.5.2**Page** 6 of 11

Partition coefficient	No data available
Autoignition Temperature	No data available
Decomposition Temperature	No information available
Viscosity	No information available.

Molecular Weight	Not available
Molecular Weight	Not available
Specific Gravity	2.8 (H ₂ O = 1)
VOC Content (%)	0%

Section 10: STABILITY AND REACTIVITY

Stability	Stable under normal conditions
Conditions to avoid:	Incompatible materials Dust formation
Incompatible materials	Strong oxidizing agents Strong acids
Hazardous decomposition products	None known
Hazardous Reactions	None under normal processing
Hazardous polymerization:	Hazardous polymerization does not occur

Section 11: TOXICOLOGICAL INFORMATION

General Information	Users are advised to consider national Occupational Exposure Limits or other equivalent values.
----------------------------	---

Product Information

Information on Likely Routes of Exposure

Eyes	Dust contact with the eyes can lead to mechanical irritation
Skin	Prolonged or repeated contact may dry skin and cause irritation
Inhalation	Avoid inhalation of the product
Ingestion	Ingestion is not a likely route of exposure
Aspiration hazard	Not an expected route of exposure.

11.1. Information on toxicological effects

Safety Data Sheet

Kemgard® 911C-LC**Issue Date** 01/Jan/2024**Print Date** 13/Dec/2023**Revision Number** 1.5.2**Page** 7 of 11**Zinc Molybdenum Oxide****Oral LD50**

>10000 mg/kg Rat

IARC

Not Listed

Specific target organ toxicity

Kidney (based on tubular degeneration/regeneration of male Han Wistar rats at

- Repeated exposure

125 mg/kg/day). NOAEL – 60 mg/kg Rat; Oral; 90-day.

Crystalline Silica, quartz (impurity)**Oral LD50**

500 mg/kg Rat Mouse

ACGIH

Group 2A - Probably Carcinogenic to Humans

IARC

Group 1 - Carcinogenic to Humans

Acute Toxicity

Avoid inhalation of dust. Product dust may be irritating to eyes, skin and respiratory system

Reproductive Toxicity

No data available.

Carcinogenicity

Crystalline silica (quartz) has been classified by the International Agency for Research on Cancer (IARC) as a known human carcinogen (Group 1).

Target Organ Effects

Skin. Eyes. Respiratory system.

**Specific target organ toxicity -
Single exposure**

No data available.

**Specific target organ toxicity -
Repeated exposure**May cause damage to organs through prolonged or repeated exposure if inhaled.
Kidney.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects. Avoid release to the environment.

Persistence/Degradability:

Not readily biodegradable.

Bioaccumulative Potential

No information available.

Partition coefficient

No data available

**Bioconcentration factor
(BCF)**

No data available.

Mobility in soil

No information available.

**Results of PBT and vPvB
assessment**

This substance does not meet the criteria for classification as PBT or vPvB.

Other Adverse Effects

No information available

Safety Data Sheet

Kemgard® 911C-LC

Issue Date 01/Jan/2024

Print Date 13/Dec/2023

Revision Number 1.5.2

Page 8 of 11

Section 13: DISPOSAL CONSIDERATIONS

Waste from Residues/Unused Products Dispose of in accordance with local regulations

Contaminated Packaging: Dispose of contents/container to an approved waste disposal plant

Section 14: TRANSPORT INFORMATION

Mode of Transportation (Road, Water, Air, Rail)

DOT Not regulated
IATA Not regulated
IMDG/IMO Not regulated

14.1. UN number None

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

14.6. Special precautions for user Not applicable

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not applicable

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global Inventories

Chemical Name	CAS Number	EC No	EU REACH registration number	Australia (AIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	New Zealand	Philippines (PICCS)	Taiwan	TSCA: United States
Talc	14807-96-6	238-877-9	Exempt	Y	Y	Y	(1)-468 (ENCS)(IS HL)	KE-32773	Y	Y	Y	Y	A
Zinc Molybdenum Oxide	22914-58-5 61583-60-	245-322-4	01-212080048 1-68-0000	N	Y	Y	(1)-781 (ENCS)(IS HL)	KE-11910	N	N	N	Y	A

HUBER

Safety Data Sheet

Kemgard® 911C-LC

Issue Date 01/Jan/2024

Print Date 13/Dec/2023

Revision Number 1.5.2

Page 9 of 11

	6												
Crystalline Silica, quartz (impurity)	14808-60- 7	238-878-4	Exempt	Y	Y	Y	(1)-548(EN CS)(ISHL)	KE-29983	Y	Y	Y	Y	A

Safety Data Sheet

Kemgard® 911C-LC**Issue Date** 01/Jan/2024**Print Date** 13/Dec/2023**Revision Number** 1.5.2**Page 10 of 11**

Section 16: OTHER INFORMATION

Prepared by Huber Engineered Materials Global Regulatory Affairs
(Email – HEM.FRAREgulatory@huber.com)

Reason for Revision GB/T 16483-2008
GB/T 24774-2009
GB 13690 – 2009
GB/T 17519–2013

GHS Classification

Physical Hazard Not classified

Health Hazard Acute toxicity - Inhalation Category 5
Specific target organ toxicity (STOT) - repeated exposure, category 2

Environmental Hazard Chronic Aquatic Toxicity, Category 3
Acute Aquatic Toxicity Category 2

Label Elements

Symbols/Pictograms



Signal Word Warning

Hazard Statement May be harmful if inhaled
May cause damage to organs through prolonged or repeated exposure
Toxic to aquatic life
Harmful to aquatic life with long lasting effects

Abbreviations and acronyms

IARC (International Agency for Research on Cancer)
IATA (International Air Transport Association)
IMDG (International Maritime Dangerous Goods)
IUCLID (International Uniform Chemical Information Database)
WHMIS (Workplace Hazardous Materials Information System)
DOT (Department of Transportation)
OSHA (Occupational Safety and Health Administration of the US Department of Labor)
TWA (Time-Weighted Average)
CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008))
PPE (Personal Protection Equipment)
NIOSH (National Institute for Occupational Safety and Health)

Safety Data Sheet

Kemgard® 911C-LC**Issue Date** 01/Jan/2024**Print Date** 13/Dec/2023**Revision Number** 1.5.2**Page 11 of 11**

TDG (Transport of Dangerous Goods) Canada
CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)
RQ (Reportable Quantity) (RQ/% in mixture)
STEL (Short Term Exposure Limit)
TLV® (Threshold Limit Value)
DNEL (Derived No Effect Level)
SVHC (Substances of Very High Concern)
BOD (Biochemical oxygen demand)
COD (Chemical oxygen demand)
ICAO (International Civil Aviation Organization)
IMDG (International Maritime Dangerous Goods)
SCBA (Self-Contained Breathing Apparatus) Positive Pressure
GHS (Globally Harmonized System)
ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)
SARA (Superfund Amendments and Reauthorization Act of 1986)
TSCA (Toxic Substances Control Act)

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet