



**ADVANCED
MATERIALS**

Safety Data Sheet

Malaysia CLASS Regulation, 2013
GHS (Globally Harmonized System)

Issue Date 01/Jan/2024
Print Date 13/Dec/2023

Revision Number 1.5.2

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Name: Kemgard® 911C-LC

Pure substance/mixture Mixture

Talc

CAS Number 14807-96-6

Weight-% 75 - 90

Zinc Molybdenum Oxide

CAS Number 22914-58-5

61583-60-6

Weight-% 10 - 25

Crystalline Silica, quartz (impurity)

CAS Number 14808-60-7

Weight-% <0.1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Flame retardant Smoke suppressant

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company: J.M. Huber Corporation
3100 Cumberland Boulevard, Suite 600
Atlanta, GA 30339 USA
Tel: +1 678 247-7300

Internet www.huberadvancedmaterials.com

E-mail hubermaterials@huber.com

1.4. Emergency telephone number CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

GHS Classification Considered a hazardous substance or mixture according to the Globally Harmonized System (GHS)

Safety Data Sheet

Kemgard® 911C-LC

Issue Date 01/Jan/2024
Print Date 13/Dec/2023

Revision Number 1.5.2
Page 2 of 11

Hazards identification

Physical Hazard	Not classified
Health Hazards	Specific target organ toxicity (STOT) - repeated exposure, category 2
Environmental Hazard	Chronic Aquatic Toxicity Category 3

2.2. Label elements

Symbols/Pictograms



Signal Word	Warning
Hazard Statements	May cause damage to organs through prolonged or repeated exposure Harmful to aquatic life with long lasting effects

Precautionary Statements

Prevention	Do not handle until all safety precautions have been read and understood Employ good industrial hygiene practice Do not breathe dust Wear protective gloves/protective clothing/eye protection/face protection Avoid release to the environment
Response	Get medical advice/attention if you feel unwell IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing IF ON SKIN: Wash with plenty of soap and water
Storage	Keep in a dry place. Store away from incompatible materials.
Disposal	Disposal should be in accordance with applicable regional, national and local laws and regulations.

Additional Information:	Crystalline silica (quartz) has been classified by the International Agency for Research on Cancer (IARC) as a known human carcinogen (Group 1).
--------------------------------	--

2.3. Other hazards	No information available.
---------------------------	---------------------------

3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture	Mixture
-------------------------------	---------

Chemical Name	CAS Number	TSCA: United States	EU REACH registration number	Weight-%
----------------------	-------------------	----------------------------	-------------------------------------	-----------------

Safety Data Sheet

Kemgard® 911C-LC

Issue Date 01/Jan/2024

Print Date 13/Dec/2023

Revision Number 1.5.2

Page 3 of 11

Talc	14807-96-6	A	Exempt	75 - 90
Zinc Molybdenum Oxide	22914-58-5 61583-60-6	A	01-2120800481-68-0000	10 - 25
Crystalline Silica, quartz (impurity)	14808-60-7	A	Exempt	<0.1

4. FIRST AID MEASURES

4.1. Description of first aid measures

General Advice

When in doubt or if symptoms are observed, get medical advice. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

Eye Contact

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Skin Contact

Wash with plenty of soap and water.

Ingestion

Rinse mouth thoroughly with water.

Inhalation

Do not breathe dust. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

Aspiration hazard

Not an expected route of exposure.

Notes to Physician

Treat symptomatically.

4.2. Most important symptoms and effects, both acute and delayed

Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing agent suitable for type of surrounding fire. Water spray (fog). Dry chemical. Foam. Carbon dioxide (CO₂).

Unsuitable Extinguishing Media

Do not use water jetstream.

Safety Data Sheet

Kemgard® 911C-LC

Issue Date 01/Jan/2024

Print Date 13/Dec/2023

Revision Number 1.5.2

Page 4 of 11

5.2. Special hazards arising from the substance or mixture

Heating can release hazardous gases.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

Water mist may be used to cool closed containers.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protection recommended in Section 8. Avoid dust formation. Keep unauthorized personnel away.

For non-emergency personnel

Keep unauthorized personnel away.

For emergency responders

Keep unauthorized personnel away. Use personal protection recommended in Section 8.

6.2. Environmental precautions

Avoid runoff to waterways and sewers.

6.3. Methods and material for containment and cleaning up

Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust Small Spill: Vacuum or sweep material and place in a disposal container

6.4. Reference to other sections

Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Minimize dust generation and accumulation. Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Use personal protective equipment as required.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed and dry. Store away from incompatible materials.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Safety Data Sheet

Kemgard® 911C-LC**Issue Date** 01/Jan/2024**Print Date** 13/Dec/2023**Revision Number** 1.5.2**Page** 5 of 11

8.1. Control parameters

Occupational exposure limits

Talc

ACGIH

TWA: 2 mg/m³ (respirable dust)

OSHA

TWA: 20 mppcf

Zinc Molybdenum Oxide

Malaysia

TWA: 5 mg/m³

NIOSH

8-hr TWA: 10 mg/m³

ACGIH

TWA: 10 mg/m³ dust0.5 mg/m³ Respirable fraction

OSHA

TWA: 5 mg/m³ (respirable); 10 mg/m³ (dust)PEL: 5 mg/m³ (respirable)

Crystalline Silica, quartz (impurity)

NIOSH

0.05 mg/m³ TWA (respirable dust)

ACGIH

TWA: 0.025 mg/m³ respirable fraction

OSHA

TWA: 0.05 mg/m³OSHA Action level: 0.025 mg/m³

Biological Limit Values

None

Recommended monitoring procedures

Refer also to national guidance documents for information on currently recommended monitoring procedures

8.2. Exposure controls

Engineering Measures

Do not handle until all safety precautions have been read and understood
Ensure adequate ventilation, especially in confined areas
Provide a good standard of controlled ventilation (10 to 15 air changes per hour)
Use exhaust ventilation to keep airborne concentrations below exposure limits
In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment

Eye/Face Protection

Wear safety glasses with side shields (or goggles)

Skin and Body Protection

Wear suitable protective clothing.

Hand Protection

Wear suitable gloves.

Respiratory Protection

In case of inadequate ventilation wear respiratory protection.

Thermal hazards

Wear suitable protective clothing.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use.

Environmental Exposure Controls

Dispose of in accordance with local regulations.

9. PHYSICAL AND CHEMICAL PROPERTIES

Safety Data Sheet

Kemgard® 911C-LC**Issue Date** 01/Jan/2024**Print Date** 13/Dec/2023**Revision Number** 1.5.2**Page** 6 of 11**9.1. Information on basic physical and chemical properties****Appearance:**

Physical State	Solid Powder
Color	White
Odor	Odorless
Odor Threshold	No information available
pH:	6.5
Melting Point / Melting Range	No information available
Initial boiling point	No information available
Freezing Point	No information available
Boiling Point	No information available
Flash Point	No data available.
Evaporation Rate	Not applicable.
Flammability (solid, gas)	Not applicable
Upper flammability limit:	
Lower flammability limit:	
Vapor Pressure	No data available
Vapor Density	No data available
Relative Density	2.8 g/cm ³
Water Solubility	Slightly soluble
Solubility in other solvents	No information available
Partition coefficient	No data available
Autoignition Temperature	No data available
Decomposition Temperature	No information available
Viscosity	No information available.
Molecular Weight	Not available
Molecular Weight	Not available
Specific Gravity	2.8 (H ₂ O = 1)
VOC Content (%)	0%

10. STABILITY AND REACTIVITY

10.1. Reactivity	Stable under normal conditions
10.2. Chemical stability	Stable under normal conditions
10.3. Possibility of hazardous reactions	None under normal processing
10.4. Conditions to avoid	Incompatible materials Dust formation
10.5. Incompatible materials	Strong oxidizing agents Strong acids
10.6. Hazardous decomposition products	None known

Safety Data Sheet

Kemgard® 911C-LC

Issue Date 01/Jan/2024

Print Date 13/Dec/2023

Revision Number 1.5.2

Page 7 of 11

11. TOXICOLOGICAL INFORMATION

General Information

Users are advised to consider national Occupational Exposure Limits or other equivalent values.

Information on Likely Routes of Exposure

Inhalation	Avoid inhalation of the product
Skin	Prolonged or repeated contact may dry skin and cause irritation
Eyes	Dust contact with the eyes can lead to mechanical irritation
Ingestion	Ingestion is not a likely route of exposure
Aspiration hazard	Not an expected route of exposure.

11.1. Information on toxicological effects

Zinc Molybdenum Oxide

Oral LD50 >10000 mg/kg Rat

IARC Not Listed

Specific target organ toxicity - Repeated exposure Kidney (based on tubular degeneration/regeneration of male Han Wistar rats at 125 mg/kg/day). NOAEL – 60 mg/kg Rat; Oral; 90-day.

Crystalline Silica, quartz (impurity)

Oral LD50 500 mg/kg Rat Mouse

ACGIH Group 2A - Probably Carcinogenic to Humans

IARC Group 1 - Carcinogenic to Humans

Acute Toxicity

Avoid inhalation of dust. Product dust may be irritating to eyes, skin and respiratory system

Reproductive Toxicity

No data available.

Carcinogenicity

Crystalline silica (quartz) has been classified by the International Agency for Research on Cancer (IARC) as a known human carcinogen (Group 1).

Target Organ Effects

Skin. Eyes. Respiratory system.

Specific target organ toxicity - Single exposure

No data available.

Specific target organ toxicity - Repeated exposure

May cause damage to organs through prolonged or repeated exposure if inhaled. Kidney.

12. ECOLOGICAL INFORMATION

12.1. Ecotoxicity Harmful to aquatic life with long lasting effects. Avoid release to the environment.

Talc

WGK Classification (AwSV) 1315 WGK: nwg

Crystalline Silica, quartz (impurity)

WGK Classification (AwSV) 849 WGK: nwg

12.2. Persistence and degradability Not readily biodegradable.

12.3. Bioaccumulative potential No information available.

Partition coefficient No data available

Bioconcentration factor (BCF) No data available.

12.4. Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment This substance does not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Disposal Methods Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Product residue may remain in empty containers. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Waste codes Waste codes should be assigned by the user based on the application for which the product was used

Talc

WGK Classification (AwSV) 1315 WGK: nwg

Crystalline Silica, quartz (impurity)

WGK Classification (AwSV) 849 WGK: nwg

Safety Data Sheet

Kemgard® 911C-LC

Issue Date 01/Jan/2024

Print Date 13/Dec/2023

Revision Number 1.5.2

Page 9 of 11

14. TRANSPORT INFORMATION

Mode of Transportation (Road, Water, Air, Rail)

14.1. UN number None

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

14.6. Special precautions for user Not applicable

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not applicable

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global Inventories

Chemical Name	CAS Number	EC No	EU REACH registration number	Australia (AIIIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	New Zealand	Philippines (PICCS)	Taiwan	TSCA: United States
Talc	14807-96-6	238-877-9	Exempt	Y	Y	Y	(1)-468 (ENCS)(IS HL)	KE-32773	Y	Y	Y	Y	A
Zinc Molybdenum Oxide	22914-58-5 61583-60-6	245-322-4	01-212080048 1-68-0000	N	Y	Y	(1)-781 (ENCS)(IS HL)	KE-11910	N	N	N	Y	A
Crystalline Silica, quartz (impurity)	14808-60-7	238-878-4	Exempt	Y	Y	Y	(1)-548 (ENCS)(ISHL)	KE-29983	Y	Y	Y	Y	A

16. OTHER INFORMATION

Prepared by

Huber Engineered Materials Global Regulatory Affairs
(Email – HEM.FRAREgulatory@huber.com).

Safety Data Sheet

Kemgard® 911C-LC**Issue Date** 01/Jan/2024**Print Date** 13/Dec/2023**Revision Number** 1.5.2**Page 10 of 11**

GHS Classification Considered a hazardous substance or mixture according to the Globally Harmonized System (GHS)

Physical Hazard Not classified

Health Hazards Specific target organ toxicity (STOT) - repeated exposure, category 2

Environmental Hazard Chronic Aquatic Toxicity Category 3

Labeling**Symbols/Pictograms**

Signal Word Warning

Hazard Statements May cause damage to organs through prolonged or repeated exposure
Harmful to aquatic life with long lasting effects

Training Advice Do not handle until all safety precautions have been read and understood

Abbreviations and acronyms

IARC (International Agency for Research on Cancer)
IATA (International Air Transport Association)
IMDG (International Maritime Dangerous Goods)
IUCLID (International Uniform Chemical Information Database)
WHMIS (Workplace Hazardous Materials Information System)
DOT (Department of Transportation)
OSHA (Occupational Safety and Health Administration of the US Department of Labor)
TWA (Time-Weighted Average)
CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008))
PPE (Personal Protection Equipment)
NIOSH (National Institute for Occupational Safety and Health)
TDG (Transport of Dangerous Goods) Canada
CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)
RQ (Reportable Quantity) (RQ/% in mixture)
STEL (Short Term Exposure Limit)
TLV® (Threshold Limit Value)
DNEL (Derived No Effect Level)
SVHC (Substances of Very High Concern)
BOD (Biochemical oxygen demand)
COD (Chemical oxygen demand)
ICAO (International Civil Aviation Organization)
IMDG (International Maritime Dangerous Goods)
ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)
SCBA (Self-Contained Breathing Apparatus) Positive Pressure
PNEC (Predicted No Effect Concentration)
GHS (Globally Harmonized System)
TSCA (Toxic Substances Control Act)

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use,

HUBER

Safety Data Sheet

Kemgard® 911C-LC

Issue Date 01/Jan/2024

Print Date 13/Dec/2023

Revision Number 1.5.2

Page 11 of 11

processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet