

# Kemgard® 911C-LC

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03 Canadian Workplace Hazardous Material Information System (WHMIS) 2015 Mexico NOM-018-STPS-2000; NOM-018-STPS-2015 GHS (Globally Harmonized System)

Issue Date01/Jan/2024Print Date13/Dec/2023

Revision Number 1.5.2 Page 1 of 12

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product Name: Kemgard® 911C-LC

Pure substance/mixture Mixture

- 1.2. Relevant identified uses of the substance or mixture and uses advised against
  - Recommended Use Flame retardant Smoke suppressant
  - Uses advised against None known.
- 1.3. Details of the supplier of the safety data sheet

Company:	J.M. Huber Corporation 3100 Cumberland Boulevard, Suite 600 Atlanta, GA 30339 USA Tel: +1 678 247-7300
Internet	www.huberadvancedmaterials.com
Contact E-Mail	www.huberadvancedmaterials.com/contact
1.4. Emergency telephone number	CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

OSHA Regulatory Status	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)
GHS Classification	Considered a hazardous substance or mixture according to the Globally Harmonized System (GHS)
Physical Hazards	Not classified
Health Hazards	Specific target organ toxicity (STOT) - repeated exposure, category 2

# Safety Data Sheet

# Kemgard® 911C-LC

Issue Date 01/Jan/2024 Print Date 13/Dec/2023	Revision Number 1.5.2 Page 2 of 12
Environmental Hazard	Not classified
2.2. Label elements	
Symbols/Pictograms	
Signal Word	Warning
Hazard Statements	May cause damage to organs through prolonged or repeated exposure
Precautionary Statements	
Prevention	Do not handle until all safety precautions have been read and understood Employ good industrial hygiene practice Do not breathe dust Wear protective gloves/protective clothing/eye protection/face protection
Response	Get medical advice/attention if you feel unwell IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing IF ON SKIN: Wash with plenty of soap and water
Storage	Keep in a dry place Store away from incompatible materials
Disposal	Disposal should be in accordance with applicable regional, national and local laws and regulations
Additional Information:	Crystalline silica (quartz) has been classified by the International Agency for Research on Cancer (IARC) as a known human carcinogen (Group 1).
Hazards not otherwise classifie	ed None known.

(HNOC)

Kemgard® 911C-LC

Issue Date 01/Jan/2024 Print Date 13/Dec/2023 Revision Number 1.5.2 Page 3 of 12

# **SECTION 3: Composition/information on ingredients**

Pure substance/mixture Mixture

Chemical Name	CAS Number	Weight-%
Talc	14807-96-6	75 - 90
Zinc Molybdenum Oxide	22914-58-5	10 - 25
	61583-60-6	
Crystalline Silica, quartz (impurity)	14808-60-7	<0.1

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

General Advice	Do not handle until all safety precautions have been read and understood. Employ good industrial hygiene practice. Wear suitable protective clothing, gloves and eye/face protection. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. When in doubt or if symptoms are observed, get medical advice.
Eye Contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Skin Contact	Wash with plenty of soap and water.
Ingestion	Rinse mouth thoroughly with water.
Inhalation	Do not breathe dust. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
Aspiration hazard	Not an expected route of exposure.
4.2. Most important symptoms and effects, both acute and delayed	Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin.
4.3. Indication of any immediate medical attention and special treatment needed	Treatment should be symptomatic and supportive. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable Extinguishing

# Safety Data Sheet

### Kemgard® 911C-LC

#### Issue Date 01/Jan/2024 Print Date 13/Dec/2023

Revision Number 1.5.2 Page 4 of 12

### Media

Water spray (fog). Dry chemical. Foam. Carbon dioxide (CO2).

### **Unsuitable Extinguishing Media**

Do not use water jetstream.

5.2. Special hazards arising from the substance or mixture

Heating can release hazardous gases.

### 5.3. Advice for firefighters

### Special protective

### equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

### Fire-fighting measures

Water mist may be used to cool closed containers. No special fire protection measures are necessary. Standard procedure for chemical fires.

# **SECTION 6: Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures	Avoid dust formation. Ensure adequate ventilation. Use personal protection recommended in Section 8. Keep unauthorized personnel away.
For non-emergency personnel	Keep unauthorized personnel away.
For emergency responders	Keep unauthorized personnel away. Use personal protection recommended in Section 8.
6.2. Environmental precautions	Avoid runoff to waterways and sewers.
6.3. Methods and material for containment and cleaning up	Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust Small Spill: Vacuum or sweep material and place in a disposal container
6.4. Reference to other sections	Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

# **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Minimize dust generation and accumulation. Do not breathe dust. Ensure adequate ventilation. Wear appropriate personal protective clothing to prevent skin contact. Handle in accordance with good industrial hygiene and safety practice.

# Safety Data Sheet

## Kemgard® 911C-LC

Issue Date01/Jan/2024Print Date13/Dec/2023

Revision Number 1.5.2 Page 5 of 12

**7.2. Conditions for safe storage,** Keep container tightly closed and dry. Store away from incompatible materials. **including any incompatibilities** 

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **Occupational exposure limits**

Talc	
OSHA	TWA: 20 mppcf
ACGIH	TWA: 2 mg/m <sup>3</sup> (respirable dust)
Canada - Ontario - OEL - TWA EVs	2 mg/m <sup>3</sup>
Zinc Molybdenum Oxide	
OSHA	TWA: 5 mg/m³ (respirable); 10 mg/m³ (dust) PEL: 5 mg/m³ (respirable)
ACGIH	TWA: 10 mg/m³ dust 0.5 mg/m³ Respirable fraction
NIOSH	TWA: 10 mg/m <sup>3</sup> 8-hour
Crystalline Silica, quartz (impur	ity)
OSHA	TWA: 0.05 mg/m <sup>3</sup>
	OSHA Action level: 0.025 mg/m <sup>3</sup>
ACGIH	TWA: 0.025 mg/m <sup>3</sup> respirable fraction
Canada	0.025 mg/m <sup>3</sup> TWA (respirable particulate)
Canada - British Columbia - OEL - Designated Substances	ACGIH Category A2 - Suspected Human Carcinogen IARC Category 1 - Human Carcinogen
Canada - Ontario - OEL - TWA EVs	0.10 mg/m <sup>3</sup>
Canada - Manitoba - OEL - TWA	0.025 mg/m <sup>3</sup> TWA (respirable fraction)
Canada - Nova Scotia - OEL - TWA	0.025 mg/m <sup>3</sup> TWA (respirable fraction)
	- 0.025 mg/m <sup>3</sup> TWA (respirable fraction)
TWA	
Mexico	Mexican Carcinogen Category: A2 (Suspected Human Carcinogen)
	TWA (VLE-PPT): 0.025 mg/m <sup>3</sup> .
PNEC (Predicted No Effect Concentration)	No information available
DNEL (Derived No Effect Level)	No information available
(	
Biological Limit Values	No information available
8.2. Exposure controls	
Engineering Measures	Provide a good standard of controlled ventilation (5 to 10 air changes per hour). Use exhaust ventilation to keep airborne concentrations below exposure limits. In case of insufficient ventilation, wear suitable respiratory equipment.
Personal protective equipment	
Eye/Face Protection	Wear safety glasses with side shields (or goggles).

# Safety Data Sheet

# Kemgard® 911C-LC

Issue Date 01/Jan/2024 Print Date 13/Dec/2023	Revision Number 1.5.2 Page 6 of 12
Skin and Body Protection	Wear suitable protective clothing.
Hand Protection	For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn.
Respiratory Protection Thermal hazards	In case of inadequate ventilation wear respiratory protection. None known. Wear suitable protective clothing.
Hygiene Measures	Follow general hygiene considerations recognized as common good workplace practices. The worker should wash daily at the end of each work shift, and prior to eating, drinking, smoking, etc.
Environmental Exposure Controls	Dispose of in accordance with local regulations.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Appearance:	
Physical State	Solid Powder
Color	White
Odor	Odorless
Odor Threshold	No information available
pH:	6.5
Melting Point / Melting Range	No information available
Melting point / Freezing point	Not applicable
Initial boiling point	No information available
Boiling Point	No information available
Freezing Point	No information available
Flash Point	No data available
Evaporation Rate	Not applicable.
Flammability (solid, gas)	Not applicable
Upper flammability limit:	
Lower flammability limit:	
Vapor Pressure	No data available
Vapor Density	Not applicable
Vapor Density	No data available
Density	No data available
Relative Density	2.8 g/cm <sup>3</sup>
Water Solubility	Slightly soluble
Solubility in other solvents	No information available
Partition coefficient	No data available
Autoignition Temperature	No data available No information available
Decomposition Temperature Viscosity	No information available.
Kinematic viscosity	Not applicable
Oxidizing Properties	Not applicable
Particle Size	No information available
Molecular Weight	Not available
Molecular Weight	Not available
Specific Gravity	2.8 (H2O = 1)

# Safety Data Sheet

### Kemgard® 911C-LC

Issue Date 01/Jan/2024 Print Date 13/Dec/2023

VOC Content (%) 0%

9.2. Other information9.2.1. Information with regard to physical hazard classes Not applicable

**9.2.2. Other safety characteristics** Not applicable

# **SECTION 10: Stability and reactivity**

10.1. Reactivity	Stable under normal conditions
10.2. Chemical stability	Stable under normal conditions
10.3. Possibility of hazardous reactions	None under normal processing
10.4. Conditions to avoid	Incompatible materials Dust formation
10.5. Incompatible materials	Strong oxidizing agents Strong acids
10.6. Hazardous decomposition products	None known

# **SECTION 11: Toxicological information**

General Information	Users are advised to consider national Occupational Exposure Limits or other equivalent values.
11.1. Information on toxicologic	al effects
Talc	
NTP (National Toxicology	male rat-some evidence; female rat-clear evidence; male mice-no evidence;
Program)	female mice-no evidence
Zinc Molybdenum Oxide	
Oral LD50	>10000 mg/kg Rat
IARC	Not Listed
Specific target organ toxicity	Kidney (based on tubular degeneration/regeneration of male Han Wistar rats at
<ul> <li>Repeated exposure</li> </ul>	125 mg/kg/day). NOAEL – 60 mg/kg Rat; Oral; 90-day.
Crystalline Silica, quartz (impuri	
LD50s and LC50s	500 mg/kg Oral LD50 Rat
Oral LD50	500 mg/kg Rat Mouse
ACGIH	Group 2A - Probably Carcinogenic to Humans

Revision Number 1.5.2 Page 7 of 12

# Safety Data Sheet

# Kemgard® 911C-LC

Issue Date 01/Jan/2024 Print Date 13/Dec/2023	Revision Number 1.5.2 Page 8 of 12
IARC	Group 1 - Carcinogenic to Humans
Acute Toxicity	Avoid inhalation of dust. Product dust may be irritating to eyes, skin and respiratory system
Reproductive Toxicity	No data available.
Carcinogenicity	Crystalline silica (quartz) has been classified by the International Agency for Research on Cancer (IARC) as a known human carcinogen (Group 1).
Target Organ Effects	Skin. Eyes. Respiratory system.
Specific target organ toxicity - Single exposure	No data available.
Specific target organ toxicity - Repeated exposure	May cause damage to organs through prolonged or repeated exposure if inhaled. Kidney.
Information on Likely Routes of	Exposure
Inhalation	Avoid inhalation of the product
Ingestion	Ingestion is not a likely route of exposure
Skin	Prolonged or repeated contact may dry skin and cause irritation
Eyes	Dust contact with the eyes can lead to mechanical irritation
Aspiration hazard	Not an expected route of exposure.

### 11.2. Information on other hazards

**11.2.1. Endocrine disrupting** This product does not contain any known or suspected endocrine disruptors **properties** 

**11.2.2.** Other information Not applicable

# **SECTION 12: Ecological information**

12.1. Toxicity

Harmful to aquatic life with long lasting effects Avoid release to the environment

#### Talc

WGK Classification (AwSV) 1315 WGK: nwg Crystalline Silica, quartz (impurity) WGK Classification (AwSV) 849 WGK: nwg

**12.2. Persistence and** Not readily biodegradable.

# Kemgard® 911C-LC

Issue Date 01/Jan/2024 Print Date 13/Dec/2023 Revision Number 1.5.2 Page 9 of 12

degradability

12.3. Bioaccumulative potential	No information available.
Partition coefficient	No data available
Bioconcentration factor (BCF)	No data available.
12.4. Mobility in soil	No information available.
12.5. Results of PBT and vPvB assessment	This substance does not meet the criteria for classification as PBT or vPvB.
12.6. Endocrine disrupting properties	This product does not contain any known or suspected endocrine disruptors

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Disposal Methods	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Product residue may remain in empty containers. Empty containers should be taken to an approved waste handling site for recycling or disposal.
Waste codes	Waste codes should be assigned by the user based on the application for which the product was used

#### <u>Talc</u>

WGK Classification (AwSV) 1315 WGK: nwg Crystalline Silica, quartz (impurity)

WGK Classification (AwSV) 849 WGK: nwg

# **SECTION 14: Transport information**

### Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada	Not regulated
DOT	Not regulated
ΙΑΤΑ	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated

### Kemgard® 911C-LC

Issue Date01/Jan/2024Print Date13/Dec/2023

Revision Number 1.5.2 Page 10 of 12

#### 14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

**14.5. Environmental hazards** No

**14.6. Special precautions for** Not applicable **user** 

**14.7. Maritime transport in bulk according to IMO instruments** Not applicable

# **SECTION 15: Regulatory information**

#### **Global Inventories**

### Pure substance/mixture Mixture

Chemical Name	CAS Number	EC No	EU REACH registrati on number	Australia (AIIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico		Philippine s (PICCS)		TSCA: United States
Talc	14807-96- 6	238-877-9	Exempt	Y	Y	Y	(1)-468 (ENCS)(ISH L)	KE-32773	Y	Y	Y	Y	A
	5 61583-60- 6		0481-68-0 000		Y	Y	(1)-781 (ENCS)(ISH L)	KE-11910	Ν	Z	Ν	Y	A
Crystalline Silica, quartz (impurity)	14808-60- 7	238-878-4	Exempt	Y	Y	Y	(1)-548(EN CS)(ISHL)	KE-29983	Y	Y	Y	Y	A

#### **US Federal Regulations**

#### <u>EPA</u>

Zinc Molybdenum Oxide	
CERCLA	Listed
SARA 313	Listed

### U.S. State Right-to-Know Regulations

Chemical Name	CAS Number	California	Massachusetts	Minnesota	New Jersey	Pennsylvania
		Proposition 65				
Talc	14807-96-6	Y-Carcinogen	Y-Carcinogen	Y-Cancer	Y-1773-Carcinogen	Y
Zinc Molybdenum Oxide	22914-58-5	N	Y	Y	Y	Y
-	61583-60-6					
Crystalline Silica, quartz	14808-60-7	Y	Y	Y	sn 1660	Ŷ
(impurity)						

# Kemgard® 911C-LC

Issue Date01/Jan/2024Print Date13/Dec/2023

Revision Number 1.5.2 Page 11 of 12

### California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65)

This product can expose you to crystalline silica, which is known to the State of California to cause cancer.

### CANADA

WHMIS

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR

#### Crystalline Silica, quartz (impurity)

H350; H372

	SECTION 16: Other information
Prepared by	Huber Engineered Materials (HEM) Global Regulatory Affairs regulatory.affairs@huber.com
Issue Date Print Date	01/Jan/2024 13/Dec/2023
Revision Number	1.5.2
Reason for Version	OSHA (Occupational Safety and Health Administration of the US Department of Labor).
Training Advice	Do not handle until all safety precautions have been read and understood
Abbreviations and acronyms	IARC (International Agency for Research on Cancer) IATA (International Air Transport Association) IMDG (International Maritime Dangerous Goods) IUCLID (International Uniform Chemical Information Database) WHMIS (Workplace Hazardous Materials Information Database) WHMIS (Workplace Hazardous Materials Information System) DOT (Department of Transportation) OSHA (Occupational Safety and Health Administration of the US Department of Labor) TWA (Time-Weighted Average) CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008)) PPE (Personal Protection Equipment) NIOSH (National Institute for Occupational Safety and Health) TDG (Transport of Dangerous Goods) Canada CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act) RQ (Reportable Quantity) (RQ/% in mixture) STEL (Short Term Exposure Limit) TLV® (Threshold Limit Value) DNEL (Derived No Effect Level) SVHC (Substances of Very High Concern) BOD (Biochemical oxygen demand) COD (Chemical oxygen demand) ICAO (International Civil Aviation Organization) IMDG (International Civil Aviation Organization) IMDG (International Maritime Dangerous Goods) ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Globally Harmonized System) SARA (Superfund Amendments and Reauthorization Act of 1986) TSCA (Toxic Substances Control Act)

The information provided in this Safety Data Sheet is correct to the best of our knowledge,

# Kemgard® 911C-LC

Issue Date 01/Jan/2024 Print Date 13/Dec/2023

### Revision Number 1.5.2 Page 12 of 12

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

### End of Safety Data Sheet