

Kemgard® 911C-LC

GHS (Globally Harmonized System)

Issue Date 01/Jan/2024 Print Date 13/Dec/2023 Revision Number 1.5.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name:	Kemgard® 911C-LC
Pure substance/mixture	Mixture
Talc	
CAS Number	14807-96-6
EU REACH registration number	Exempt
Zinc Molybdenum Oxide	
CAS Number	22914-58-5
	61583-60-6
EU REACH registration	01-2120800481-68-0000
number	
Crystalline Silica, quartz (impu	rity)
CAS Number	14808-60-7
EU REACH registration	Exempt
number	

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Flame retardant Smoke suppressant

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company:	J.M. Huber Corporation 3100 Cumberland Boulevard, Suite 600 Atlanta, GA 30339 USA Tel: +1 678 247-7300
Internet	www.huberadvancedmaterials.com
E-mail	hubermaterials@huber.com
1.4. Emergency telephone number	CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

Safety Data Sheet

Kemgard® 911C-LC

Issue Date 01/Jan/2024 Print Date 13/Dec/2023 Revision Number 1.5.2 Page 2 of 11

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS Classification	Considered a hazardous substance or mixture according to the Globally Harmonized System (GHS)
Hazards identification	
Physical Hazard	Not classified
Health Hazards	Specific target organ toxicity (STOT) - repeated exposure, category 2
Environmental Hazard	Chronic Aquatic Toxicity Category 3
2.2. Label elements	

Symbols/Pictograms

Signal Word	Warning
Hazard Statement	May cause damage to organs through prolonged or repeated exposure Harmful to aquatic life with long lasting effects
Precautionary Statements	
Prevention	Do not handle until all safety precautions have been read and understood Employ good industrial hygiene practice Do not breathe dust Wear protective gloves/protective clothing/eye protection/face protection Avoid release to the environment
Response	Get medical advice/attention if you feel unwell IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing IF ON SKIN: Wash with plenty of soap and water
Storage	Keep in a dry place. Store away from incompatible materials.
Disposal	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Additional Information:	Crystalline silica (quartz) has been classified by the International Agency for Research on Cancer (IARC) as a known human carcinogen (Group 1).

SECTION 3: Composition/information on ingredients

Kemgard® 911C-LC

Issue Date 01/Jan/2024 Print Date 13/Dec/2023 Revision Number 1.5.2 Page 3 of 11

Pure substance/mixture Mixture

Chemical Name	CAS Number	TSCA: United States	EU REACH registration number
Talc	14807-96-6	A	Exempt
Zinc Molybdenum Oxide	22914-58-5	A	01-2120800481-68-0000
	61583-60-6		
Crystalline Silica, quartz (impurity)	14808-60-7	A	Exempt

SECTION 4: First aid measures

4.1. Description of first aid measures

General Advice	When in doubt or if symptoms are observed, get medical advice. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Eye Contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Skin Contact	Wash with plenty of soap and water.
Inhalation	Do not breathe dust. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
Ingestion	Rinse mouth thoroughly with water.
Aspiration hazard	Not an expected route of exposure.
Notes to Physician	Treat symptomatically.
4.2. Most important symptoms and effects, both acute and delayed	Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin.
4.3. Indication of any immediate medical attention and special treatment needed	 Treat symptomatically. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

Safety Data Sheet

Kemgard® 911C-LC

Issue Date 01/Jan/2024 Print Date 13/Dec/2023 Revision Number 1.5.2 Page 4 of 11

Use extinguishing agent suitable for type of surrounding fire. Water spray (fog). Dry chemical. Foam. Carbon dioxide (CO2).

Unsuitable Extinguishing Media

Do not use water jetstream.

5.2. Special hazards arising from the substance or mixture Heating can release hazardous gases.

5.3. Advice for firefighters

Special protective

equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

Water mist may be used to cool closed containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures	Avoid dust formation. Ensure adequate ventilation. Use personal protection recommended in Section 8. Keep unauthorized personnel away.
For non-emergency personnel	Keep unauthorized personnel away.
For emergency responders	Keep unauthorized personnel away. Use personal protection recommended in Section 8.
6.2. Environmental precautions	Avoid runoff to waterways and sewers.
6.3. Methods and material for containment and cleaning up	Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust Small Spill: Vacuum or sweep material and place in a disposal container
6.4. Reference to other sections	Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

Avoid exposure - obtain special instructions before use
Do not handle until all safety precautions have been read and understood.
Minimize dust generation and accumulation
Ensure adequate ventilation
Handle in accordance with good industrial hygiene and safety practice Use personal protective equipment as required

7.2. Conditions for safe storage, Keep container tightly closed and dry

Safety Data Sheet

Kemgard® 911C-LC

Issue Date01/Jan/2024Print Date13/Dec/2023

Revision Number 1.5.2 Page 5 of 11

including any incompatibilities Store away from incompatible materials

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

<u>Crystalline Silica, quartz (impurity)</u> Thailand	(250/(%SiO2 + 5)) mppcf TWA, respirable; (10/(%SiO2 + 2)) mg/m ³ TWA, respirable; (30/(%SiO2 + 2)) mg/m ³ TWA, total dust
Biological Limit Values	None
Recommended monitoring procedures	Refer also to national guidance documents for information on currently recommended monitoring procedures
8.2. Exposure controls	
Engineering Measures	Do not handle until all safety precautions have been read and understood Ensure adequate ventilation, especially in confined areas Provide a good standard of controlled ventilation (10 to 15 air changes per hour) Use exhaust ventilation to keep airborne concentrations below exposure limits In case of insufficient ventilation, wear suitable respiratory equipment
Personal protective equipment	
Eye/Face Protection	Wear safety glasses with side shields (or goggles).
Skin and Body Protection	Wear suitable protective clothing.
Thermal hazards	None known.
Hygiene Measures	Follow general hygiene considerations recognized as common good workplace practices
Environmental Exposure Controls	Dispose of in accordance with local regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physic Appearance:	al and chemical properties
Physical State	Solid Powder
Color	White
Odor	Odorless
Odor Threshold	No information available

Safety Data Sheet

Kemgard® 911C-LC

Issue Date01/Jan/2024Print Date13/Dec/2023

pH:

Melting Point / Melting Range Melting point / Freezing point Initial boiling point **Boiling Point** Freezing Point Flash Point **Evaporation Rate** Flammability (solid, gas) Upper flammability limit: Lower flammability limit: Vapor Pressure Vapor Density Vapor Density Density **Relative Density** Water Solubility Solubility in other solvents Partition coefficient Autoignition Temperature **Decomposition Temperature** Viscosity Kinematic viscosity **Oxidizing Properties Particle Size Molecular Weight Molecular Weight** Specific Gravity VOC Content (%)

6.5 No information available Not applicable No information available No information available No information available No data available Not applicable. Not applicable No data available Not applicable No data available No data available 2.8 a/cm³ Slightly soluble No information available No data available No data available No information available No information available. Not applicable Not applicable No information available Not available Not available 2.8 (H2O = 1)0%

9.2. Other information 9.2.1. Information with regard to physical hazard classes Not applicable

9.2.2. Other safety characteristics Not applicable

SECTION 10: Stability and reactivity

10.1. ReactivityStable under normal conditions10.2. Chemical stabilityStable under normal conditions10.3. Possibility of hazardous
reactionsNone under normal processing10.4. Conditions to avoidIncompatible materials Dust formation10.5. Incompatible materialsStrong oxidizing agents
Strong acids

Revision Number 1.5.2 Page 6 of 11

Kemgard® 911C-LC

Issue Date01/Jan/2024Print Date13/Dec/2023

Revision Number 1.5.2 Page 7 of 11

10.6. Hazardous decomposition None known **products**

SECTION 11: Toxicological information

General Information	Users are advised to consider national Occupational Exposure Limits or other equivalent values.
11.1. Information on hazard clas	ses as defined in Regulation (EC) No 1272/2008
<u>Talc</u> NTP (National Toxicology Program) <u>Zinc Molybdenum Oxide</u> Oral LD50 IARC Specific target organ toxicity - Repeated exposure	male rat-some evidence; female rat-clear evidence; male mice-no evidence; female mice-no evidence >10000 mg/kg Rat Not Listed Kidney (based on tubular degeneration/regeneration of male Han Wistar rats at 125 mg/kg/day). NOAEL – 60 mg/kg Rat; Oral; 90-day.
Crystalline Silica, quartz (impuri LD50s and LC50s	ty) 500 mg/kg Oral LD50 Rat
Oral LD50 ACGIH IARC	500 mg/kg Rat Mouse Group 2A - Probably Carcinogenic to Humans Group 1 - Carcinogenic to Humans
Acute Toxicity	Avoid inhalation of dust. Product dust may be irritating to eyes, skin and respiratory
	system
Reproductive Toxicity	No data available.
Reproductive Toxicity Carcinogenicity	•
	No data available. Crystalline silica (quartz) has been classified by the International Agency for
Carcinogenicity	No data available. Crystalline silica (quartz) has been classified by the International Agency for Research on Cancer (IARC) as a known human carcinogen (Group 1).
Carcinogenicity Target Organ Effects Specific target organ toxicity -	No data available. Crystalline silica (quartz) has been classified by the International Agency for Research on Cancer (IARC) as a known human carcinogen (Group 1). Skin. Eyes. Respiratory system.
Carcinogenicity Target Organ Effects Specific target organ toxicity - Single exposure Specific target organ toxicity -	No data available. Crystalline silica (quartz) has been classified by the International Agency for Research on Cancer (IARC) as a known human carcinogen (Group 1). Skin. Eyes. Respiratory system. No data available. May cause damage to organs through prolonged or repeated exposure if inhaled. Kidney.
Carcinogenicity Target Organ Effects Specific target organ toxicity - Single exposure Specific target organ toxicity - Repeated exposure	No data available. Crystalline silica (quartz) has been classified by the International Agency for Research on Cancer (IARC) as a known human carcinogen (Group 1). Skin. Eyes. Respiratory system. No data available. May cause damage to organs through prolonged or repeated exposure if inhaled. Kidney.

Kemgard® 911C-LC

Issue Date 01/Jan/2024 Print Date 13/Dec/2023	Revision Number 1.5.2 Page 8 of 11
Skin	Prolonged or repeated contact may dry skin and cause irritation
Eyes	Dust contact with the eyes can lead to mechanical irritation
Aspiration hazard	Not an expected route of exposure.
11.2. Information on other hazar	ds
11.2.1. Endocrine disrupting properties	g This product does not contain any known or suspected endocrine disruptors
11.2.2. Other information	Not applicable
SEC	CTION 12: Ecological information
12.1. Toxicity	Harmful to aquatic life with long lasting effects Avoid release to the environment
<u>Talc</u> WGK Classification (AwSV) <u>Crystalline Silica, quartz (impuri</u> WGK Classification (AwSV)	ity)
12.2. Persistence and degradability	Not readily biodegradable.
12.3. Bioaccumulative potential	No information available.
Partition coefficient	No data available
Bioconcentration factor (BCF)	No data available.
12.4. Mobility in soil	No information available.
12.5. Results of PBT and vPvB assessment	This substance does not meet the criteria for classification as PBT or vPvB.

12.6. Endocrine disrupting This product does not contain any known or suspected endocrine disruptors **properties**

SECTION 13: Disposal considerations

Safety Data Sheet

Kemgard® 911C-LC

Issue Date 01/Jan/2024 Print Date 13/Dec/2023	Revision Number 1.5.2 Page 9 of 11
Disposal Methods	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Product residue may remain in empty containers. Empty containers should be taken to an approved waste handling site for recycling or disposal.
Waste codes	Waste codes should be assigned by the user based on the application for which the product was used
Talc_ WGK Classification (AwSV)	1315 WGK: nwg

Crystalline Silica, quartz (impurity) WGK Classification (AwSV) 849 WGK: nwg

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada	Not regulated
DOT	Not regulated
ΙΑΤΑ	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated

14.2. UN proper shipping name	None
14.3. Transport hazard class(es)	None
14.4. Packing group	None
14.5. Environmental hazards	No
14.6. Special precautions for	Not applicable

user

14.7. Maritime transport in bulk according to IMO instruments Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global Inventories

Pure substance/mixture Mixture

Chemical Name	CAS	EC No	Australia	Canada	China	Japan	S. Korea	Mexico	Thailand	New	Philippine	Taiwan	TSCA:

Kemgard® 911C-LC

Issue Date 01/Jan/2024 Print Date 13/Dec/2023

Revision Number 1.5.2 Page 10 of 11

	Number		(AIIC)	(DSL)	(IECSC)		(KECL)		(TECI)	Zealand	s (PICCS)		United States
Talc	14807-96- 6	238-877-9	Y	Y	Y	(1)-468 (ENCS)(IS HL)	KE-32773	Y	55-1-0194 0	Y	Y	Y	A
Zinc Molybdenum Oxide	22914-58- 5 61583-60- 6		Ν	Y	Y	(1)-781 (ENCS)(IS HL)	KE-11910	Ν	Y	Ν	N	Y	A
Crystalline Silica, quartz (impurity)		238-878-4	Y	Y	Y	(1)-548(E NCS)(ISH L)	KE-29983	Y	55-1-0194 1	Y	Y	Y	A

Talc

EU REACH registration number Exempt Zinc Molybdenum Oxide EU REACH registration number 01-2120800481-68-0000 Turkish KKDIK pre-registration 05-0000192714-03-0000 Crystalline Silica, quartz (impurity) EU REACH registration number Exempt

Germany

Harmful to aquatic life with long lasting effects Avoid release to the environment Talc

WGK Classification (AwSV) 1315 WGK: nwg Crystalline Silica, quartz (impurity) WGK Classification (AwSV) 849 WGK: nwg

15.2. Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance

SECTION 16: Other information

Prepared by	Huber Engineered Materials Global Regulatory Affairs (Email – HEM.FRARegulatory@huber.com).					
GHS Classification	Considered a hazardous substance or mixture according to the Globally Harmonized System (GHS)					
Symbols/Pictograms						
Signal Word	Warning					

Safety Data Sheet

Kemgard® 911C-LC

Issue Date 01/Jan/2024 Print Date 13/Dec/2023	Revision Number 1.5.2 Page 11 of 11
Hazard Statements	May cause damage to organs through prolonged or repeated exposure Harmful to aquatic life with long lasting effects
Hazards identification	
Physical Hazard	Not classified
Health Hazards	Specific target organ toxicity (STOT) - repeated exposure, category 2
Environmental Hazard	Chronic Aquatic Toxicity Category 3
Abbreviations and acronyms	 IARC (International Agency for Research on Cancer) IATA (International Air Transport Association) IMDG (International Maritime Dangerous Goods) IUCLID (International Uniform Chemical Information Database) WHMIS (Workplace Hazardous Materials Information System) EPA SARA Title III Section 312 (40 CFR 370) Hazard Classification DOT (Department of Transportation) OSHA (Occupational Safety and Health Administration of the US Department of Labor) TWA (Time-Weighted Average) Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008)) PPE (Personal Protection Equipment) NIOSH (National Institute for Occupational Safety and Health) TDG (Transport of Dangerous Goods) Canada CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act) RQ (Reportable Quantity) (RQ/% in mixture) STEL (Short Term Exposure Limit) TLV® (Threshold Limit Value) DNEL (Derived No Effect Level) SVHC (Substances of Very High Concern) Land transport (ADR/RID) BOD (Biochemical oxygen demand) COD (Chemical oxygen demand) COD (Chemical oxygen demand) ICAO (International Maritime Dangerous Goods) SCBA (Self-Contained Breathing Apparatus) Positive Pressure PNEC (Predicted No Effect Concentration) GHS (Globally Harmonized System)
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet