

Malaysia CLASS Regulation, 2013 GHS (Globally Harmonized System)

Issue Date 01/Jan/2024 Revision Number 1.4.1

Print Date 14/Dec/2023

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Name: Kemgard® 981

Pure substance/mixture Mixture

Zinc Oxide

**CAS Number** 1314-13-2 **Weight-%** >25

Zinc Phosphate

**CAS Number** 7779-90-0 **Weight-%** >25

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended Use** Flame retardant Smoke suppressant

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

**Company:** J.M. Huber Corporation

3100 Cumberland Boulevard, Suite 600

Atlanta, GA 30339 USA Tel: +1 678 247-7300

**Internet** www.huberadvancedmaterials.com

E-mail hubermaterials@huber.com

1.4. Emergency telephone

number

CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

# 2. HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

**GHS Classification** 

Hazards identification

Physical Hazard Not classified

Health Hazards Not classified

#### Kemgard® 981

Issue Date 01/Jan/2024 Revision Number 1.4.1 Print Date 14/Dec/2023

Page 2 of 11

**Environmental Hazard** Acute Aquatic Toxicity: Category 1

Chronic Aquatic Toxicity: Category 1

2.2. Label elements

Symbols/Pictograms



Signal Word Warning

**Hazard Statements** H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

**Precautionary Statements** 

Prevention P202 - Do not handle until all safety precautions have been read and understood

P273 - Avoid release to the environment

Response P391 - Collect spillage

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all

contaminated clothing. Rinse skin with water [or shower]

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Storage Store away from incompatible materials.

**Disposal** P501 - Dispose of contents/containers in accordance with local regulations.

2.3. Other hazards No information available.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture Mixture

| Chemical Name  | CAS Number | TSCA: United States | EU REACH registration number | Weight-% |
|----------------|------------|---------------------|------------------------------|----------|
| Zinc Oxide     | 1314-13-2  | A                   | 01-2119463881-32             | >25      |
| Zinc Phosphate | 7779-90-0  | А                   | 01-2119485044-40             | >25      |

# 4. FIRST AID MEASURES

#### 4.1. Description of first aid measures

# Safety Data Sheet

### Kemgard® 981

Issue Date 01/Jan/2024 Revision Number 1.4.1

Print Date 14/Dec/2023 Page 3 of 11

**General Advice** When in doubt or if symptoms are observed, get medical advice. Ensure that

medical personnel are aware of the material(s) involved and take precautions to

protect themselves.

In case of eye contact, remove contact lens and rinse immediately with plenty of **Eye Contact** 

water, also under the eyelids, for at least 15 minutes.

**Skin Contact** Wash with plenty of soap and water.

Rinse mouth thoroughly with water. Ingestion

Inhalation Do not breathe dust. If breathing is difficult, remove victim to fresh air and keep at

rest in a position comfortable for breathing.

Based on available data, the classification criteria are not met. **Aspiration hazard** 

**Notes to Physician** Treat symptomatically.

4.2. Most important symptoms

and effects, both acute and

delayed

Dust contact with the eyes can lead to mechanical irritation. Contact with dust can

cause mechanical irritation or drying of the skin.

medical attention and special

treatment needed

**4.3.** Indication of any immediate Treat symptomatically. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of

contamination.

# 5. FIRE-FIGHTING MEASURES

#### 5.1. Extinguishing media

#### Suitable Extinguishing

#### Media

Use extinguishing agent suitable for type of surrounding fire. Water spray (fog). Dry chemical. Foam. Carbon dioxide (CO2).

#### **Unsuitable Extinguishing Media**

None known.

#### 5.2. Special hazards arising from the substance or mixture

Non-combustible.

#### 5.3. Advice for firefighters

#### Special protective

#### equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

#### Fire-fighting measures

Water mist may be used to cool closed containers.

# **Safety Data Sheet**

#### Kemgard® 981

Issue Date 01/Jan/2024 Print Date 14/Dec/2023 **Revision Number** 1.4.1

Page 4 of 11

# **6. ACCIDENTAL RELEASE MEASURES**

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protection recommended in Section 8. Avoid dust formation. Keep unauthorized personnel away.

For non-emergency personnel Keep unauthorized personnel away.

For emergency responders Keep unauthorized personnel away. Use personal protection recommended in

Section 8.

**6.2. Environmental precautions** Avoid runoff to waterways and sewers.

6.3. Methods and material for containment and cleaning up

Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust Small Spill: Vacuum or sweep material and place in a

disposal container

6.4. Reference to other sections Section 8: Exposure controls and personal protection. See Section 13 for

additional waste treatment information.

# 7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Minimize dust generation and accumulation. Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Use personal protective equipment as required.

**7.2. Conditions for safe storage,** Keep container tightly closed and dry. Store away from incompatible materials. **including any incompatibilities** 

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

#### Occupational exposure limits

Zinc Oxide

Malaysia TWA 3 mg/m³ Fume and respirable

dust

NIOSH Ceiling: 15 mg/m³ (total dust)

STEL: 10 mg/m³ (fume) TWA: 5 mg/m³ (total dust)

ACGIH

STEL: 10 mg/m³ (respirable)
TWA: 2 mg/m³ (respirable)
OSHA

PEL: 15 mg/m³ (total dust)

# Safety Data Sheet

### Kemgard® 981

Issue Date 01/Jan/2024 Revision Number 1.4.1 Print Date 14/Dec/2023

Page 5 of 11

5 mg/m3 (respirable fraction)

Zinc Phosphate

**OSHA** 15 mg/m3 Total Dust

5 mg/m³ Respirable Dust

**Biological Limit Values** None

**Recommended monitoring** 

procedures

Refer also to national guidance documents for information on currently

recommended monitoring procedures

8.2. Exposure controls

Do not handle until all safety precautions have been read and understood **Engineering Measures** 

Ensure adequate ventilation, especially in confined areas

Provide a good standard of controlled ventilation (10 to 15 air changes per hour) Use exhaust ventilation to keep airborne concentrations below exposure limits

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment

**Eye/Face Protection** Wear safety glasses with side shields (or goggles)

**Skin and Body Protection** Wear suitable protective clothing.

**Hand Protection** For operations where prolonged or repeated skin contact may occur, impervious

gloves should be worn.

When workers are facing concentrations above the exposure limit they must use **Respiratory Protection** 

appropriate certified respirators.

Thermal hazards Wear suitable protective clothing.

Handle in accordance with good industrial hygiene and safety practice. Remove **Hygiene Measures** 

and wash contaminated clothing before re-use.

**Environmental Exposure** 

**Controls** 

Dispose of in accordance with local regulations. Do not empty into drains or water

courses.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

Appearance:

**Physical State** Solid Powder Color White Odor Odorless

No information available **Odor Threshold** 

:Ha 6.5

**Melting Point / Melting Range** Not applicable **Freezing Point** Not applicable

No information available **Boiling Point** 

Not applicable. **Evaporation Rate** Flammability (solid, gas) Not applicable

# Safety Data Sheet

### Kemgard® 981

Issue Date 01/Jan/2024 Revision Number 1.4.1 Print Date 14/Dec/2023

Page 6 of 11

**Upper flammability limit:** 

Lower flammability limit: **Vapor Density** 

Not applicable

**Relative Density** Water Solubility

Slightly soluble

Solubility in other solvents

Partition coefficient

**Autoignition Temperature** 

**Decomposition Temperature** 

Not applicable

**Specific Gravity** 4.2 g/cm3, 20° C **VOC Content (%)** Not applicable

# 10. STABILITY AND REACTIVITY

10.1. Reactivity Stable under normal conditions

10.2. Chemical stability Stable under normal conditions

10.3. Possibility of hazardous

reactions

None under normal processing

10.4. Conditions to avoid Dust formation Incompatible materials

10.5. Incompatible materials Strong oxidizing agents

10.6. Hazardous decomposition None known

products

### 11. TOXICOLOGICAL INFORMATION

**General Information** Users are advised to consider national Occupational Exposure Limits or other

equivalent values.

Information on Likely Routes of Exposure

Inhalation May cause respiratory tract irritation

Skin No known hazard in contact with skin

**Eyes** Dust contact with the eyes can lead to mechanical irritation

Ingestion is not a likely route of exposure Ingestion

Based on available data, the classification criteria are not met. **Aspiration hazard** 

### Kemgard® 981

Issue Date 01/Jan/2024 Revision Number 1.4.1 Print Date 14/Dec/2023

Page 7 of 11

Symptoms related to the physical, chemical and toxicological characteristics Dust may cause mechanical irritation to eyes.

### 11.1. Information on toxicological effects

**Zinc Oxide** 

Oral LD50 7950 mg/kg Rat

Zinc Phosphate

Oral LD50 > 5000 mg/kg Rat

**Acute Toxicity** Low hazard for usual industrial or commercial handling

**Chronic Toxicity** No data available.

**Chronic Effects** No data available.

**Respiratory Sensitization** Does not cause sensitization

Serious eye damage/eye

irritation

Dust may cause mechanical irritation to eyes

Skin Corrosion/Irritation Prolonged or repeated contact may dry skin and cause irritation

Skin Sensitization Not a skin sensitizer

Mutagenicity No information available

Germ cell mutagenicity No information available.

**Reproductive Effects** This product does not contain any known or suspected reproductive hazards.

This product does not contain any carcinogens or potential carcinogens as listed Carcinogenicity

by OSHA, IARC or NTP.

**Target Organ Effects** Skin. Eyes. Respiratory system.

Specific target organ toxicity -

Single exposure

Not classified.

Specific target organ toxicity -

Repeated exposure

Not classified.

# 12. ECOLOGICAL INFORMATION

12.1. Ecotoxicity

Very toxic to aquatic life with long lasting effects.

# Safety Data Sheet

### Kemgard® 981

Issue Date 01/Jan/2024 Revision Number 1.4.1 Print Date 14/Dec/2023

Page 8 of 11

Zinc Oxide

WGK Classification (AwSV) 2187 WGK: 2

**Zinc Phosphate** 

Germany - Water Classification (AwSV) - Annex 3: 5067 hazard class 2 - hazard to waters

12.2. Persistence and

degradability

No data available.

**12.3. Bioaccumulative potential** No data available.

**Bioconcentration factor** 

(BCF)

No data available.

No data available. 12.4. Mobility in soil

12.5. Results of PBT and vPvB

assessment

This substance does not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects No information available

# 13. DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

Dispose of waste product or used containers according to local regulations. Do not **Disposal Methods** 

allow to enter into surface water or drains.

Product residue may remain in empty containers. Empty containers should be **Contaminated Packaging** 

taken to an approved waste handling site for recycling or disposal.

Waste codes Waste codes should be assigned by the user based on the application for which

the product was used

Zinc Oxide

WGK Classification (AwSV) 2187 WGK: 2

### 14. TRANSPORT INFORMATION

Mode of Transportation (Road, Water, Air, Rail)

**TDG** -Canada UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S (Zinc

oxide, Zinc phosphate)

DOT Not regulated in non-bulk packages (<119 gal)

UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S (Zinc

oxide, Zinc phosphate)

### Kemgard® 981

Issue Date 01/Jan/2024 Revision Number 1.4.1 Print Date 14/Dec/2023

Page 9 of 11

UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S (Zinc **ADR** 

oxide, Zinc phosphate)

UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S (Zinc **RID** 

oxide, Zinc phosphate)

**ADN** UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S (Zinc

oxide, Zinc phosphate)

UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S (Zinc **IATA** 

oxide, Zinc phosphate)

IMDG/IMO UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S (Zinc

oxide, Zinc phosphate)

UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S (Zinc **ICAO** 

oxide, Zinc phosphate)

14.1. UN number UN3077

14.2. UN proper shipping name UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S (Zinc

oxide, Zinc phosphate)

14.3. Transport hazard class(es) 9

**Subsidiary Risk** 

Ш 14.4. Packing group

14.5. Environmental hazards Yes: Marine Pollutant

14.6. Special precautions for Do not handle until all safety precautions have been read and understood.

user

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code



# **Safety Data Sheet**

Kemgard® 981

Issue Date 01/Jan/2024 Print Date 14/Dec/2023 Revision Number 1.4.1 Page 10 of 11



# 15. REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **Global Inventories**

| Chemical Name  | CAS<br>Number | EC No     | EU REACH registration number | Australia<br>(AIIC) | Canada<br>(DSL) | China<br>(IECSC) | Japan                                   | S. Korea<br>(KECL) | Mexico     | Zealand | Philippin<br>es<br>(PICCS) | Taiwan | TSCA:<br>United<br>States |
|----------------|---------------|-----------|------------------------------|---------------------|-----------------|------------------|---|--------------------|------------|---------|----------------------------|--------|---------------------------|
| Zinc Oxide     | 1314-13-2     | 215-222-5 | 01-211946388<br>1-32         | Y                   | Y               | Υ                | ENCS:<br>(1)-561<br>ISHL:<br>(1)-561    | KE-35565           | Y          | Y       | Y                          | Y      | A                         |
| Zinc Phosphate | 7779-90-0     | 231-944-3 | 01-211948504<br>4-40         | Ý                   | Ý               | Ý                | (1)-526<br>(ENCS)<br>(1)-1181<br>(ENCS) | KE-34945           | Zinc salts | Ý       | Ý                          | Ý      | A                         |

# **16. OTHER INFORMATION**

Prepared by Huber Engineered Materials Global Regulatory Affairs

email: regulatory.affairs@huber.com.

**GHS Classification** 

Physical Hazard Not classified

Health Hazards Not classified

**Environmental Hazard** Acute Aquatic Toxicity: Category 1

Chronic Aquatic Toxicity: Category 1

Labeling

Symbols/Pictograms

#### Kemgard® 981

Issue Date 01/Jan/2024 Revision Number 1.4.1
Print Date 14/Dec/2023 Page 11 of 11



Signal Word Warning

Hazard Statements H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Training Advice Do not handle until all safety precautions have been read and understood

Abbreviations and acronyms IARC (International Agency for Research on Cancer)

IATA (International Air Transport Association) IMDG (International Maritime Dangerous Goods)

IUCLID (International Uniform Chemical Information Database) WHMIS (Workplace Hazardous Materials Information System)

DOT (Department of Transportation)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

TWA (Time-Weighted Average)

CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC

1272/2008))

PPE (Personal Protection Equipment)

NIOSH (National Institute for Occupational Safety and Health)

TDG (Transport of Dangerous Goods) Canada

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)

RQ (Reportable Quantity) (RQ/% in mixture)

STEL (Short Term Exposure Limit) TLV® (Threshold Limit Value) DNEL (Derived No Effect Level)

SVHC (Substances of Very High Concern) BOD (Biochemical oxygen demand) COD (Chemical oxygen demand)

ICAO (International Čivil Aviation Organization)
IMDG (International Maritime Dangerous Goods)

ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)

SCBA (Self-Contained Breathing Apparatus) Positive Pressure

PNEC (Predicted No Effect Concentration) GHS (Globally Harmonized System) TSCA (Toxic Substances Control Act)

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**