



Kemgard® HPSS

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006
COMMISSION REGULATION (EU) No. 2020/878

Issue Date 10/Jan/2024

Print Date 10/Jan/2024

Revision Number 1.3.2

Page 1 of 15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: Kemgard® HPSS

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Flame retardant Smoke suppressant

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Manufacturer J.M. Huber Corporation
3100 Cumberland Boulevard, Suite 600
Atlanta, GA 30339 USA
Tel: +1 678 247-7300

Internet www.huberadvancedmaterials.com

Contact E-Mail www.huberadvancedmaterials.com/contact

E-mail hubermaterials@huber.com

1.4. Emergency telephone number CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

Poison control center phone number National Anti-Poison Center UK: +44 844 892 0111 (National Poisons Information Service)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

(CLP) Regulation (EC 1272/2008) This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP]

Hazards identification

Physical Hazard Not classified

Health Hazards Specific target organ toxicity (STOT) - repeated exposure, category 2

Safety Data Sheet

Kemgard® HPSS

Issue Date 10/Jan/2024

Print Date 10/Jan/2024

Revision Number 1.3.2

Page 2 of 15

Environmental Hazard

Acute Aquatic Toxicity: Category 1
Chronic Aquatic Toxicity: Category 1

2.2. Label elements**Symbols/Pictograms****Signal Word**

Warning

Hazard Statements

H373 – May cause damage to organs (kidneys) through prolonged or repeated exposure
H410 - Very toxic to aquatic life with long lasting effects
H400 - Very toxic to aquatic life

Precautionary Statements**Prevention**

P202 - Do not handle until all safety precautions have been read and understood
P260 - Do not breathe dust
P273 - Avoid release to the environment

Response

P314 - Get medical advice/attention if you feel unwell
P391 - Collect spillage
P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water [or shower]
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Storage

Store away from incompatible materials

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixture

Mixture

Chemical Name	CAS Number	EC No	(CLP) Regulation (EC 1272/2008)	Weight-%
Magnesium Hydroxide	1309-42-8	215-170-3	Not classified.	>25
Zinc Oxide	1314-13-2	215-222-5	Aquatic Acute Category 1; H400. Aquatic Chronic Category 1; H410.	10-30

Safety Data Sheet

Kemgard® HPSS

Issue Date 10/Jan/2024

Print Date 10/Jan/2024

Revision Number 1.3.2

Page 3 of 15

Zinc Molybdenum Oxide	22914-58-5 61583-60-6	245-322-4	Acute Tox. 4, H332 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 2, H411.	>5
-----------------------	--------------------------	-----------	--	----

SECTION 4: First aid measures

4.1. Description of first aid measures

General Advice	Do not handle until all safety precautions have been read and understood. Employ good industrial hygiene practice. Wear suitable protective clothing, gloves and eye/face protection. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. When in doubt or if symptoms are observed, get medical advice.
Eye Contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Skin Contact	Wash with plenty of soap and water.
Inhalation	Do not breathe dust. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Ingestion	Rinse mouth thoroughly with water.
Aspiration hazard	Based on available data, the classification criteria are not met.
Notes to Physician	Treat symptomatically.
4.2. Most important symptoms and effects, both acute and delayed	May cause irritation to mucous membranes and respiratory tract. Contact with dust can cause mechanical irritation or drying of the skin.
4.3. Indication of any immediate medical attention and special treatment needed	Treatment should be symptomatic and supportive. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO2).

Unsuitable Extinguishing Media

None known.

Safety Data Sheet

Kemgard® HPSS**Issue Date** 10/Jan/2024**Print Date** 10/Jan/2024**Revision Number** 1.3.2**Page** 4 of 15**5.2. Special hazards arising from the substance or mixture**

Non-combustible.

5.3. Advice for firefighters**Special protective equipment for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

Water mist may be used to cool closed containers. No special fire protection measures are necessary. Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Ensure adequate ventilation. Use personal protection recommended in Section 8. Keep unauthorized personnel away.

For non-emergency personnel

Keep unauthorized personnel away.

For emergency responders

Keep unauthorized personnel away. Use personal protection recommended in Section 8.

6.2. Environmental precautions

Avoid runoff to waterways and sewers.

6.3. Methods and material for containment and cleaning up

Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust Small Spill: Vacuum or sweep material and place in a disposal container

6.4. Reference to other sections

Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1. Precautions for safe handlingAvoid exposure - obtain special instructions before use
Do not handle until all safety precautions have been read and understood.
Minimize dust generation and accumulation
Ensure adequate ventilation
Handle in accordance with good industrial hygiene and safety practice
Use personal protective equipment as required**7.2. Conditions for safe storage, including any incompatibilities**Keep container tightly closed and dry
Store away from incompatible materials

SECTION 8: Exposure controls/personal protection

Safety Data Sheet

Kemgard® HPSS

Issue Date 10/Jan/2024

Print Date 10/Jan/2024

Revision Number 1.3.2

Page 5 of 15

8.1. Control parameters

Occupational exposure limits

Magnesium Hydroxide

ACGIH

TLV-TWA: 8-hr : 10 mg/m³ (total dust)

3 mg/m³ (respirable fraction)

OSHA

TWA: 15 mg/m³ total dust

5 mg/m³ respirable

NIOSH

TWA: 15 mg/m³ (total dust)

Zinc Oxide

ACGIH

STEL: 10 mg/m³ (respirable)

TWA: 2 mg/m³ (respirable)

OSHA

PEL: 15 mg/m³ (total dust)

5 mg/m³ (respirable fraction)

NIOSH

Ceiling: 15 mg/m³ (total dust)

STEL: 10 mg/m³ (fume)

TWA: 5 mg/m³ (total dust)

Austria

MAK: 5 mg/m³ (fume, respirable dust)

Belgium

STEL: 10 mg/m³ (fume, respirable fraction)

TWA: 5 mg/m³ (fume); 2 mg/m³ (respirable fraction)

Bulgaria

STEL: 10 mg/m³

TWA: 5 mg/m³

Cyprus

TWA: 5 mg/m³ (fume)

Czech Republic

Ceiling: 5 mg/m³

TWA: 2 mg/m³

Denmark

TLV: 4 mg/m³

Estonia

TWA: 5 mg/m³

Finland

STEL: 10 mg/m³ (fume)

TWA: 2 mg/m³ (fume)

France

VME: 5 mg/m³ (fume); 10 mg/m³ (dust)

Germany

DFG MAK: TWA: 1 mg/m³ (respirable)

Greece

STEL: 10 mg/m³ (fume)

5 mg/m³ (fume)

Hungary

STEL: 20 mg/m³ (respirable)

TWA: 5 mg/m³ (respirable)

Iceland

TWA: 4 mg/m³ (fume)

Ireland

STEL: 10 mg/m³ (respirable fraction & fume)

TWA: 2 mg/m³ (respirable fraction & fume)

Italy

STEL: 10 mg/m³ (respirable fraction)

TWA: 2 mg/m³ (respirable fraction)

Latvia

TWA: 0.5 mg/m³

Lithuania

TWA: 5 mg/m³

Norway

TLV: 5 mg/m³

Poland

STEL: 10 mg/m³ (fume)

TWA: 5 mg/m³ (fume)

Portugal

TWA: 2 mg/m³ (respirable fraction)

Portugal

STEL 10 mg/m³ Respirable fraction

Romania

TWA: 5 mg/m³ (fume)

Romania

STEL 10 mg/m³ Fume

Slovakia

STEL: 1 mg/m³ (respirable fume)

TWA: 1 mg/m³ (respirable fume)

Slovenia

TWA: 5 mg/m³ (respirable fume)

Spain

STEL: 10 mg/m³ (respirable fraction)

TWA: 2 mg/m³ (respirable fraction)

Sweden

TWA: 5 mg/m³ (total dust)

Safety Data Sheet

Kemgard® HPSS**Issue Date** 10/Jan/2024**Print Date** 10/Jan/2024**Revision Number** 1.3.2**Page** 6 of 15

Switzerland	STEL: 3 mg/m ³ (fume & respirable dust)
Switzerland	TWA 3 mg/m ³ (fume & respirable dust)
Switzerland	STEL 3 mg/m ³ Fume and respirable dust
Zinc Molybdenum Oxide	
ACGIH	TWA: 10 mg/m ³ dust 0.5 mg/m ³ Respirable fraction
OSHA	TWA: 5 mg/m ³ (respirable); 10 mg/m ³ (dust) PEL: 5 mg/m ³ (respirable)
NIOSH	TWA 8-hr: 10 mg/m ³
Bulgaria	TWA: 10 mg/m ³
Czech Republic	Ceiling: 25 mg/m ³ TWA: 5 mg/m ³
Estonia	TWA: 5 mg/m ³ (respirable dust) 10 mg/m ³ (total dust)
Estonia	STEL: 0.5 mg/m ³
Finland	TWA: 0,5 mg/m ³
France	VLE: 10 mg/m ³ VME: 5 mg/m ³
Germany	DFG MAK: TWA: 2 mg/m ³ (inhalable fraction) 0,1 mg/m ³ (respirable fraction)
Poland	STEL: 10 mg/m ³ TWA: 4 mg/m ³
Poland	STEL 10 mg/m ³
Slovakia	TWA 2 mg/m ³ Inhalable fraction 0,1 mg/m ³ Respirable fraction
Slovenia	TWA: 5 mg/m ³ (inhalable fraction)
Spain	STEL 10 mg/m ³ Respirable fraction

Recommended monitoring procedures Refer also to national guidance documents for information on currently recommended monitoring procedures

Biological Limit Values No information available

DNEL (Derived No Effect Level) No data available

PNEC (Predicted No Effect Concentration) No information available

8.2. Exposure controls

Engineering Measures Do not handle until all safety precautions have been read and understood
Ensure adequate ventilation, especially in confined areas
Provide a good standard of controlled ventilation (10 to 15 air changes per hour)
Use exhaust ventilation to keep airborne concentrations below exposure limits
In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment

Eye/Face Protection Wear safety glasses with side shields (or goggles).

Skin and Body Protection Wear suitable protective clothing.

Safety Data Sheet

Kemgard® HPSS**Issue Date** 10/Jan/2024**Print Date** 10/Jan/2024**Revision Number** 1.3.2**Page** 7 of 15

Thermal hazards	None known.
Hygiene Measures	Follow general hygiene considerations recognized as common good workplace practices The worker should wash daily at the end of each work shift, and prior to eating, drinking, smoking, etc
Environmental Exposure Controls	Dispose of in accordance with local regulations Do not empty into drains or water courses

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:

Physical State	Solid Powder
Color	White
Odor	Odorless
Odor Threshold	No information available
pH:	8.9
Melting Point / Melting Range	No information available
Melting point / Freezing point	Not applicable
Initial boiling point	No information available
Boiling Point	No information available
Freezing Point	No information available
Flash Point	Not determined
Evaporation Rate	Not applicable.
Flammability (solid, gas)	No information available
Upper flammability limit:	--
Lower flammability limit:	--
Vapor Pressure	No data available
Vapor Density	Not applicable
Vapor Density	Not applicable
Density	No data available
Relative Density	3.5
Water Solubility	Slightly soluble
Solubility in other solvents	No information available
Partition coefficient	No data available
Autoignition Temperature	No data available
Decomposition Temperature	No information available
Viscosity	No information available.
Kinematic viscosity	Not applicable
Oxidizing Properties	Not applicable
Particle Size	No information available
VOC Content (%)	Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Not applicable

Safety Data Sheet

Kemgard® HPSS

Issue Date 10/Jan/2024

Print Date 10/Jan/2024

Revision Number 1.3.2

Page 8 of 15

9.2.2. Other safety characteristics

Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity	Stable under normal conditions
10.2. Chemical stability	Stable under normal conditions
10.3. Possibility of hazardous reactions	None under normal processing
10.4. Conditions to avoid	Dust formation Incompatible materials
10.5. Incompatible materials	Strong oxidizing agents
10.6. Hazardous decomposition products	None known

SECTION 11: Toxicological information

General Information Users are advised to consider national Occupational Exposure Limits or other equivalent values.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Magnesium Hydroxide

Oral LD50 8500 mg/kg Rat

Zinc Oxide

LD50s and LC50s 5000 mg/kg Oral LD50 Rat

Oral LD50 7950 mg/kg Rat

Zinc Molybdenum Oxide

Oral LD50 >10000 mg/kg Rat

IARC Not Listed

Target Organ Effects Kidney (based on tubular degeneration/regeneration of male Han Wistar rats at 125 mg/kg/day)

Acute Toxicity Low hazard for usual industrial or commercial handling

Respiratory Sensitization Does not cause sensitization

Serious eye damage/eye Dust may cause mechanical irritation to eyes

Safety Data Sheet

Kemgard® HPSS**Issue Date** 10/Jan/2024**Print Date** 10/Jan/2024**Revision Number** 1.3.2**Page** 9 of 15**irritation**

Skin Corrosion/Irritation	Contact with dust can cause mechanical irritation or drying of the skin
Skin Sensitization	Not a skin sensitizer
Germ cell mutagenicity	No data available.
Reproductive Effects	This product does not contain any known or suspected reproductive hazards.
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Target Organ Effects	Skin. Eyes. Respiratory system.
Specific target organ toxicity - Single exposure	No data available.
Specific target organ toxicity - Repeated exposure	May cause damage to organs through prolonged or repeated exposure if inhaled. Kidney.

Information on Likely Routes of Exposure

Inhalation	May cause respiratory tract irritation
Ingestion	Ingestion is not a likely route of exposure
Skin	No known hazard in contact with skin
Eyes	Dust contact with the eyes can lead to mechanical irritation
Aspiration hazard	Not an expected route of exposure.
Symptoms related to the physical, chemical and toxicological characteristics	Dust may cause mechanical irritation to eyes.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties	This product does not contain any known or suspected endocrine disruptors
11.2.2. Other information	Not applicable

SECTION 12: Ecological information

12.1. Toxicity	Very toxic to aquatic life with long lasting effects
-----------------------	--

Magnesium Hydroxide**WGK Classification (AwSV)** 5209 WGK: nwg

Safety Data Sheet

Kemgard® HPSS

Issue Date 10/Jan/2024

Print Date 10/Jan/2024

Revision Number 1.3.2

Page 10 of 15

Zinc Oxide**WGK Classification (AwSV)** 2187 WGK: 2**12.2. Persistence and degradability** No data available.**12.3. Bioaccumulative potential** No data available.**Partition coefficient** No data available**Bioconcentration factor (BCF)** No data available.**12.4. Mobility in soil** No data available.**12.5. Results of PBT and vPvB assessment** This substance does not meet the criteria for classification as PBT or vPvB.**12.6. Endocrine disrupting properties** This product does not contain any known or suspected endocrine disruptors

SECTION 13: Disposal considerations

13.1. Waste treatment methods**Disposal Methods** Dispose of waste product or used containers according to local regulations. Do not allow to enter into surface water or drains.**Contaminated Packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.**Waste codes** Waste codes should be assigned by the user based on the application for which the product was used**Magnesium Hydroxide****European Waste Catalog** 060299**WGK Classification (AwSV)** 5209 WGK: nwg**Zinc Oxide****WGK Classification (AwSV)** 2187 WGK: 2

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)**TDG -Canada**

UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc


Safety Data Sheet

Kemgard® HPSS**Issue Date** 10/Jan/2024**Print Date** 10/Jan/2024**Revision Number** 1.3.2**Page 11 of 15**

DOT	Oxide, Zinc Molybdate) UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc Oxide, Zinc Molybdate), , Not regulated in non-bulk packages (<119 gal)
ADR	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc Oxide, Zinc Molybdate)
RID	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc Oxide, Zinc Molybdate)
ADN	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc Oxide, Zinc Molybdate)
IATA	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc Oxide, Zinc Molybdate)
IMDG/IMO	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc Oxide, Zinc Molybdate)
ICAO	UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S (Zinc oxide)

14.1. UN number UN3077**14.2. UN proper shipping name** UN3077, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc Oxide, Zinc Molybdate)**14.3. Transport hazard class(es)** 9**14.4. Packing group** III**14.5. Environmental hazards** Yes Marine Pollutant**EmS:** F-A, S-F**14.6. Special precautions for user** Do not handle until all safety precautions have been read and understood.**14.7. Maritime transport in bulk according to IMO instruments**

Not applicable

**Marine Pollutant**

Safety Data Sheet

Kemgard® HPSS

Issue Date 10/Jan/2024

Print Date 10/Jan/2024

Revision Number 1.3.2

Page 12 of 15



SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global Inventories

Pure substance/mixture

Mixture

Chemical Name	CAS Number	EC No	Australia (AIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	Thailand (TECI)	New Zealand	Philippines (PICCS)	Taiwan	TSCA: United States
Magnesium Hydroxide	1309-42-8	215-170-3	Y	Y	Y	(1)-386 (ENCS) (ISHL)	KE-22716	Y	55-1-01343	Y	Y	Y	A
Zinc Oxide	1314-13-2	215-222-5	Y	Y	Y	ENCS: (1)-561 ISHL: (1)-561	KE-35565	Y	55-1-01377	Y	Y	Y	A
Zinc Molybdenum Oxide	22914-58-5 61583-60-6	245-322-4	N	Y: DSL-22914-58-5 NDSL: 61583-60-6	Y	(1)-781 (ENCS)(ISHL)	KE-11910	Y: (MO-generics)	Y	Y	Y	Y	A

REACH No.

Magnesium Hydroxide

EU REACH registration number 01-2119488756-18-0040

Turkish KKDIK pre-registration 05-0000192735-90-0000

Zinc Oxide

EU REACH registration number 01-2119463881-32

Turkish KKDIK pre-registration 05-0000192715-32-0000

Zinc Molybdenum Oxide

EU REACH registration number 01-2120800481-68-0000

Germany

Very toxic to aquatic life with long lasting effects

Magnesium Hydroxide

Safety Data Sheet

Kemgard® HPSS**Issue Date** 10/Jan/2024**Print Date** 10/Jan/2024**Revision Number** 1.3.2**Page 13 of 15****WGK Classification (AwSV)** 5209 WGK: nwg**Zinc Oxide****WGK Classification (AwSV)** 2187 WGK: 2**15.2. Chemical safety assessment**

Chemical Safety Assessments have been carried out for these substances

SECTION 16: Other information

Reason for Revision

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 & COMMISSION REGULATION (EU) No. 2020/878

Issue Date

10/Jan/2024

Print Date

10/Jan/2024

Revision Number

1.3.2

Prepared byHuber Engineered Materials Global Regulatory Affairs
email: regulatory.affairs@huber.com.**(CLP) Regulation (EC 1272/2008)** This mixture is classified as hazardous according to regulation (EC) No. 1272/2008 [CLP]**Labeling****Symbols/Pictograms****Signal Word**

Warning

Hazard Statements

H373 – May cause damage to organs (kidneys) through prolonged or repeated exposure. H410 - Very toxic to aquatic life with long lasting effects. H400 - Very toxic to aquatic life.

Safety Data Sheet

Kemgard® HPSS**Issue Date** 10/Jan/2024**Print Date** 10/Jan/2024**Revision Number** 1.3.2**Page 14 of 15**

Marine Pollutant

**Training Advice**

Do not handle until all safety precautions have been read and understood.

Abbreviations and acronyms

IARC (International Agency for Research on Cancer)
IUCLID (International Uniform Chemical Information Database)
WHMIS (Workplace Hazardous Materials Information System)
OSHA (Occupational Safety and Health Administration of the US Department of Labor)
TWA (Time-Weighted Average)
CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008))
PPE (Personal Protection Equipment)
NIOSH (National Institute for Occupational Safety and Health)
CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)
RQ (Reportable Quantity) (RQ/% in mixture)
STEL (Short Term Exposure Limit)
TLV® (Threshold Limit Value)
DNEL (Derived No Effect Level)
SVHC (Substances of Very High Concern)
BOD (Biochemical oxygen demand)
COD (Chemical oxygen demand)
ICAO (International Civil Aviation Organization)
IMDG (International Maritime Dangerous Goods)
ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)
IATA (International Air Transport Association)
IMDG (International Maritime Dangerous Goods)
DOT (Department of Transportation)
TDG (Transport of Dangerous Goods) Canada
PNEC (Predicted No Effect Concentration)
SCBA (Self-Contained Breathing Apparatus) Positive Pressure
GHS (Globally Harmonized System)
TSCA (Toxic Substances Control Act)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only

HUBER

Safety Data Sheet

Kemgard® HPSS

Issue Date 10/Jan/2024

Print Date 10/Jan/2024

Revision Number 1.3.2

Page 15 of 15

as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet