

Martoxid® TM-1250; Martoxid® TM-1320; Martoxid® TM-1410; Martoxid® TM-1420

Prepared in accordance with GB/T 16483-2008, GB/TGB/T 24774-2009, GB 13690 – 2009, GB/T 17519–2013 Globally Harmonized System (GHS)

Issue Date: 18/Sep/2020 **Print Date:** 18/Sep/2020 Revision Number: 1.3.1 Page 1 of 10

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name:	Martoxid® TM-1250; Martoxid® TM-1320; Martoxid® TM-1410; Martoxid® TM-1420
Pure substance/mixture	Substance
<u>Aluminum oxide</u> CAS Number Weight-%	1344-28-1 -
Recommended Use	Abrasive Adsorbent(s) Catalyst Filler Chemical industry (raw material for the production of other aluminium compounds), etc.
Company:	J.M. Huber Corporation 3100 Cumberland Boulevard, Suite 600 Atlanta, GA 30339 USA Tel: +1 678 247-7300
Emergency Telephone	CHEMTREC: 1 800 424 9300 or International +1 703 527 3887
E-mail	hubermaterials@huber.com
Internet	www.hubermaterials.com

Section 2: HAZARDS IDENTIFICATION

GHS Classification	Not classified
Physical Hazard	Not classified
Health Hazard	Not classified
Environmental Hazard	Not classified
Label Elements	
Symbols/Pictograms	None
Signal Word	None
Precautionary Statements	

HUBER

Safety Data Sheet

Martoxid® TM-1250; Martoxid® TM-1320; Martoxid® TM-1410; Martoxid® TM-1420

Issue Date: 18/Sep/2020 **Print Date:** 18/Sep/2020 Revision Number: 1.3.1 Page 2 of 10

Prevention	None
Response	None
Spills and Leaks	Collect spillage
Storage	Store in a dry place
Disposal	Dispose of in accordance with federal, state and local regulations
General Advice	None
Additional Information:	None.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical Name	CAS Number	China (IECSC)	China classification	TSCA: United States	REACH registration number	Weight-%
Aluminum oxide	1344-28-1	Y	Not classified	A	01-2119529248-35 -xxxx 01-2119529248-35 -0017	-

Section 4: FIRST AID MEASURES

General Advice	None
Eye Contact	Hold eyelids apart and flush eyes with a steady, gentle stream of water for several minutes.
Skin Contact	Wash skin with soap and water
Inhalation	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing
Ingestion	Rinse mouth with water. Do not induce vomiting.
Notes to Physician	Treat symptomatically
Personal Protective Equipment For First Aid Responders	Wear suitable protective clothing IF exposed or concerned: Get medical advice/attention
Expected acute symptoms and	None known

Martoxid® TM-1250; Martoxid® TM-1320; Martoxid® TM-1410; Martoxid® TM-1420

Issue Date: 18/Sep/2020 **Print Date:** 18/Sep/2020 Revision Number: 1.3.1 Page 3 of 10

delayed symptoms

Section 5: FIRE FIGHTING MEASURES

Flammable Properties	None known	
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Unsuitable extinguishing media: None known		
Specific Hazards Arising from the Chemical	None known	
Unusual fire & explosion hazards:	None	
Protective measures:	Use protective equipment that is appropriate for surrounding materials.	
Protective Equipment and Precautions for Firefighters	Wear self-contained breathing apparatus and protective suit	

Section 6: SPILLAGE, ACCIDENTAL RELEASE MEASURES

Personal Precautions	Avoid dust formation. When exposed to high concentrations of airborne dust, wear a SCBA in accordance with national legislation
Environmental Precautions	This product does not present any particular risk to the environment. Refer to applicable national, state and local regulations prior to washing in drain.
Methods for cleaning up	Pick up mechanically and / or by rinsing with water. Avoid dry sweeping and use a sprinkler system or exhaust ventilation to prevent dust formation.
Other Information:	None known

Section 7: HANDLING AND STORAGE

Handling	Avoid dust formation. Avoid breathing dust. Handle in accordance with good industrial hygiene and safety practice.
Storage	Store in a dry area. Keep containers closed and protect from physical damage.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits

Provide adequate ventilation as well as local exhaustion at critical locations

Aluminum oxide China

TWA: 4 mg/m3 total dust

Martoxid® TM-1250; Martoxid® TM-1320; Martoxid® TM-1410; Martoxid® TM-1420

Issue Date: 18/Sep/2020 **Print Date:** 18/Sep/2020 Revision Number: 1.3.1 Page 4 of 10

China ACGIH ACGIH TLV NIOSH OSHA	STEL: 8 mg/m ³ total dust TWA: 10 mg/m ³ TWA: 1 mg/m ³ respirable fraction Not established TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction
Engineering Measures	Ensure adequate ventilation, especially in confined areas Provide a good standard of controlled ventilation (10 to 15 air changes per hour)
Personal Protective Equipment Eye/Face Protection	Wear safety glasses with side shields (or goggles)
Skin and Body Protection	Wear suitable protective clothing
Hand Protection	Impervious gloves
Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice Handle in accordance with good industrial hygiene and safety practice
Environmental Exposure Controls	Dispose of in accordance with local regulations

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties Appearance:

ColorPowderColorWhiteOdorOdorlessOdor ThresholdNo information availablepH:Not availableMelting point / Freezing point2000 °C (3632 °F) (1013 hPa)Initial boiling point and boiling2980 °C (5396 °F) (1013 hPa)range2980 °C (5396 °F) (1013 hPa)Flash Point:Not applicable. Product/Substance is inorganic. Solid.Evaporation RateNot applicable Melting Point : > 300°CFlammability (solid, gas)No information availableUpper flammability limit:ImageLower flammability limit:ImageVapor Pressure1 hPa (2158 °C)Vapor DensityNot applicable Melting Point : > 300°CRelative Density4 (20 °C)Water SolubilityInsolubleSolubility in other solventsNo information availablePartition coefficientNot applicable Product/Substance is inorganic	Physical State	Solid
OdorOdorlessOdor ThresholdNo information availablepH:Not availableMelting point / Freezing point2000 °C (3632 °F) (1013 hPa)Initial boiling point and boiling range2980 °C (5396 °F) (1013 hPa)Flash Point:Not applicable. Product/Substance is inorganic. Solid.Evaporation RateNot applicable Melting Point : > 300°CFlammability (solid, gas)Not information availableUpper flammability limit:Not applicable Melting Point : > 300°CVapor Pressure1 hPa (2158 °C)Vapor DensityNot applicable Melting Point : > 300°CRelative Density4 (20 °C)Water SolubilityInsolubleSolubility in other solventsNo information available		Powder
Odor ThresholdNo information availablepH:Not availableMelting point / Freezing point2000 °C (3632 °F) (1013 hPa)Initial boiling point and boiling2980 °C (5396 °F) (1013 hPa)range2980 °C (5396 °F) (1013 hPa)Flash Point:Not applicable. Product/Substance is inorganic. Solid.Evaporation RateNot applicable. Product/Substance is inorganic. Solid.Flammability (solid, gas)Not applicable Melting Point : > 300°CUpper flammability limit:Not information availableVapor Pressure1 hPa (2158 °C)Vapor DensityNot applicable Melting Point : > 300°CRelative Density4 (20 °C)Water SolubilityInsolubleSolubility in other solventsNo information available	Color	White
pH:Not availableMelting point / Freezing point2000 °C (3632 °F) (1013 hPa)Initial boiling point and boiling2980 °C (5396 °F) (1013 hPa)rangeNot applicable. Product/Substance is inorganic. Solid.Flash Point:Not applicable. Product/Substance is inorganic. Solid.Evaporation RateNot applicable Melting Point : > 300°CFlammability (solid, gas)Not information availableUpper flammability limit:Not applicable Melting Point : > 300°CVapor Pressure1 hPa (2158 °C)Vapor DensityNot applicable Melting Point : > 300°CRelative Density4 (20 °C)Water SolubilityInsolubleSolubility in other solventsNo information available	Odor	Odorless
Melting point / Freezing point Initial boiling point and boiling range2000 °C (3632 °F) (1013 hPa) 2980 °C (5396 °F) (1013 hPa)Flash Point: Evaporation Rate Flammability (solid, gas) Upper flammability limit: Lower flammability limit: Vapor PressureNot applicable. Product/Substance is inorganic. Solid. Not applicable Melting Point : > 300°C No information availableVapor Pressure Relative Density Solubility in other solvents1 hPa (2158 °C) No information available	Odor Threshold	No information available
Initial boiling point and boiling range2980 °C (5396 °F) (1013 hPa)Flash Point:Not applicable. Product/Substance is inorganic. Solid.Evaporation RateNot applicable. Melting Point : > 300°CFlammability (solid, gas)No information availableUpper flammability limit:Not applicable Melting Point : > 300°CVapor Pressure1 hPa (2158 °C)Vapor DensityNot applicable Melting Point : > 300°CRelative Density4 (20 °C)Water SolubilityInsolubleSolubility in other solventsNo information available	pH:	
rangeFlash Point:Not applicable. Product/Substance is inorganic. Solid.Evaporation RateNot applicable. Melting Point : > 300°CFlammability (solid, gas)No information availableUpper flammability limit:No information availableLower flammability limit:1 hPa (2158 °C)Vapor DensityNot applicable Melting Point : > 300°CRelative Density4 (20 °C)Water SolubilityInsolubleSolubility in other solventsNo information available	Melting point / Freezing point	2000 °C (3632 °F) (1013 hPa)
Flash Point:Not applicable. Product/Substance is inorganic. Solid.Evaporation RateNot applicable Melting Point : > 300°CFlammability (solid, gas)No information availableUpper flammability limit:No information availableVapor Pressure1 hPa (2158 °C)Vapor DensityNot applicable Melting Point : > 300°CRelative Density4 (20 °C)Water SolubilityInsolubleSolubility in other solventsNo information available	Initial boiling point and boiling	2980 °C (5396 °F) (1013 hPa)
Evaporation RateNot applicable Melting Point : > 300°CFlammability (solid, gas)No information availableUpper flammability limit:No information availableLower flammability limit:1 hPa (2158 °C)Vapor Pressure1 hPa (2158 °C)Vapor DensityNot applicable Melting Point : > 300°CRelative Density4 (20 °C)Water SolubilityInsolubleSolubility in other solventsNo information available	range	
Flammability (solid, gas) Upper flammability limit: Lower flammability limit:No information availableVapor Pressure1 hPa (2158 °C)Vapor DensityNot applicable Melting Point : > 300°CRelative Density4 (20 °C)Water SolubilityInsolubleSolubility in other solventsNo information available	Flash Point:	Not applicable. Product/Substance is inorganic. Solid.
Upper flammability limit: Lower flammability limit:Vapor Pressure1 hPa (2158 °C)Vapor DensityNot applicable Melting Point : > 300°CRelative Density4 (20 °C)Water SolubilityInsolubleSolubility in other solventsNo information available	Evaporation Rate	Not applicable Melting Point : > 300°C
Lower flammability limit:Vapor Pressure1 hPa (2158 °C)Vapor DensityNot applicable Melting Point : > 300°CRelative Density4 (20 °C)Water SolubilityInsolubleSolubility in other solventsNo information available		No information available
Vapor Pressure1 hPa (2158 °C)Vapor DensityNot applicable Melting Point : > 300°CRelative Density4 (20 °C)Water SolubilityInsolubleSolubility in other solventsNo information available	•••	
Vapor DensityNot applicable Melting Point : > 300°CRelative Density4 (20 °C)Water SolubilityInsolubleSolubility in other solventsNo information available	Lower flammability limit:	
Relative Density4 (20 °C)Water SolubilityInsolubleSolubility in other solventsNo information available	Vapor Pressure	
Water SolubilityInsolubleSolubility in other solventsNo information available	Vapor Density	Not applicable Melting Point : > 300°C
Solubility in other solvents No information available		
	•	
Partition coefficient Not applicable Product/Substance is inorganic	-	
	Partition coefficient	Not applicable Product/Substance is inorganic

HUBER

Safety Data Sheet

Martoxid® TM-1250; Martoxid® TM-1320; Martoxid® TM-1410; Martoxid® TM-1420

Issue Date: 18/Sep/2020 **Print Date:** 18/Sep/2020 Revision Number: 1.3.1 Page 5 of 10

Autoignition Temperature Decomposition Temperature Kinematic viscosity Dynamic viscosity Explosive Properties Oxidizing Properties

Aluminum oxide has no potential to explode. ~2000 °C (> 2050 °C) Not applicable Solid Not applicable Solid None None

Section 10: STABILITY AND REACTIVITY

Stability	Stable under normal conditions
Conditions to avoid:	None known
Incompatible materials	Strong acids
Hazardous decomposition products	None under normal processing
Hazardous Reactions	None under normal processing
Hazardous polymerization:	None under normal processing

Section 11: TOXICOLOGICAL INFORMATION

General Information	Users are advised to consider national Occupational Exposure Limits or other equivalent values.				
Product Information					
Information on Likely Routes of	Exposure				
Eyes	Avoid contact with eyes Dust contact with the eyes can lead to mechanical irritation				
Skin	Avoid prolonged or repeated contact with skin Contact with dust can cause mechanical irritation or drying of the skin				
Inhalation	Do not breathe dust				
Ingestion	Ingestion is not a likely route of exposure				
Aspiration hazard	Not an expected route of exposure.				
Symptoms	Low hazard for usual industrial or commercial handling				

Martoxid® TM-1250; Martoxid® TM-1320; Martoxid® TM-1410; Martoxid® TM-1420

Issue Date: 18/Sep/2020 **Print Date:** 18/Sep/2020 Revision Number: 1.3.1 Page 6 of 10

- Single exposure	Non-irritant : Rabbit Non-irritant : Rabbit Based on available data, the classification criteria are not met No indication of effects on fertility. No indication of effects on developmental toxicity. Lungs May cause respiratory irritation May cause damage to organs through prolonged or repeated exposure if inhaled Lungs
Acute Toxicity	Based on available data, the classification criteria are not met
Chronic Toxicity	Based on available data, the classification criteria are not met.
Chronic Effects	Based on available data, the classification criteria are not met.
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met
Respiratory Sensitization	Based on available data, the classification criteria are not met
Skin Corrosion/Irritation	Based on available data, the classification criteria are not met
Skin Sensitization	Based on available data, the classification criteria are not met
Mutagenicity	Based on available data, the classification criteria are not met.
Reproductive Effects	This product does not contain any known or suspected reproductive hazards.
Reproductive Toxicity	Based on available data, the classification criteria are not met.
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Specific target organ toxicity - Single exposure	Based on available data, the classification criteria are not met.
Specific target organ toxicity - Repeated exposure	Based on available data, the classification criteria are not met.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity

Very low solubility. Not considered to be harmful to aquatic life.

Persistence/Degradability: The methods for determining biodegradability are not applicable to inorganic

HUBER

Safety Data Sheet

Martoxid® TM-1250; Martoxid® TM-1320; Martoxid® TM-1410; Martoxid® TM-1420

Issue Date: 18/Sep/2020 **Print Date:** 18/Sep/2020 Revision Number: 1.3.1 Page 7 of 10

	substances.
Bioaccumulative Potential	Not likely to bioaccumulate.
Partition coefficient Bioconcentration factor (BCF)	Not available No data available.
Mobility in soil	None.
Results of PBT and vPvB assessment	This substance does not meet the criteria for classification as PBT or vPvB.
Other Adverse Effects	None known

Section 13: DISPOSAL CONSIDERATIONS

Waste from Residues/Unused Products	Dispose of in accordance with local regulations
Contaminated Packaging:	Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14: TRANSPORT INFORMATION

Mode of Transportation (Road, Water, Air, Rail)

DOT	Not regulated
ADR	Not regulated
RID	Not regulated
ADN	Not regulated
IATA	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated

- 14.1. UN number None
- 14.2. UN proper shipping name None
- 14.3. Transport hazard class(es) None
- 14.4. Packing group None
- 14.5. Environmental hazards No
- 14.6. Special precautions for Not applicable user
- 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Martoxid® TM-1250; Martoxid® TM-1320; Martoxid® TM-1410; Martoxid® TM-1420

Issue Date: 18/Sep/2020 **Print Date:** 18/Sep/2020 Revision Number: 1.3.1 Page 8 of 10

Not applicable

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global Inventories

Chemical Name	CAS Number	EC No	REACH registration number	Australia (AICS)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	New Zealand	Philippin es (PICCS)		TSCA: United States
Aluminum oxide	1344-28-1		01-211952924 8-35-xxxx 01-211952924 8-35-0017		Y	Y	(1)-23 (ENCS)(IS HL)	KE-01012	Y	Y	Y	Y	A

Legend

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

Martoxid® TM-1250; Martoxid® TM-1320; Martoxid® TM-1410; Martoxid® TM-1420

Issue Date: 18/Sep/2020 **Print Date:** 18/Sep/2020 Revision Number: 1.3.1 Page 9 of 10

Section 16: OTHER INFORMATION

Prepared by	Huber Engineered Materials Global Regulatory Affairs email: regulatory.affairs@huber.com			
Reason for Revision	GB/T 16483-2008 GB/T 24774-2009 GB 13690 – 2009 GB/T 17519–2013			
GHS Classification	Not classified			
Physical Hazard	Not classified			
Health Hazard	Not classified			
Environmental Hazard	Not classified			
Label Elements				
Symbols/Pictograms	None			
Signal Word	None			
Abbreviations and acronyms	International Agency for Research on Cancer (IARC) International Air Transport Association (IATA) International Uniform Chemical Information Database (IUCLID) Workplace Hazardous Materials Information Database (IUCLID) Workplace Hazardous Materials Information System (WHMIS) status and classification EPA SARA Title III Section 312 (40 CFR 370) Hazard Classification DOT (Department of Transportation) OSHA (Occupational Safety and Health Administration of the US Department of Labor) TWA - Time-Weighted Average Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) The Classification, Labeling and Packaging of Substances and Mixtures (CLP) Regulation (EC 1272/2008) PPE - Personal Protection Equipment NIOSH - National Institute for Occupational Safety and Health TDG (Transport of Dangerous Goods) Canada CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act) Reportable Quantity (RQ) (RQ/% in mixture) STEL - Short Term Exposure Limit TLV® - Threshold Limit Value Derived No Effect Level (DNEL) SVHC: Substances of Very High Concern for Authorization: Land transport (ADR/RID) Biochemical oxygen demand (BOD) Chemical oxygen demand (COD) ICAO (air) (IMDG) International Maritime Dangerous Goods Positive Pressure Self-Contained Breathing Apparatus (SCBA) Predicted No Effect Concentration (PNEC) Globally Harmonized System (GHS)			

Martoxid® TM-1250; Martoxid® TM-1320; Martoxid® TM-1410; Martoxid® TM-1420

Issue Date: 18/Sep/2020 **Print Date:** 18/Sep/2020 Revision Number: 1.3.1 Page 10 of 10

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet