

Martoxid® TM-1250; Martoxid® TM-1320; Martoxid® TM-1410; Martoxid® TM-1420

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 COMMISSION REGULATION (EU) No. 2015/830

Issue Date: 18/Sep/2020 **Print Date:** 18/Sep/2020 Revision Number: 1.3.1 Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: Martoxid® TM-1250; Martoxid® TM-1320; Martoxid® TM-1410; Martoxid® TM-1420

Pure substance/mixture Substance

Formula

Chemical Name	CAS Number	EC No	REACH registration number	(CLP) Regulation (EC 1272/2008)	Weight-%
Aluminum oxide	1344-28-1	215-691-6	01-2119529248-35- xxxx 01-2119529248-35- 0017		-

1.2. Relevant identified uses of the substance or mixture and uses advised against

AI2O3

Recommended Use Abrasive Adsorbent(s) Catalyst Filler Chemical industry (raw material for the production of other aluminium compounds), etc.

- Industrial use --
- Professional use --
- Consumer use
- **1.3. Details of the supplier of the safety data sheet**

Company:	MARTINSWERK GmbH Kölner Strasse 110 50127 Bergheim Germany Tel. : +49-2271-90.22.78 Fax. : +49-2271-90.27.17
Internet	www.hubermaterials.com
E-mail	hubermaterials@huber.com
1.4. Emergency telephone number	CHEMTREC: +1 800 424 9300 or International +1 703 527 3887
	EU Phone: +358 207 913 500 (J.M. Huber Finland Oy)

HUBER

Safety Data Sheet

Martoxid® TM-1250; Martoxid® TM-1320; Martoxid® TM-1410; Martoxid® TM-1420

Issue Date: 18/Sep/2020 **Print Date:** 18/Sep/2020 Revision Number: 1.3.1 Page 2 of 12

Poison control center phone number

National Anti-Poison Center UK: +44 844 892 0111 (National Poisons Information Service)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

(CLP) Regulation	(EC 1272/2008)	Not classified
------------------	----------------	----------------

Hazards identification Physical Hazard	Not classified
Health Hazards	Not classified
Environmental Hazard	Not classified
2.2. Label elements	
Symbols/Pictograms	None
Signal Word	None
Hazard Statements	This product is not classified as hazardous according to the UN GHS guideline and labeling is not required This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)
Precautionary Statements	
Prevention	Employ good industrial hygiene practice Wash hands thoroughly after handling
Response	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing IF ON SKIN: Wash with plenty of soap and water IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing If swallowed, rinse mouth with water (only if the person is conscious) Drink plenty of water
Storage	Keep in a dry place Store away from incompatible materials
Disposal	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Additional Information:	None.
2.3. Other hazards	No information available.

Martoxid® TM-1250; Martoxid® TM-1320; Martoxid® TM-1410; Martoxid® TM-1420

Issue Date: 18/Sep/2020 **Print Date:** 18/Sep/2020 Revision Number: 1.3.1 Page 3 of 12

SECTION 3: Composition/information on ingredients

3.1. Substances

Substance

Chemical Name	CAS Number	EC No	REACH registration number	(CLP) Regulation (EC 1272/2008)	Annex	Weight-%
Aluminum oxide	1344-28-1	215-691-6	01-2119529248-35 -xxxx 01-2119529248-35 -0017		-	-

SECTION 4: First aid measures

4.1. Description of first aid measures

General Advice	When in doubt or if symptoms are observed, get medical advice. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Eye Contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Skin Contact	Wash with plenty of soap and water.
Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Ingestion	Rinse mouth thoroughly with water.
Aspiration hazard	Not an expected route of exposure.
Notes to Physician	Treat symptomatically.
4.2. Most important symptoms and effects, both acute and delayed	Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin.
4.3. Indication of any immediate medical attention and special treatment needed	 Treatment should be symptomatic and supportive.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO2).

Martoxid® TM-1250; Martoxid® TM-1320; Martoxid® TM-1410; Martoxid® TM-1420

Issue Date: 18/Sep/2020 **Print Date:** 18/Sep/2020 Revision Number: 1.3.1 Page 4 of 12

Unsuitable Extinguishing Media None known.

5.2. Special hazards arising from the substance or mixture None known.

5.3. Advice for firefighters

Special protective

equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures	Ensure adequate ventilation. Use personal protection recommended in Section 8. Avoid dust formation. Keep unauthorized personnel away.
For non-emergency personnel	Keep unauthorized personnel away.
For emergency responders	Keep unauthorized personnel away. Use personal protection recommended in Section 8.
6.2. Environmental precautions	Avoid runoff to waterways and sewers.
6.3. Methods and material for containment and cleaning up	Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust Small Spill: Vacuum or sweep material and place in a disposal container
6.4. Reference to other sections	Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling	Minimize dust generation and accumulation Provide local exhaust ventilation Handle in accordance with good industrial hygiene and safety practice
	Store away from incompatible materials Keep container tightly closed and dry
7.3. Specific end use(s)	No information available.

SECTION 8: Exposure controls/personal protection

Martoxid® TM-1250; Martoxid® TM-1320; Martoxid® TM-1410; Martoxid® TM-1420

Issue Date: 18/Sep/2020 **Print Date:** 18/Sep/2020

Revision Number: 1.3.1 Page 5 of 12

8.1. Control parameters

Occupational exposure limits

Aluminum oxide				
ACGIH	TWA: 10 mg/m ³			
OSHA	TWA: 10 mg/m ³ total dust			
OSHA	TWA: 15 mg/m ³ respirable fraction			
	(vacated) TWA: 10 mg/m ³ total dust			
	(vacated) TWA: 10 mg/m ³ respirable fraction			
NIOSH	Not established			
Austria	TWA: 5 mg/m ³ respirable fraction, smoke			
Austria	STEL: 10 mg/m ³ respirable fraction, smoke			
Belgium	TWA: 1 mg/m ³			
Bulgaria	TWA: 1.5MGM3;Respirable fraction.			
Duigana	10.0MGM3;Dust.			
Croatia	TWA: 10 mg/m ³ total dust			
oroalia	4 mg/m ³ respirable dust			
Czech Republic	TWA: 10.0 mg/m ³ dust			
Denmark	TWA: 5 mg/m ³ total			
Dominant	2 mg/m ³ respirable			
Estonia	TWA: 10 mg/m ³ total dust			
	4 mg/m ³ respirable dust			
Finland	TWA: 2 mg/m ³ Al			
France	VME/VLE: 10MGM3			
Germany	DFG MAK: 8-hr TWA: 4 mg/m ³ : haltige Stäube (alveolengängige Fraktion)[4 mg/m ³ :			
2	inhalable dust fraction]			
	1.5 mg/m ³ haltige Stäube (einatembare Fraktion)[1.5MGM3 : respirable dust fraction]			
	TRGS 900 limit : 3 mg/m ³ : respirable; 10MG/M3 inhalable			
Greece	TWA: 10 mg/m ³ inhalable fraction			
	5 mg/m ³ respirable fraction			
Hungary	TWA: 6 mg/m ³ respirable dust			
Ireland	TWA: 10 mg/m ³ total inhalable dust			
	4 mg/m ³ respirable dust			
Ireland	30 mg/m ³ total inhalable dust			
	12 mg/m ³ respirable dust			
Italy	TWA: 1MGM3;Respirable.			
Latvia	TWA: 6 mg/m ³ disintegration aerosol			
Lithuania	TWA: 5 mg/m ³ Al inhalable fraction			
	2 mg/m ³ Al respirable fraction			
Netherlands	MAC TWA: 10 mg/m ³			
Norway	TWA: 10 mg/m ³			
Norway	STEL: 10 mg/m ³			
Poland	TWA: 2.5 mg/m ³ inhalable fraction			
Destand	1.2 mg/m ³ respirable fraction			
Portugal	TWA: 10 mg/m ³ particulate matter containing no Asbestos and <1% Crystalline silica			
Romania	TWA: 2 mg/m ³ aerosol 3 mg/m ³			
	1 mg/m ³			
Romania	STEL: 5 mg/m ³ aerosol			
Romania	10 mg/m ³ dust			
	3 mg/m ³ fume			
Slovakia	TWA: 1.5 mg/m ³ fume			
Slovakia	1.5 mg/m ³			
	0.1 mg/m ³ respirable fraction 6 mg/m ³ total aerosol			
Spain	TWA: 10 mg/m ³			
Sweden	TWA: 10 mg/m ³ total dust			
Sweden	2 mg/m ³ respirable dust			

Martoxid® TM-1250; Martoxid® TM-1320; Martoxid® TM-1410; Martoxid® TM-1420

Issue Date: 18/Sep/2020 Print Date: 18/Sep/2020

Revision Number: 1.3.1 Page 6 of 12

Switzerland Switzerland United Kingdom	TWA: 3 mg/m ³ respirable dust, smoke STEL: 24 mg/m ³ respirable dust, smoke TWA: 10 mg/m ³ inhalable dust 4 mg/m ³ respirable dust
Recommended monitoring procedures	Refer also to national guidance documents for information on currently recommended monitoring procedures
Biological Limit Values:	None

Derived No Effect Level (DNEL)

Aluminum oxide

	Worker - inhalative,	3 mg/m ³
	long-term - systemic	
Consumer - oral, long-term - 6.22 mg/kg bw/d		6.22 mg/kg bw/d
	systemic	

Predicted No Effect Concentration (PNEC)

Aluminum oxide	
Sewage treatment plant	20 mg/l
8.2. Exposure controls	
Engineering Measures	Ensure adequate ventilation, especially in confined areas Provide a good standard of controlled ventilation (10 to 15 air changes per hour)
Personal protective equipment	
Eye/Face Protection	Wear safety glasses with side shields (or goggles).
Skin and Body Protection	Wear suitable protective clothing.
Hand Protection	For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn.
Hand protection	For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn. Wear suitable gloves tested to EN 374.
Respiratory Protection	In case of inadequate ventilation wear respiratory protection.
Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Recommended filter type: (FFP2) (FFP3)
Thermal hazards	None known.
Hygiene Measures	Follow general hygiene considerations recognized as common good workplace practices

Martoxid® TM-1250; Martoxid® TM-1320; Martoxid® TM-1410; Martoxid® TM-1420

Issue Date: 18/Sep/2020 **Print Date:** 18/Sep/2020

Revision Number: 1.3.1 Page 7 of 12

The worker should wash daily at the end of each work shift, and prior to eating, drinking, smoking, etc

Environmental Exposure Controls Dispose of in accordance with local regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:	
Physical State	Solid Powder
Color	White
Odor	Odorless
Odor Threshold	No information available
pH:	Not available
Melting point / Freezing point	2000 °C (3632 °F) (1013 hPa)
Initial boiling point and boiling	2980 °C (5396 °F) (1013 hPa)
range	
Flash Point:	Not applicable. Product/Substance is inorganic. Solid.
Evaporation Rate	Not applicable. Melting Point : > 300°C
Flammability (solid, gas)	No information available
Upper flammability limit:	
Lower flammability limit:	
Vapor Pressure	1 hPa (2158 °C)
Vapor Density	Not applicable Melting Point : > 300°C
Relative Density	4 (20 °C)
Water Solubility	Insoluble
Solubility in other solvents	No information available
Partition coefficient	Not applicable Product/Substance is inorganic
Autoignition Temperature	Aluminum oxide has no potential to explode.
Decomposition Temperature	~2000 °C (> 2050 °C)
Kinematic viscosity	Not applicable Solid
Dynamic viscosity	Not applicable Solid
Explosive Properties	None
Oxidizing Properties	None

SECTION 10: Stability and reactivity

10.1. Reactivity	No data available
10.2. Chemical stability	Stable under normal conditions
10.3. Possibility of hazardous reactions	None under normal processing
10.4. Conditions to avoid	Incompatible materials Decomposition Temperature ~ 2000 °C (> 2050°C) < / =0.3% : Al ₂ O ₃ , Water

Martoxid® TM-1250; Martoxid® TM-1320; Martoxid® TM-1410; Martoxid® TM-1420

Issue Date: 18/Sep/2020 **Print Date:** 18/Sep/2020 Revision Number: 1.3.1 Page 8 of 12

10.5. Incompatible materials Strong acids

10.6. Hazardous decomposition None known **products**

SECTION 11: Toxicological information

General Information	Users are advised to consider national Occupational Exposure Limits or other equivalent values.			
Information on Likely Routes of	Exposure			
Inhalation	Do not breathe dust			
Skin	Avoid prolonged or repeated contact with skin Contact with dust can cause mechanical irritation or drying of the skin			
Eyes	Avoid contact with eyes Dust contact with the eyes can lead to mechanical irritation			
Ingestion	Ingestion is not a likely route of exposure			
Aspiration hazard	Not an expected route of exposure.			
11.1. Information on toxicologic	al effects			
- Single exposure	Non-irritant : Rabbit Non-irritant : Rabbit Based on available data, the classification criteria are not met No indication of effects on fertility. No indication of effects on developmental toxicity. Lungs Y May cause respiratory irritation Y May cause damage to organs through prolonged or repeated exposure if inhaled Lungs			
Acute Toxicity	Based on available data, the classification criteria are not met			
Chronic Toxicity	Based on available data, the classification criteria are not met.			
Chronic Effects	Based on available data, the classification criteria are not met.			
Respiratory Sensitization	Based on available data, the classification criteria are not met			
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met			

Martoxid® TM-1250; Martoxid® TM-1320; Martoxid® TM-1410; Martoxid® TM-1420

Issue Date: 18/Sep/2020 **Print Date:** 18/Sep/2020 Revision Number: 1.3.1 Page 9 of 12

Skin Corrosion/Irritation	Based on available data, the classification criteria are not met
Skin Sensitization	Based on available data, the classification criteria are not met
Mutagenicity	Based on available data, the classification criteria are not met
Reproductive Effects	This product does not contain any known or suspected reproductive hazards.
Reproductive Toxicity	Based on available data, the classification criteria are not met.
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Specific target organ toxicity - Single exposure	Based on available data, the classification criteria are not met.
Specific target organ toxicity - Repeated exposure	Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Ecotoxicity	Very low solubility. Not considered to be harmful to aquatic life.			
<u>Aluminum oxide</u> WGK Classification (AwSV)	1346 WGK: nwg			
12.2. Persistence and degradability	The methods for determining biodegradability are not applicable to inorganic substances.			
12.3. Bioaccumulative potential	Not likely to bioaccumulate.			
Bioconcentration factor (BCF)	No data available.			
12.4. Mobility in soil	None.			
12.5. Results of PBT and vPvB assessment	This substance does not meet the criteria for classification as PBT or vPvB.			
12.6. Other adverse effects	None known			

SECTION 13: Disposal considerations

HUBER

Safety Data Sheet

Martoxid® TM-1250; Martoxid® TM-1320; Martoxid® TM-1410; Martoxid® TM-1420

Issue Date: 18/Sep/2020 Print Date: 18/Sep/2020	Revision Number: 1.3.1 Page 10 of 12
Disposal Methods	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.
Waste codes	Waste codes should be assigned by the user based on the application for which the product was used
Aluminum oxide WGK Classification (AwSV)	1346 WGK: nwg

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada	Not regulated
DOT	Not regulated
ADR	Not regulated
RID	Not regulated
ADN	Not regulated
ΙΑΤΑ	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated

14.1. UN number	None
14.2. UN proper shipping name	None
14.3. Transport hazard class(es)	None
14.4. Packing group	None
14.5. Environmental hazards	No
14.6. Special precautions for user	Not applicable

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global Inventories

Martoxid® TM-1250; Martoxid® TM-1320; Martoxid® TM-1410; Martoxid® TM-1420

Issue Date: 18/Sep/2020

Revision Number: 1.3.1 Page 11 of 12

Print Date: 18/Sep/2020

Pure substance/mixture

Chemical Name	CAS Number	EC No	REACH registrati on number	Australia (AICS)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico		Philippine s (PICCS)	Taiwan	TSCA: United States
Aluminum oxide	1344-28-1		01-211952 9248-35-x xxx 01-211952 9248-35-0 017		Y	Y	(1)-23 (ENCS)(IS HL)	KE-01012	Y	Y	Y	Y	A

Legend X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

Germany

Very low solubility Not considered to be harmful to aquatic life

Aluminum oxide

WGK Classification (AwSV) 1346 WGK: nwg

15.2. Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance

Substance

SECTION 16: Other information

Reason for Revision	This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 & COMMISSION REGULATION (EU) No. 2015/830			
Issue Date: Print Date: Revision Number:	18/Sep/2020 18/Sep/2020 1.3.1			
Prepared by	Huber Engineered Materials Global Regulatory Affairs email: regulatory.affairs@huber.com.			
(CLP) Regulation (EC 1272/2008) Not classified			
Labeling				
Symbols/Pictograms	None			
Signal Word	None			
Hazard Statements	This product is not classified as hazardous according to the UN GHS guideline and labeling is not required This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)			
Training Advice	Do not handle until all safety precautions have been read and understood.			
Abbreviations and acronyms	International Agency for Research on Cancer (IARC) International Air Transport Association (IATA) International Maritime Dangerous Goods (IMDG) International Uniform Chemical Information Database (IUCLID)			

Martoxid® TM-1250; Martoxid® TM-1320; Martoxid® TM-1410; Martoxid® TM-1420

Issue Date: 18/Sep/2020 **Print Date:** 18/Sep/2020

Revision Number: 1.3.1 Page 12 of 12

Workplace Hazardous Materials Information System (WHMIS) status and classification EPA SARA Title III Section 312 (40 CFR 370) Hazard Classification DOT (Department of Transportation) OSHA (Occupational Safety and Health Administration of the US Department of Labor) TWA - Time-Weighted Average The Classification, Labeling and Packaging of Substances and Mixtures (CLP) Regulation (EC 1272/2008) PPE - Personal Protection Equipment NIOSH - National Institute for Occupational Safety and Health TDG (Transport of Dangerous Goods) Canada CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act) Reportable Quantity (RQ) (RQ/% in mixture) STEL - Short Term Exposure Limit TLV® - Threshold Limit Value Derived No Effect Level (DNEL) SVHC: Substances of Very High Concern for Authorization: Land transport (ADR/RID) Biochemical oxygen demand (BOD) Chemical oxygen demand (COD) ICAO (air) (IMDG) International Maritime Dangerous Goods Positive Pressure Self-Contained Breathing Apparatus (SCBA) Predicted No Effect Concentration (PNEC) Globally Harmonized System (GHS)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet