



Safety Data Sheet

FIRE RETARDANT ADDITIVES

Micral® 632

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006
COMMISSION REGULATION (EU) No. 2020/878

Issue Date 13/Feb/2023

Print Date 13/Feb/2023

Revision Number 1.3.1

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: Micral® 632

Pure substance/mixture Substance

Chemical Name	CAS Number	EC No	EU REACH registration number	(CLP) Regulation (EC 1272/2008)	Weight-%
Aluminum Hydroxide	21645-51-2	244-492-7	01-2119529246-39	Not classified	100

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Flame retardant

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Manufacturer J.M. Huber Corporation
3100 Cumberland Boulevard, Suite 600
Atlanta, GA 30339 USA
Tel: +1 678 247-7300

MARTINSWERK GmbH
Kölner Strasse 110
50127 Bergheim
Germany
Tel. : +49-2271-90.22.78
Fax. : +49-2271-90.27.17

Internet www.hubermaterials.com

E-mail hubermaterials@huber.com

1.4. Emergency telephone number CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

Poison control center phone number National Anti-Poison Center UK: +44 844 892 0111 (National Poisons Information Service)

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****(CLP) Regulation (EC 1272/2008)** Not classified**Hazards identification**

Physical Hazard	Not classified
Health Hazards	Not classified
Environmental Hazard	Not classified

2.2. Label elements

Symbols/Pictograms	None
Signal Word	None
Hazard Statements	None

Precautionary Statements

Prevention	Employ good industrial hygiene practice Wash hands thoroughly after handling
Response	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing IF ON SKIN: Wash with plenty of soap and water
Storage	Keep in a dry place Store away from incompatible materials
Disposal	Disposal should be in accordance with applicable regional, national and local laws and regulations.

Additional Information: None.**2.3. Other hazards** No information available.**SECTION 3: Composition/information on ingredients****3.1. Substance** Substance

Chemical Name	CAS Number	EC No	EU REACH registration number	(CLP) Regulation (EC 1272/2008)	Annex	Weight-%
Aluminum Hydroxide	21645-51-2	244-492-7	01-2119529246-39	Not classified	--	100

SECTION 4: First aid measures

4.1. Description of first aid measures

General Advice	When in doubt or if symptoms are observed, get medical advice. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Eye Contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Skin Contact	Wash with plenty of soap and water.
Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Ingestion	Rinse mouth thoroughly with water.
Aspiration hazard	Not an expected route of exposure.
Notes to Physician	Treat symptomatically.
4.2. Most important symptoms and effects, both acute and delayed	Signs and symptoms may include coughing, gasping, choking and difficulty breathing.
4.3. Indication of any immediate medical attention and special treatment needed	Treatment should be symptomatic and supportive.

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable Extinguishing Media**

Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO₂).

Unsuitable Extinguishing Media

None known.

5.2. Special hazards arising from the substance or mixture

None known.

5.3. Advice for firefighters**Special protective equipment for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures** Ensure adequate ventilation. Use personal protection recommended in Section 8. Avoid dust formation. Keep unauthorized personnel away.
- For non-emergency personnel** Keep unauthorized personnel away.
- For emergency responders** Keep unauthorized personnel away. Use personal protection recommended in Section 8.
- 6.2. Environmental precautions** Avoid runoff to waterways and sewers.
- 6.3. Methods and material for containment and cleaning up** Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust Small Spill: Vacuum or sweep material and place in a disposal container
- 6.4. Reference to other sections** Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

- 7.1. Precautions for safe handling** Minimize dust generation and accumulation
Provide local exhaust ventilation
Handle in accordance with good industrial hygiene and safety practice
- 7.2. Conditions for safe storage, including any incompatibilities** Store away from incompatible materials
Keep container tightly closed and dry
- 7.3. Specific end use(s)** Flame retardant.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Aluminum Hydroxide

ACGIH	TLV/TWA 8-hr: 1 mg/m ³ (respirable fraction)
OSHA	TWA: 15 mg/m ³ Total Dust 5 mg/m ³ Respirable Dust
NIOSH	TWA: 5 mg/m ³ (respirable dust); 10 mg/m ³ TWA (total dust)
France	Not established (Non établi)
France	Not established (Non établi)
Poland	2.5 mg/m ³ (inhalable); 1.2 mg/m ³ (respirable)
Switzerland	TWA: 3 mg/m ³
United Kingdom	10 mg.m-3 (inhalable); 4 mg.m-3 (respirable)

Issue Date 13/Feb/2023
Print Date 13/Feb/2023

Revision Number 1.3.1
Page 5 of 11

Recommended monitoring procedures Refer also to national guidance documents for information on currently recommended monitoring procedures

Biological Limit Values None

DNEL (Derived No Effect Level) Consumer - oral, long-term - local and systemic 4.74 mg/kg bw/day
Worker - inhalative, long-term - local and systemic 10.74 mg/m³

PNEC (Predicted No Effect Concentration) No information available

8.2. Exposure controls

Engineering Measures Ensure adequate ventilation, especially in confined areas
Provide a good standard of controlled ventilation (10 to 15 air changes per hour)

Personal protective equipment

Eye/Face Protection Wear safety glasses with side shields (or goggles).

Skin and Body Protection Wear suitable protective clothing.

Thermal hazards None known.

Hygiene Measures Follow general hygiene considerations recognized as common good workplace practices
The worker should wash daily at the end of each work shift, and prior to eating, drinking, smoking, etc

Environmental Exposure Controls Dispose of in accordance with local regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:

Physical State	Solid Powder
Odor	Odorless
Odor Threshold	No information available
pH:	8.4 - 10.2 5% Water suspension
Melting point / Freezing point	ca 300 °C / 572 °F (101.3 kPa)
Initial boiling point	5396 °F (2980 °C) 101.3 kPa
Freezing Point	Not applicable
Flash Point	Not applicable
Evaporation Rate	Not applicable.
Flammability (solid, gas)	Not applicable
Flammability (solid, gas)	Not applicable
Upper flammability limit:	--

Issue Date 13/Feb/2023

Print Date 13/Feb/2023

Revision Number 1.3.1

Page 6 of 11

Lower flammability limit:	--
Vapor Pressure	Not applicable
Vapor Density	Not applicable
Vapor Density	Not applicable
Density	No data available
Relative Density	2.4 g/cm ³ , 20° C
Water Solubility	Insoluble
Solubility in other solvents	No information available
Partition coefficient	No information available
Autoignition Temperature	Not applicable
Decomposition Temperature	392 °F (200 °C)
Viscosity	Not applicable.
Kinematic viscosity	Not applicable
Explosive Properties	None
Oxidizing Properties	Not applicable
Particle Size	No information available
VOC Content (%)	Not applicable

9.2. Other information**9.2.1. Information with regard to physical hazard classes**

Not applicable

9.2.2. Other safety characteristics

Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity	None
10.2. Chemical stability	Stable under normal conditions
10.3. Possibility of hazardous reactions	None under normal processing
10.4. Conditions to avoid	Incompatible materials
10.5. Incompatible materials	Strong acids
10.6. Hazardous decomposition products	None known

SECTION 11: Toxicological information

General Information Users are advised to consider national Occupational Exposure Limits or other equivalent values.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Issue Date 13/Feb/2023

Print Date 13/Feb/2023

Revision Number 1.3.1

Page 7 of 11

Aluminum Hydroxide

Oral LD50

Inhalation LC50

IARC

> 2000 mg/kg Rat

Rat > 2.3 mg/l (Al₂O₃) Aerosol Maximum attainable concentration

Not Listed

Acute Toxicity

Based on available data, the classification criteria are not met

Chronic Toxicity

Based on available data, the classification criteria are not met.

Chronic Effects

Based on available data, the classification criteria are not met.

Respiratory Sensitization

No information available

Serious eye damage/eye irritation

Non-irritant Rabbit

Skin Corrosion/Irritation

Non-irritant Rabbit

Skin SensitizationBased on available data, the classification criteria are not met Not a skin sensitizer
Guinea pig**Mutagenicity**in vitro Not genotoxic in bacteria and mammalian cell systems.
in vivo Mutagenicity (micronucleus test) Rat Negative (weight of evidence approach)**Germ cell mutagenicity**

No information available.

Reproductive Effects

Based on available data, the classification criteria are not met.

Reproductive Toxicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Specific target organ toxicity - Single exposure

Not classified.

Specific target organ toxicity - Repeated exposure

No information available.

Mixture versus substance information

No information available

Information on Likely Routes of Exposure**Inhalation**Do not breathe dust
Inhalation of dust may cause irritation of the respiratory system**Ingestion**

Ingestion is not a likely route of exposure

Skin

Contact with dust can cause mechanical irritation or drying of the skin

Eyes

Dust contact with the eyes can lead to mechanical irritation

Aspiration hazard

Not an expected route of exposure.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors

11.2.2. Other information Not applicable

SECTION 12: Ecological information

12.1. Toxicity Not considered to be harmful to aquatic life

Aluminum Hydroxide

WGK Classification (AwSV) 5220 WGK: nwg

12.2. Persistence and degradability The methods for determining biodegradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential Not likely to bioaccumulate.

Partition coefficient No information available

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment This substance does not meet the criteria for classification as PBT or vPvB.

12.6. Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Disposal Methods Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Waste codes Waste codes should be assigned by the user based on the application for which the product was used

Aluminum Hydroxide

HUBER

Safety Data Sheet

Micral® 632

Issue Date 13/Feb/2023

Print Date 13/Feb/2023

Revision Number 1.3.1

Page 9 of 11

European Waste Catalog 060299
 WGK Classification (AwSV) 5220 WGK: nwg

SECTION 14: Transport information**Mode of Transportation (Road, Water, Air, Rail)**

TDG -Canada	Not regulated
DOT	Not regulated
ADR	Not regulated
RID	Not regulated
ADN	Not regulated
IATA	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated

14.1. UN number or ID number None

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

14.6. Special precautions for user Not applicable

14.7. Maritime transport in bulk according to IMO instruments
 Not applicable

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****Global Inventories**

Pure substance/mixture Substance

Chemical Name	CAS Number	EC No	Australia (AIIIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	Thailand (TECI)	New Zealand	Philippines (PICCS)	Taiwan	TSCA: United States
Aluminum Hydroxide	21645-51-2	244-492-7	Y	Y	Y	(1)-17 (ENCS); ISHL	KE-00980	Y	55-1-02594	Y	Y	Y	A

Legend X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

HUBER

Safety Data Sheet

Micral® 632

Issue Date 13/Feb/2023

Print Date 13/Feb/2023

Revision Number 1.3.1

Page 10 of 11

REACH No.

Aluminum Hydroxide

EU REACH registration number 01-2119529246-39

Turkish KKDIK pre-registration 05-0000193352-73-0000

Germany

Not considered to be harmful to aquatic life

Aluminum Hydroxide

WGK Classification (AwSV) 5220 WGK: nwg

15.2. Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance

SECTION 16: Other information

Reason for Revision

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 & COMMISSION REGULATION (EU) No. 2020/878

Issue Date

13/Feb/2023

Print Date

13/Feb/2023

Revision Number

1.3.1

Prepared by

Huber Engineered Materials Global Regulatory Affairs
email: regulatory.affairs@huber.com.

(CLP) Regulation (EC 1272/2008) Not classified

Labeling

Symbols/Pictograms

None

Signal Word

None

Hazard Statements

None.

Training Advice

Do not handle until all safety precautions have been read and understood.

Abbreviations and acronyms

IARC (International Agency for Research on Cancer)
IUCLID (International Uniform Chemical Information Database)
WHMIS (Workplace Hazardous Materials Information System)
OSHA (Occupational Safety and Health Administration of the US Department of Labor)
TWA (Time-Weighted Average)
CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008))
PPE (Personal Protection Equipment)
NIOSH (National Institute for Occupational Safety and Health)
CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)
RQ (Reportable Quantity) (RQ/% in mixture)
STEL (Short Term Exposure Limit)
TLV® (Threshold Limit Value)
DNEL (Derived No Effect Level)
SVHC (Substances of Very High Concern)

HUBER

Safety Data Sheet

Micral® 632

Issue Date 13/Feb/2023
Print Date 13/Feb/2023

Revision Number 1.3.1
Page 11 of 11

BOD (Biochemical oxygen demand)
COD (Chemical oxygen demand)
ICAO (International Civil Aviation Organization)
IMDG (International Maritime Dangerous Goods)
ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)
IATA (International Air Transport Association)
IMDG (International Maritime Dangerous Goods)
DOT (Department of Transportation)
TDG (Transport of Dangerous Goods) Canada
PNEC (Predicted No Effect Concentration)
SCBA (Self-Contained Breathing Apparatus) Positive Pressure
GHS (Globally Harmonized System)
TSCA (Toxic Substances Control Act)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet