



ADVANCED MATERIALS

Safety Data Sheet

MoldX® A400

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006
COMMISSION REGULATION (EU) No. 2020/878

Issue Date 04/Feb/2023

Print Date 17/Feb/2023

Revision Number 1.3.2

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: MoldX® A400

Chemical Name Aluminum Hydroxide

Chemical Name	CAS Number	EC No	EU REACH registration number	(CLP) Regulation (EC 1272/2008)	Weight-%
Aluminum Hydroxide	21645-51-2	244-492-7	01-2119529246-39	Not classified	>95
Flame Retardant Proprietary		Y		Not classified	<5

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use: Flame retardant
Smoke Suppressant

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Manufacturer J.M. Huber Corporation
3100 Cumberland Boulevard, Suite 600
Atlanta, GA 30339 USA
Tel: +1 678 247-7300

MARTINSWERK GmbH
Kölner Strasse 110
50127 Bergheim
Germany
Tel. : +49-2271-90.22.78
Fax. : +49-2271-90.27.17

Internet www.hubermaterials.com

E-mail hubermaterials@huber.com

1.4. Emergency telephone number CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

Poison control center phone number National Anti-Poison Center UK: +44 844 892 0111 (National Poisons Information Service)

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****(CLP) Regulation (EC 1272/2008)** Not classified**Hazards identification**

Physical Hazard	Not classified
Health Hazards	Not classified
Environmental Hazard	Not classified

2.2. Label elements

Symbols/Pictograms	None
Signal Word	None
Hazard Statements	None

Precautionary Statements

Prevention	Employ good industrial hygiene practice Wash hands thoroughly after handling
Response	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing IF ON SKIN: Wash with plenty of soap and water
Storage	Keep in a dry place Store away from incompatible materials
Disposal	Disposal should be in accordance with applicable regional, national and local laws and regulations.

2.3. Other hazards No information available.**SECTION 3: Composition/information on ingredients****3.2. Mixture**

Mixture

Chemical Name	CAS Number	EC No	EU REACH registration number	(CLP) Regulation (EC 1272/2008)	Annex	Weight-%
Aluminum Hydroxide	21645-51-2	244-492-7	01-2119529246-39	Not classified	--	>95
Flame Retardant Proprietary		Y		Not classified	--	<5

SECTION 4: First aid measures

4.1. Description of first aid measures

General Advice	When in doubt or if symptoms are observed, get medical advice. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Eye Contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Skin Contact	Wash with plenty of soap and water.
Inhalation	Do not breathe dust. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
Ingestion	Rinse mouth thoroughly with water.
Aspiration hazard	Based on available data, the classification criteria are not met.
Notes to Physician	Treat symptomatically.
4.2. Most important symptoms and effects, both acute and delayed	Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin.
4.3. Indication of any immediate medical attention and special treatment needed	Treat symptomatically. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing agent suitable for type of surrounding fire. Water spray (fog). Dry chemical. Foam. Carbon dioxide (CO₂).

Unsuitable Extinguishing Media

None known.

5.2. Special hazards arising from the substance or mixture

Non-combustible.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

Water mist may be used to cool closed containers.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Avoid dust formation. Ensure adequate ventilation. Use personal protection recommended in Section 8. Keep unauthorized personnel away.

For non-emergency personnel

Keep unauthorized personnel away.

For emergency responders

Keep unauthorized personnel away. Use personal protection recommended in Section 8.

6.2. Environmental precautions

Avoid runoff to waterways and sewers.

6.3. Methods and material for containment and cleaning up

Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust
Small Spill: Vacuum or sweep material and place in a disposal container

6.4. Reference to other sections

Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

Avoid exposure - obtain special instructions before use
Do not handle until all safety precautions have been read and understood.
Minimize dust generation and accumulation
Ensure adequate ventilation
Handle in accordance with good industrial hygiene and safety practice
Use personal protective equipment as required

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed and dry
Store away from incompatible materials

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Occupational exposure limits****Aluminum Hydroxide**

ACGIH
OSHA

NIOSH
France
France

TLV/TWA 8-hr: 1 mg/m³ (respirable fraction)
TWA: 15 mg/m³ Total Dust
5 mg/m³ Respirable Dust
TWA: 5 mg/m³ (respirable dust); 10 mg/m³ TWA (total dust)
Not established (Non établi)
Not established (Non établi)

HUBER

Safety Data Sheet

MoldX® A400

Issue Date 04/Feb/2023

Print Date 17/Feb/2023

Revision Number 1.3.2

Page 5 of 10

Poland	2.5 mg/m ³ (inhalable); 1.2 mg/m ³ (respirable)
Switzerland	TWA: 3 mg/m ³
United Kingdom	10 mg.m-3 (inhalable); 4 mg.m-3 (respirable)

Recommended monitoring procedures Refer also to national guidance documents for information on currently recommended monitoring procedures

Biological Limit Values None

8.2. Exposure controls

Engineering Measures Do not handle until all safety precautions have been read and understood
Ensure adequate ventilation, especially in confined areas
Provide a good standard of controlled ventilation (10 to 15 air changes per hour)
Use exhaust ventilation to keep airborne concentrations below exposure limits
In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment

Eye/Face Protection Wear safety glasses with side shields (or goggles).

Skin and Body Protection Wear suitable protective clothing.

Hand Protection For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Thermal hazards None known.

Hygiene Measures Follow general hygiene considerations recognized as common good workplace practices

Environmental Exposure Controls Dispose of in accordance with local regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:

Physical State Solid Powder

Color White

Odor Odorless

Odor Threshold No information available

pH: 8.4-10.2 (5% water suspension)

Issue Date 04/Feb/2023

Print Date 17/Feb/2023

Revision Number 1.3.2

Page 6 of 10

Melting point / Freezing point	Not applicable
Initial boiling point	No information available
Freezing Point	Not applicable
Flash Point	Non-combustible
Evaporation Rate	Not applicable.
Flammability (solid, gas)	Not applicable
Upper flammability limit:	--
Lower flammability limit:	--
Vapor Pressure	Not applicable
Vapor Density	Not applicable
Vapor Density	Not applicable
Density	2.4 g/cm ³ , 20°C
Relative Density	
Water Solubility	Insoluble
Partition coefficient	Not applicable
Autoignition Temperature	Not applicable
Decomposition Temperature	200° C
Viscosity	No information available.
Kinematic viscosity	Not applicable
Oxidizing Properties	Not applicable
Particle Size	No information available
VOC Content (%)	Not applicable

9.2. Other information**9.2.1. Information with regard to physical hazard classes**

Not applicable

9.2.2. Other safety characteristics

Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity	Stable under normal conditions
10.2. Chemical stability	Stable under normal conditions
10.3. Possibility of hazardous reactions	No specific hazard known
10.4. Conditions to avoid	Incompatible materials Dust formation
10.5. Incompatible materials	None known
10.6. Hazardous decomposition products	None known

SECTION 11: Toxicological information

Issue Date 04/Feb/2023
Print Date 17/Feb/2023

Revision Number 1.3.2
Page 7 of 10

General Information Users are advised to consider national Occupational Exposure Limits or other equivalent values.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Aluminum Hydroxide

Oral LD50	> 2000 mg/kg Rat
Inhalation LC50	Rat > 2.3 mg/l (Al ₂ O ₃) Aerosol Maximum attainable concentration
IARC	Not Listed

Information on Likely Routes of Exposure

Inhalation	Do not breathe dust Inhalation of dust in high concentration may cause irritation of respiratory system
Ingestion	Ingestion is not a likely route of exposure
Skin	Prolonged or repeated contact may dry skin and cause irritation
Eyes	Dust contact with the eyes can lead to mechanical irritation
Aspiration hazard	Not an expected route of exposure.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors

11.2.2. Other information Not applicable

SECTION 12: Ecological information

12.1. Toxicity Not considered to be harmful to aquatic life

Aluminum Hydroxide

WGK Classification (AwSV) 5220 WGK: nwg

12.2. Persistence and degradability No data available.

12.3. Bioaccumulative potential No data available.

Partition coefficient Not applicable

Bioconcentration factor (BCF) No data available.

12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB assessment No data available.

12.6. Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal Methods Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Product residue may remain in empty containers. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Waste codes Waste codes should be assigned by the user based on the application for which the product was used

Aluminum Hydroxide

European Waste Catalog 060299
WGK Classification (AwSV) 5220 WGK: nwg

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada	Not regulated
DOT	Not regulated
ADR	Not regulated
RID	Not regulated
ADN	Not regulated
IATA	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated

14.1. UN number or ID number None

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

HUBER

Safety Data Sheet

MoldX® A400

Issue Date 04/Feb/2023
Print Date 17/Feb/2023

Revision Number 1.3.2
Page 9 of 10

14.5. Environmental hazards No

14.6. Special precautions for user Not applicable

14.7. Maritime transport in bulk according to IMO instruments
Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global Inventories

Chemical Name	CAS Number	EC No	Australia (AIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	Thailand (TECI)	New Zealand	Philippines (PICCS)	Taiwan	TSCA: United States
Aluminum Hydroxide	21645-51-2	244-492-7	Y	Y	Y	(1)-17 (ENCS); ISHL	KE-00980	Y	55-1-02594	Y	Y	Y	A
Flame Retardant Proprietary		Y	Y	Y	Y	Y	KE-18101	Y	55-1-06093	Y	Y	Y	A

Legend X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

REACH No.

Aluminum Hydroxide

EU REACH registration number 01-2119529246-39
Turkish KKDIK pre-registration 05-0000193352-73-0000

Germany

Aluminum Hydroxide

WGK Classification (AwSV) 5220 WGK: nwg

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were carried out

SECTION 16: Other information

Reason for Revision

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 & COMMISSION REGULATION (EU) No. 2020/878

Issue Date 04/Feb/2023
Print Date 17/Feb/2023
Revision Number 1.3.2

Prepared by Huber Engineered Materials Global Regulatory Affairs
email: regulatory.affairs@huber.com.

(CLP) Regulation (EC 1272/2008) Not classified

HUBER

Safety Data Sheet

MoldX® A400

Issue Date 04/Feb/2023
Print Date 17/Feb/2023

Revision Number 1.3.2
Page 10 of 10

Labeling

Symbols/Pictograms None

Signal Word None

Hazard Statements None.

Training Advice Do not handle until all safety precautions have been read and understood.

Abbreviations and acronyms

IARC (International Agency for Research on Cancer)
IUCLID (International Uniform Chemical Information Database)
WHMIS (Workplace Hazardous Materials Information System)
OSHA (Occupational Safety and Health Administration of the US Department of Labor)
TWA (Time-Weighted Average)
CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008))
PPE (Personal Protection Equipment)
NIOSH (National Institute for Occupational Safety and Health)
CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)
RQ (Reportable Quantity) (RQ/% in mixture)
STEL (Short Term Exposure Limit)
TLV® (Threshold Limit Value)
DNEL (Derived No Effect Level)
SVHC (Substances of Very High Concern)
BOD (Biochemical oxygen demand)
COD (Chemical oxygen demand)
ICAO (International Civil Aviation Organization)
IMDG (International Maritime Dangerous Goods)
ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)
IATA (International Air Transport Association)
IMDG (International Maritime Dangerous Goods)
DOT (Department of Transportation)
TDG (Transport of Dangerous Goods) Canada
PNEC (Predicted No Effect Concentration)
SCBA (Self-Contained Breathing Apparatus) Positive Pressure
GHS (Globally Harmonized System)
TSCA (Toxic Substances Control Act)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet