



HUBER ENGINEERED MATERIALS

Safety Data Sheet

MoldX® A400

This material safety datasheet has been prepared according to Brazilian legislation and ABNT NBR 14725:2014 GHS (Globally Harmonized System)

Issue Date 05/Oct/2021
Print Date 05/Oct/2021

Revision Number 1.3.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: MoldX® A400

Chemical Name Aluminum Hydroxide

Aluminum Hydroxide

CAS Number 21645-51-2

Weight-% >95

Flame Retardant

Proprietary

Weight-% <5

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company: J.M. Huber Corporation
3100 Cumberland Boulevard, Suite 600
Atlanta, GA 30339 USA
Tel: +1 678 247-7300

Internet www.hubermaterials.com

E-mail hubermaterials@huber.com

1.4. Emergency telephone number CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

SECTION 2: Hazards identification

Brazil Ministry of Transport

This product is not part of the Hazardous Products Classification established by the Brazilian Federal Department of Transportation's Administrative Ruling 204 from 5/20/1997.

Safety Data Sheet

MoldX® A400

Issue Date 05/Oct/2021
Print Date 05/Oct/2021

Revision Number 1.3.1
Page 2 of 10

2.1. Classification of the substance or mixture

Physical Hazards	Not classified
Health Hazards	Not classified
Environmental Hazard	Not classified

2.2. Label elements

Symbols/Pictograms	None.
Signal Word	None.
Hazard Statements	None

Precautionary Statements

Prevention	Employ good industrial hygiene practice Do not handle until all safety precautions have been read and understood Do not breathe dust Wear protective gloves/protective clothing/eye protection/face protection
Response	IF exposed or concerned: Get medical advice/attention Wash with plenty of soap and water
Storage	Store away from incompatible materials Keep in a dry place
Disposal	Dispose of contents/containers in accordance with local regulations

SECTION 3: Composition/information on ingredients

Chemical Name	CAS Number	TSCA: United States	EU REACH registration number	GHS Classification	Weight-%
Aluminum Hydroxide	21645-51-2	A	01-2119529246-39	Not classified.	>95
Flame Retardant Proprietary		A		Not classified.	<5

Additional information

TSCA A: Component is listed on Inventory as Active

SECTION 4: First aid measures

4.1. Description of first aid measures

General Advice	Employ good industrial hygiene practice. Wear suitable protective clothing, gloves and eye/face protection. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. When in doubt or
----------------	--

Safety Data Sheet

MoldX® A400

Issue Date 05/Oct/2021
Print Date 05/Oct/2021

Revision Number 1.3.1
Page 3 of 10

if symptoms are observed, get medical advice.

Eye Contact

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Skin Contact

Wash with plenty of soap and water.

Ingestion

Rinse mouth thoroughly with water.

Inhalation

Do not breathe dust. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

Aspiration hazard

Based on available data, the classification criteria are not met.

4.2. Most important symptoms and effects, both acute and delayed

May cause skin, eye, and respiratory tract irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment should be symptomatic and supportive. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

SECTION 5: Firefighting measures

5.1. Extinguishing media**Suitable Extinguishing Media**

Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO2).

Unsuitable Extinguishing Media

None known.

5.2. Special hazards arising from the substance or mixture

Avoid dust formation.

5.3. Advice for firefighters**Special protective equipment for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

Water mist may be used to cool closed containers. Combustible dust may form combustible (explosive) dust-air mixtures.

SECTION 6: Accidental release measures

6.1. Personal precautions,

Keep unauthorized personnel away

Issue Date 05/Oct/2021
Print Date 05/Oct/2021

Revision Number 1.3.1
Page 4 of 10

protective equipment and emergency procedures Ensure adequate ventilation
Avoid dust formation
Use personal protection recommended in Section 8

For non-emergency personnel Keep unauthorized personnel away.

For emergency responders Keep unauthorized personnel away
Use personal protection recommended in Section 8

6.2. Environmental precautions Avoid runoff to waterways and sewers.

6.3. Methods and material for containment and cleaning up Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust Small Spill: Vacuum or sweep material and place in a disposal container The use of water wash down is not recommended unless the spilled material is already wet

6.4. Reference to other sections Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling Avoid exposure - obtain special instructions before use
Do not handle until all safety precautions have been read and understood.
Minimize dust generation and accumulation
Do not breathe dust
Ensure adequate ventilation
Wear appropriate personal protective clothing to prevent skin contact
Handle in accordance with good industrial hygiene and safety practice

7.2. Conditions for safe storage, including any incompatibilities Keep container tightly closed and dry. Store away from incompatible materials.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Aluminum Hydroxide - 21645-51-2

OSHA	TWA: 15 mg/m ³ Total Dust 5 mg/m ³ Respirable Dust
NIOSH	TWA: 5 mg/m ³ (respirable dust); 10 mg/m ³ TWA (total dust)
ACGIH	TLV/TWA 8-hr: 1 mg/m ³ (respirable fraction)
Mexico	Not established

PNEC (Predicted No Effect Concentration) No information available

Biological Limit Values No information available

8.2. Exposure controls

Engineering Measures

Do not handle until all safety precautions have been read and understood
Ensure adequate ventilation, especially in confined areas
Provide a good standard of controlled ventilation (10 to 15 air changes per hour)
Use exhaust ventilation to keep airborne concentrations below exposure limits
In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment

Eye/Face Protection Wear safety glasses with side shields (or goggles).

Skin and Body Protection Wear suitable protective clothing.

Hand Protection For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Thermal hazards None known. Wear suitable protective clothing.

Hygiene Measures Follow general hygiene considerations recognized as common good workplace practices. The worker should wash daily at the end of each work shift, and prior to eating, drinking, smoking, etc.

Environmental Exposure Controls Dispose of in accordance with local regulations.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical State Solid.

Color White

Odor Odorless

Odor Threshold No information available

pH: 8.4-10.2 (5% water suspension)

Melting point / Freezing point Not available

Initial boiling point No information available

Flash Point: Non-combustible

Evaporation Rate Not applicable

Flammability (solid, gas) Not applicable

Vapor Pressure Not applicable

Issue Date 05/Oct/2021
Print Date 05/Oct/2021

Revision Number 1.3.1
Page 6 of 10

Vapor Density	Not applicable
Density	2.4 g/cm ³ , 20°C
Water Solubility	Insoluble
Partition coefficient	Not applicable
Autoignition Temperature	Not applicable
Decomposition Temperature	200° C
Viscosity	Not applicable
Explosive Properties	Not applicable
Oxidizing Properties	Not available
VOC Content (%)	Not applicable
9.2. Other information	

SECTION 10: Stability and reactivity

10.1. Reactivity	None.
10.2. Chemical stability	Stable under normal conditions.
10.3. Possibility of hazardous reactions	No specific hazard known.
10.4. Conditions to avoid	Incompatible materials. Dust formation.
10.5. Incompatible materials	None known
10.6. Hazardous decomposition products	None known.

SECTION 11: Toxicological information

General Information	Users are advised to consider national Occupational Exposure Limits or other equivalent values.
----------------------------	---

Information on Likely Routes of Exposure

Inhalation	Do not breathe dust. Inhalation of dust in high concentration may cause irritation of respiratory system.
Skin	Prolonged or repeated contact may dry skin and cause irritation.

Issue Date 05/Oct/2021
Print Date 05/Oct/2021

Revision Number 1.3.1
Page 7 of 10

Eyes	Dust contact with the eyes can lead to mechanical irritation.
Ingestion	Ingestion is not a likely route of exposure.
Aspiration hazard	Not an expected route of exposure.
Symptoms related to the physical, chemical and toxicological characteristics	Signs and symptoms may include coughing, gasping, choking and difficulty breathing. Contact with eyes may cause irritation.

11.1. Information on toxicological effects

Aluminum Hydroxide - 21645-51-2

Oral LD50	> 2000 mg/kg Rat
Inhalation LC50	Rat > 2.3 mg/l (Al ₂ O ₃) Aerosol Maximum attainable concentration
IARC	Not Listed

Acute Toxicity	Based on available data, the classification criteria are not met
Chronic Toxicity	Based on available data, the classification criteria are not met.
Chronic Effects	Based on available data, the classification criteria are not met.
Respiratory Sensitization	Based on available data, the classification criteria are not met.
Skin Sensitization	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Reproductive Toxicity	Based on available data, the classification criteria are not met.
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Specific target organ toxicity - Single exposure	Based on available data, the classification criteria are not met.
Specific target organ toxicity - Repeated exposure	Based on available data, the classification criteria are not met.
Mixture versus substance information	No information available.

SECTION 12: Ecological information

12.1. Ecotoxicity	Not considered to be harmful to aquatic life. Avoid release to the environment.
--------------------------	---

Aluminum Hydroxide - 21645-51-2

WGK Classification (AwSV) 5220 WGK: nwg

Issue Date 05/Oct/2021
Print Date 05/Oct/2021

Revision Number 1.3.1
Page 8 of 10

12.2. Persistence and degradability	Not biodegradable.
12.3. Bioaccumulative potential	This mixture contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).
Partition coefficient	Not applicable.
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	No data available.
12.5. Results of PBT and vPvB assessment	This substance does not meet the criteria for classification as PBT or vPvB.
12.6. Other adverse effects	None known

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Contaminated Packaging	Product residue may remain in empty containers. Empty containers should be taken to an approved waste handling site for recycling or disposal.
Waste codes	Waste codes should be assigned by the user based on the application for which the product was used
Disposal Methods	Dispose of waste product or used containers according to local regulations

Aluminum Hydroxide - 21645-51-2
European Waste Catalog 060299

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)

ADR	Not regulated
RID	Not regulated
ADN	Not regulated
IATA	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated

HUBER

Safety Data Sheet

MoldX® A400

Issue Date 05/Oct/2021
Print Date 05/Oct/2021

Revision Number 1.3.1
Page 9 of 10

- 14.1. UN number None
- 14.2. UN proper shipping name None
- 14.3. Transport hazard class(es) None
- 14.4. Packing group None
- 14.5. Environmental hazards No
- 14.6. Special precautions for user Not applicable
- 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global Inventories

Chemical Name	CAS Number	EC No	EU REACH registration number	Australia (AIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	New Zealand	Philippines (PICCS)	Taiwan	TSCA: United States
Aluminum Hydroxide	21645-51-2	244-492-7	01-211952 9246-39	Y	Y	Y	(1)-17 (ENCS); ISHL	KE-00980	Y	Y	Y	Y	A
Flame Retardant Proprietary		Y		Y	Y	Y	Y	KE-18101	Y	Y	Y	Y	A

Legend

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

Information on risks and safety as written on the label


Health - Blue

Flammability - Red

Physical Hazard - Yellow

Special - White

Diamante de Hommel



Issue Date 05/Oct/2021
Print Date 05/Oct/2021**Revision Number** 1.3.1
Page 10 of 10

4- Extreme
3- High
2- Moderate
1- Low
0- Minimum

SECTION 16: Other information

Prepared by Huber Engineered Materials (HEM) Global Regulatory Affairs
regulatory.affairs@huber.com

Reason for Version Brasil: ABNT NRB 14725-4: 2014.

Training Advice Do not handle until all safety precautions have been read and understood.

Abbreviations and acronyms

IARC (International Agency for Research on Cancer)
IATA (International Air Transport Association)
IMDG (International Maritime Dangerous Goods)
IUCID (International Uniform Chemical Information Database)
WHMIS (Workplace Hazardous Materials Information System)
DOT (Department of Transportation)
OSHA (Occupational Safety and Health Administration of the US Department of Labor)
TWA (Time-Weighted Average)
CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008))
PPE (Personal Protection Equipment)
NIOSH (National Institute for Occupational Safety and Health)
TDG (Transport of Dangerous Goods) Canada
CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)
RQ (Reportable Quantity) (RQ/% in mixture)
STEL (Short Term Exposure Limit)
TLV® (Threshold Limit Value)
DNEL (Derived No Effect Level)
SVHC (Substances of Very High Concern)
BOD (Biochemical oxygen demand)
COD (Chemical oxygen demand)
ICAO (International Civil Aviation Organization)
IMDG (International Maritime Dangerous Goods)
SCBA (Self-Contained Breathing Apparatus) Positive Pressure
PNEC (Predicted No Effect Concentration)
GHS (Globally Harmonized System)
TSCA (Toxic Substances Control Act)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet