

Martoxid® KMS-96; Martoxid® KMS-98

Prepared in accordance with GB/T 16483-2008, GB/TGB/T 24774-2009, GB 13690 – 2009, GB/T 17519–2013
Globally Harmonized System (GHS)

Issue Date: 28/May/2019
Print Date: 30/May/2019

Revision Number: 1.3
Page 1 of 10

Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name:	Martoxid® KMS-96; Martoxid® KMS-98
Chemical Name	Preparation : Al ₂ O ₃
<u>Aluminum oxide</u>	
CAS Number	1344-28-1
Weight-%	KMS-96 (93-94%) KMS-98 (95-96%)
Recommended Use	Raw material for ceramics, refractory products, etc.
Uses advised against	None known
Company:	MARTINSWERK GmbH Kölner Strasse 110 50127 Bergheim Germany Tel. : +49-2271-90.22.78 Fax. : +49-2271-90.27.17
Emergency Telephone	CHEMTREC: 1 800 424 9300 or International +1 703 527 3887
E-mail	hubermaterials@huber.com
Internet	www.hubermaterials.com

Section 2: HAZARDS IDENTIFICATION

GHS Classification	Not classified
Physical Hazard	Not classified
Health Hazard	Not classified
Environmental Hazard	Not classified
Label Elements	
Symbols/Pictograms	None
Signal Word	None

Precautionary Statements

HUBER

Safety Data Sheet

Martoxid® KMS-96; Martoxid® KMS-98

Issue Date: 28/May/2019
Print Date: 30/May/2019

Revision Number: 1.3
Page 2 of 10

Prevention Avoid release to the environment
Observe good industrial hygiene practices.
Avoid breathing dust.
Use mechanical ventilation (dilution and local exhaust) to control exposure

Response IF ON SKIN: Wash with plenty of soap and water
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

Spills and Leaks Collect spillage

Storage Store in a dry place

Disposal Dispose in accordance with local, state and national regulations

Additional Information: None.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	China (IECSC)	China classification	TSCA: United States	REACH registration number	Weight-%
Aluminum oxide	1344-28-1	Y	Not classified	Y	01-2119529248-35-xxxx 01-2119529248-35-0017	KMS-96 (93-94%) KMS-98 (95-96%)

Section 4: FIRST AID MEASURES

General Advice In case of doubt or when symptoms persist, seek medical attention.

Eye Contact Hold eyelids apart and flush eyes with a steady, gentle stream of water for several minutes.

Skin Contact Wash skin with soap and water

Inhalation IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

Ingestion Rinse mouth with water. Do not induce vomiting.

Notes to Physician Treat symptomatically

Personal Protective Equipment Wear suitable protective clothing

Safety Data Sheet

Martoxid® KMS-96; Martoxid® KMS-98

Issue Date: 28/May/2019
Print Date: 30/May/2019

Revision Number: 1.3
Page 3 of 10

For First Aid Responders IF exposed or concerned: Get medical advice/attention

Expected acute symptoms and delayed symptoms None known

Section 5: FIRE FIGHTING MEASURES

Flammable Properties None known

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media: None known

Specific Hazards Arising from the Chemical None known

Unusual fire & explosion hazards: None

Protective measures: Use protective equipment that is appropriate for surrounding materials.

Protective Equipment and Precautions for Firefighters Wear self-contained breathing apparatus and protective suit

Section 6: SPILLAGE, ACCIDENTAL RELEASE MEASURES

Personal Precautions Avoid dust formation
Ensure adequate ventilation
Use personal protection recommended in Section 8
Keep unauthorized personnel away

Environmental Precautions Avoid runoff to waterways and sewers

Methods for cleaning up Pick up mechanically and / or by rinsing with water.
Avoid dry sweeping and use a sprinkler system or exhaust ventilation to prevent dust formation.

Other Information: None known

Section 7: HANDLING AND STORAGE

Handling In case of exposure to environments exceeding the occupational exposure limit, wear a respirator in compliance with national legislation.

Storage Keep containers tightly closed in a cool, well-ventilated place

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

HUBER

Safety Data Sheet

Martoxid® KMS-96; Martoxid® KMS-98

Issue Date: 28/May/2019
Print Date: 30/May/2019

Revision Number: 1.3
Page 4 of 10

Exposure Limits

Provide adequate ventilation as well as local exhaust at critical locations

Aluminum oxide

China

TWA: 4 mg/m³ total dust

China

STEL: 8 mg/m³ total dust

ACGIH

TWA: 10 mg/m³

ACGIH TLV

TWA: 1 mg/m³ respirable fraction

NIOSH

Not established

OSHA

TWA: 15 mg/m³ total dust

TWA: 5 mg/m³ respirable fraction

(vacated) TWA: 10 mg/m³ total dust

(vacated) TWA: 5 mg/m³ respirable fraction

Engineering Measures

Do not handle until all safety precautions have been read and understood
Ensure adequate ventilation, especially in confined areas
Provide a good standard of controlled ventilation (10 to 15 air changes per hour)
Use exhaust ventilation to keep airborne concentrations below exposure limits
In case of insufficient ventilation, wear suitable respiratory equipment

Personal Protective Equipment

Eye/Face Protection

Wear safety goggles with side protection

Skin and Body Protection

Wear suitable protective clothing

Hand Protection

Impervious gloves

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice Wash hands and face before breaks and immediately after handling the product.

Environmental Exposure Controls

Dispose of in accordance with local regulations

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance:

Physical State

Solid

Powder

Color

White (Al₂O₃)

Odor

Odorless

Odor Threshold

No information available

pH:

+/- 9 (10 % / H₂O)

Melting point / Freezing point

2000 °C (3632 °F) (1013 hPa)

Initial boiling point and boiling range

2980 °C (5396 °F) (1013 hPa)

Flash Point:

Not applicable. Product/Substance is inorganic. Solid.

Evaporation Rate

Not applicable Melting Point : > 300°C

Flammability (solid, gas)

No information available

Upper flammability limit:

Safety Data Sheet

Martoxid® KMS-96; Martoxid® KMS-98

Issue Date: 28/May/2019
Print Date: 30/May/2019

Revision Number: 1.3
Page 5 of 10

Lower flammability limit:	
Vapor Pressure	No information available
Vapor Density	Not applicable
	Melting Point : > 300°C
Relative Density	+/- 3.7 - 3.9
Water Solubility	Insoluble
Solubility in other solvents	No information available
Partition coefficient	Not applicable : Product/Substance is inorganic
Autoignition Temperature	No information available
Decomposition Temperature	No information available
Dynamic viscosity	Not applicable Solid
Explosive Properties	None
Oxidizing Properties	None

Section 10: STABILITY AND REACTIVITY

Stability	Stable under normal conditions
Conditions to avoid:	None known
Incompatible materials	Strong acids
Hazardous decomposition products	None under normal processing
Hazardous Reactions	None under normal processing
Hazardous polymerization:	None under normal processing

Section 11: TOXICOLOGICAL INFORMATION

General Information	Users are advised to consider national Occupational Exposure Limits or other equivalent values.
----------------------------	---

Product Information

Information on Likely Routes of Exposure

Eyes	Avoid contact with eyes Dust contact with the eyes can lead to mechanical irritation
Skin	Avoid prolonged or repeated contact with skin Contact with dust can cause mechanical irritation or drying of the skin
Inhalation	Do not breathe dust
Ingestion	Ingestion is not a likely route of exposure

Safety Data Sheet

Martoxid® KMS-96; Martoxid® KMS-98

Issue Date: 28/May/2019
Print Date: 30/May/2019

Revision Number: 1.3
Page 6 of 10

Aspiration hazard	Not an expected route of exposure.
Symptoms	Low hazard for usual industrial or commercial handling

11.1. Information on toxicological effects

Aluminum oxide

Serious eye damage/eye irritation	Non-irritant : Rabbit
Skin Corrosion/Irritation	Non-irritant : Rabbit
Mutagenicity	in vitro in vivo Based on available data, the classification criteria are not met
Reproductive Effects	No indication of effects on fertility. No indication of effects on developmental toxicity.
Target Organ Effects	Lungs
Specific target organ toxicity - Single exposure	No information available
Specific target organ toxicity - Repeated exposure	Repeated dose toxicity Inhalation 28-d Rat NOAEL (No observed adverse effect level) 70 mg(Al)/m ³ Repeated dose toxicity 1- Year Rat NOAEL (No observed adverse effect level) ≥ 30 mg Al/kg bw

Acute Toxicity	Mixture Al ₂ O ₃ Repeated dose toxicity Inhalation 28-d Rat NOAEL (No observed adverse effect level) 70 mg(Al)/m ³ . Target Organs Lungs Respiratory system Repeated dose toxicity 1- Year Oral Rat NOAEL (No observed adverse effect level) ≥ 30 mg Al/kg bw
-----------------------	--

Serious eye damage/eye irritation	Non-irritant : Rabbit
--	-----------------------

Respiratory Sensitization	Based on available data, the classification criteria are not met
----------------------------------	--

Skin Corrosion/Irritation	Non-irritant : Rabbit
----------------------------------	-----------------------

Mutagenicity	Based on available data, the classification criteria are not met.
---------------------	---

Reproductive Effects	Based on available data, the classification criteria are not met.
-----------------------------	---

Reproductive Toxicity	Based on available data, the classification criteria are not met.
------------------------------	---

Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
------------------------	--

Target Organ Effects	Lungs.
-----------------------------	--------

Specific target organ toxicity - Single exposure	No information available.
---	---------------------------

Specific target organ toxicity - Repeated exposure	No information available.
---	---------------------------

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity	Very low solubility. Not considered to be harmful to aquatic life.
Persistence/Degradability:	The methods for determining biodegradability are not applicable to inorganic substances.
Bioaccumulative Potential	Not likely to bioaccumulate.
Partition coefficient	Not available
Bioconcentration factor (BCF)	No data available.
Mobility in soil	None.
Results of PBT and vPvB assessment	This substance does not meet the criteria for classification as PBT or vPvB.
Other Adverse Effects	None known

Section 13: DISPOSAL CONSIDERATIONS

Waste from Residues/Unused Products	Dispose of in accordance with local regulations
Contaminated Packaging:	Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14: TRANSPORT INFORMATION

Mode of Transportation (Road, Water, Air, Rail)

DOT	Not regulated
ADR	Not regulated
RID	Not regulated
IATA	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated

14.1. UN number	None
14.2. UN proper shipping name	None
14.3. Transport hazard class(es)	None
14.4. Packing group	None

HUBER

Safety Data Sheet
Martoxid® KMS-96; Martoxid® KMS-98

Issue Date: 28/May/2019

Print Date: 30/May/2019

Revision Number: 1.3

Page 8 of 10

14.5. Environmental hazards No

14.6. Special precautions for user Not applicable

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not applicable

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global Inventories

Chemical Name	CAS Number	EC No	REACH registration number	Australia (AICS)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	New Zealand	Philippines (PICCS)	Taiwan	TSCA: United States
Aluminum oxide	1344-28-1	215-691-6	01-211952924-8-35-xxxx 01-211952924-8-35-0017	Y	Y	Y	(1)-23 (ENCS)(IS HL)	KE-01012	Y	Y	Y	Y	Y

Legend

X / Y: Complies - / N: Not Listed Exempt

Safety Data Sheet

Martoxid® KMS-96; Martoxid® KMS-98

Issue Date: 28/May/2019
Print Date: 30/May/2019

Revision Number: 1.3
Page 9 of 10

Section 16: OTHER INFORMATION

Prepared by	Huber Engineered Materials Global Regulatory Affairs email: regulatory.affairs@huber.com
Reason for Revision	GB/T 16483-2008 GB/T 24774-2009 GB 13690 – 2009 GB/T 17519–2013
GHS Classification	Not classified
Physical Hazard	Not classified
Health Hazard	Not classified
Environmental Hazard	Not classified
Label Elements	
Symbols/Pictograms	None
Signal Word	None
Abbreviations and acronyms	International Agency for Research on Cancer (IARC) International Air Transport Association (IATA) International Maritime Dangerous Goods (IMDG) International Uniform Chemical Information Database (IUCLID) Workplace Hazardous Materials Information System (WHMIS) status and classification EPA SARA Title III Section 312 (40 CFR 370) Hazard Classification DOT (Department of Transportation) OSHA (Occupational Safety and Health Administration of the US Department of Labor) TWA - Time-Weighted Average Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) The Classification, Labeling and Packaging of Substances and Mixtures (CLP) Regulation (EC 1272/2008) PPE - Personal Protection Equipment NIOSH - National Institute for Occupational Safety and Health TDG (Transport of Dangerous Goods) Canada CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act) Reportable Quantity (RQ) (RQ/% in mixture) STEL - Short Term Exposure Limit TLV® - Threshold Limit Value Derived No Effect Level (DNEL) SVHC: Substances of Very High Concern for Authorization: Land transport (ADR/RID) Biochemical oxygen demand (BOD) Chemical oxygen demand (COD) ICAO (air) (IMDG) International Maritime Dangerous Goods Positive Pressure Self-Contained Breathing Apparatus (SCBA) Predicted No Effect Concentration (PNEC) Globally Harmonized System (GHS)

HUBER

Safety Data Sheet
Martoxid® KMS-96; Martoxid® KMS-98

Issue Date: 28/May/2019

Print Date: 30/May/2019

Revision Number: 1.3

Page 10 of 10

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet