



SAFETY DATA SHEET

Martoxid® KMS-96; Martoxid® KMS-98

MOL No. 2009-68 Standards for Classification and Labeling of Chemical Substances and Material Safety Data Sheet (MSDS)

Issue Date: 28/May/2019
Print Date: 28/May/2019

Revision Number: 1.3
Page 1 of 9

Section 1: PRODUCT AND COMPANY IDENTIFICATION

A. Product name Martoxid® KMS-96; Martoxid® KMS-98

Chemical Name Preparation : Al₂O₃

Aluminum oxide

CAS Number 1344-28-1
Weight-% >90

B. Recommended use and Limitations on use

Recommended Use Raw material for ceramics, refractory products, etc.

Uses advised against None known

C. Supplier information

Company Name MARTINSWERK GmbH
Kölner Strasse 110
50127 Bergheim
Germany
Tel. : +49-2271-90.22.78
Fax. : +49-2271-90.27.17

E-mail hubermaterials@huber.com

Internet www.hubermaterials.com

Contact person CHEMTREC
Emergency phone number +1 800 424 9300 International +1 703 527 3887

Section 2: HAZARDS IDENTIFICATION

A. Hazard category/Classification

Physical Hazards Not classified

Health Hazards Not classified

Environmental Hazards Not classified

B. Warning label items including precautionary statement

Label Elements

Martoxid® KMS-96; Martoxid® KMS-98

Issue Date: 28/May/2019

Print Date: 28/May/2019

Revision Number: 1.3

Page 2 of 9

Symbols/Pictograms None

Signal Words None

Hazard Statements None

Precautionary statement**Prevention**

Employ good industrial hygiene practice
Do not handle until all safety precautions have been read and understood.
Do not breathe dust
Wear protective gloves/protective clothing/eye protection/face protection

Response IF ON SKIN: Wash with plenty of soap and water**Storage** Store away from incompatible materials**Disposal** Dispose of contents/containers in accordance with local regulations**Additional Information:** None.**C. Other hazards not included in the hazard category criteria (e.g. dust explosion hazard)**

None known

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	S. Korea (KECL)	Korean GHS Classification	TSCA: United States	Weight-%
Aluminum oxide	1344-28-1	KE-01012	Not classified	Y	>90

Legend

X / Y: Complies , - / N: Not Listed , Exempt

Section 4: FIRST AID MEASURES**A. In case of eye contact** Rinse with water. Get medical attention if irritation develops and persists.**B. In case of skin contact** Wash off with soap and water. Get medical attention if irritation develops and persists.**C. In case of inhalation** Move to fresh air. Call a physician if symptoms develop or persist.**D. In case of swallowing** Rinse mouth. Get medical attention if symptoms occur.**E. Note to physician** Treat symptomatically.**Section 5: FIRE FIGHTING MEASURES**

Martoxid® KMS-96; Martoxid® KMS-98

Issue Date: 28/May/2019

Print Date: 28/May/2019

Revision Number: 1.3

Page 3 of 9

A. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	None known

B. Specific hazards arising from the chemical (example: hazardous combustion products)

Explosion hazard:	None known
--------------------------	------------

C. Specific methods of fire-fighting

Self-contained breathing apparatus and full protective clothing must be worn in case of fire. In the event of fire and/or explosion do not breathe fumes. Move container from fire area if it can be done without risk.

Section 6: SPILLAGE, ACCIDENTAL RELEASE MEASURES

A. Personal precautions, protective equipment and emergency measures Ensure adequate ventilation. Avoid dust formation. See section 8 for more information.

B. Environmental precautions Not considered to be harmful to aquatic life. Avoid discharge into drains, water courses or onto the ground.

C. Methods and materials for containment and cleaning up Vacuum or sweep material and place in a disposal container.

Section 7: HANDLING AND STORAGE**A. Precautions for safe handling**

In case of exposure to environments exceeding the occupational exposure limit, wear a respirator in compliance with national legislation.

B. Conditions for safe storage (including any incompatibilities)

Keep container tightly closed in a dry and well-ventilated place

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**A. Exposure limit values, biological limit values, etc****Aluminum oxide**

Korea	TWA: 10 mg/m ³
ACGIH	TWA: 10 mg/m ³
ACGIH TLV	TWA: 1 mg/m ³ respirable fraction
OSHA	TWA: 15 mg/m ³ total dust
	TWA: 5 mg/m ³ respirable fraction
	(vacated) TWA: 10 mg/m ³ total dust
	(vacated) TWA: 5 mg/m ³ respirable fraction

Martoxid® KMS-96; Martoxid® KMS-98

Issue Date: 28/May/2019

Print Date: 28/May/2019

Revision Number: 1.3

Page 4 of 9

**B. Engineering Controls.
Engineering Measures**

Do not handle until all safety precautions have been read and understood
 Ensure adequate ventilation, especially in confined areas
 Provide a good standard of controlled ventilation (10 to 15 air changes per hour)
 Use exhaust ventilation to keep airborne concentrations below exposure limits
 In case of insufficient ventilation, wear suitable respiratory equipment

C. Personal protective equipment

- **Eye protection** If contact is likely, safety glasses with side shields are recommended.
- **Hand protection** For prolonged or repeated skin contact use suitable protective gloves.
- **Body protection** Wear suitable protective clothing.

Hygiene Measures

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Solid Powder
Color	White (Al2O3)
Odor	Odorless
Odor Threshold	No information available
pH:	+/- 9 (10 % / H2O)
Melting point / Freezing point	2000 °C (3632 °F) (1013 hPa)
Initial boiling point and boiling range	2980 °C (5396 °F) (1013 hPa)
Flash Point:	Not applicable Product/Substance is inorganic Solid
Evaporation Rate	Not applicable Melting Point : > 300°C
Flammability (solid, gas)	No information available
Upper flammability limit:	No data available
Lower flammability limit:	No data available
Vapor Pressure	No information available
Vapor Density	Not applicable Melting Point : > 300°C
Relative Density	+/- 3.7 - 3.9
Water Solubility	Insoluble
Solubility in other solvents	No information available Not applicable : Product/Substance is inorganic No information available
Kinematic viscosity	No data available.
Dynamic viscosity	Not applicable. Solid.
Explosive Properties	None
Oxidizing Properties	None

Section 10: STABILITY AND REACTIVITY

Martoxid® KMS-96; Martoxid® KMS-98

Issue Date: 28/May/2019

Print Date: 28/May/2019

Revision Number: 1.3

Page 5 of 9

A. Stability and hazardous reaction potential

Stability	Stable under normal conditions
------------------	--------------------------------

Hazardous reaction potential	None known
-------------------------------------	------------

B. Conditions to avoid (e.g. static discharge, shock or Vibration, etc) Avoid creating dust. Incompatible materials.

C. Incompatible materials Strong oxidizing agents

D. Hazardous decomposition products No hazardous decomposition products are known.

Section 11: TOXICOLOGICAL INFORMATION
A. Information on likely routes of exposure

- | | |
|----------------|--------------------------------------------------------------|
| • Mouth | Not an expected route of exposure |
| • Eyes | Dust contact with the eyes can lead to mechanical irritation |
| • Skin | Prolonged skin contact may cause temporary irritation. |

B. Information on health hazards**Aluminum oxide**

Serious eye damage/eye irritation	Non-irritant : Rabbit
Skin Corrosion/Irritation	Non-irritant : Rabbit
Mutagenicity	in vitro in vivo Based on available data, the classification criteria are not met
Reproductive Effects	No indication of effects on fertility. No indication of effects on developmental toxicity.
Target Organ Effects	Lungs
Specific target organ toxicity	No information available
- Single exposure	
Specific target organ toxicity	Repeated dose toxicity Inhalation 28-d Rat NOAEL (No observed adverse effect level) 70 mg(Al)/m ³
- Repeated exposure	Repeated dose toxicity 1- Year Rat NOAEL (No observed adverse effect level) >=30 mg Al/kg bw

Acute Toxicity

Mixture
Al₂O₃
Repeated dose toxicity Inhalation 28-d Rat NOAEL (No observed adverse effect level) 70 mg(Al)/m³ . Target Organs Lungs Respiratory system

Repeated dose toxicity 1- Year Oral Rat NOAEL (No observed adverse effect level) >=30 mg Al/kg bw

Martoxid® KMS-96; Martoxid® KMS-98

Issue Date: 28/May/2019

Print Date: 28/May/2019

Revision Number: 1.3

Page 6 of 9

Respiratory Sensitization	Based on available data, the classification criteria are not met
Serious eye damage/eye irritation	Non-irritant : Rabbit
Skin Corrosion/Irritation	Non-irritant : Rabbit
Mutagenicity	Based on available data, the classification criteria are not met
Reproductive Effects	Based on available data, the classification criteria are not met.
Reproductive Toxicity	Based on available data, the classification criteria are not met.
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Target Organ Effects	Lungs.
Specific target organ toxicity - Single exposure	No information available.
Specific target organ toxicity - Repeated exposure	No information available.

Section 12: ECOLOGICAL INFORMATION

A. Ecotoxicity

Hazardous to the aquatic environment, acute hazard	Not classified Avoid runoff to waterways and sewers
Hazardous to the aquatic environment, long-term hazard	Not classified Avoid runoff to waterways and sewers

B. Persistence/degradability No data available

C. Bioaccumulative potential No data available

D. Mobility in soil No data available

E. Other adverse effects No data available

Section 13: DISPOSAL CONSIDERATIONS

A. Method of disposal

Martoxid® KMS-96; Martoxid® KMS-98

Issue Date: 28/May/2019

Print Date: 28/May/2019

Revision Number: 1.3

Page 7 of 9

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in accordance with all applicable regulations.

B. Disposal considerations (including disposal of contaminated containers or packaging) Disposal should be in accordance with applicable regional, national and local laws and regulations

Section 14: TRANSPORT INFORMATION

Mode of Transportation (Road, Water, Air, Rail)

ADR	Not regulated
RID	Not regulated
IATA	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated

14.1. UN number None

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

14.6. Special precautions for user Not applicable

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not applicable

Section 15: REGULATORY INFORMATION

National Regulations

Aluminum oxide

CAS Number	1344-28-1
Weight-%	>90
Korean GHS Classification	Not classified
Toxic Release Inventory Chemicals - Group 1	Not applicable
Toxic Release Inventory Chemicals - Group 2	>=1.0%

Other domestic and foreign regulations

Martoxid® KMS-96; Martoxid® KMS-98

Issue Date: 28/May/2019

Print Date: 28/May/2019

Revision Number: 1.3

Page 8 of 9

Global Inventories

Chemical Name	CAS Number	EC No	REACH registration number	Australia (AICS)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	New Zealand	Philippines (PICCS)	Taiwan	TSCA: United States
Aluminum oxide	1344-28-1	215-691-6	01-211952 9248-35-x xxx 01-211952 9248-35-0 017	Y	Y	Y	(1)-23 (ENCS)(ISHL)	KE-01012	Y	Y	Y	Y	Y

Legend

X / Y: Complies , - / N: Not Listed , Exempt

Section 16: OTHER INFORMATION

A. Source of Information

Abbreviations and acronyms

International Agency for Research on Cancer (IARC)
 International Air Transport Association (IATA)
 International Maritime Dangerous Goods (IMDG)
 International Uniform Chemical Information Database (IUCLID)
 Workplace Hazardous Materials Information System (WHMIS) status and classification
 EPA SARA Title III Section 312 (40 CFR 370) Hazard Classification
 DOT (Department of Transportation)
 OSHA (Occupational Safety and Health Administration of the US Department of Labor)
 TWA - Time-Weighted Average
 The Classification, Labeling and Packaging of Substances and Mixtures (CLP) Regulation (EC 1272/2008)
 PPE - Personal Protection Equipment
 NIOSH - National Institute for Occupational Safety and Health
 TDG (Transport of Dangerous Goods) Canada
 CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)
 Reportable Quantity (RQ) (RQ/% in mixture)
 STEL - Short Term Exposure Limit
 TLV® - Threshold Limit Value
 Derived No Effect Level (DNEL)
 SVHC: Substances of Very High Concern for Authorization:
 Land transport (ADR/RID)
 Biochemical oxygen demand (BOD)
 Chemical oxygen demand (COD)
 ICAO (air)
 (IMDG) International Maritime Dangerous Goods
 Positive Pressure Self-Contained Breathing Apparatus (SCBA)
 Predicted No Effect Concentration (PNEC)
 Globally Harmonized System (GHS)

B. Issue Date: 28/May/2019

Print Date: 28/May/2019

C. Number of revisions and Date 1.3
of most recent revision

Safety Data Sheet

Martoxid® KMS-96; Martoxid® KMS-98

Issue Date: 28/May/2019

Print Date: 28/May/2019

Revision Number: 1.3

Page 9 of 9

D. Other

Prepared by

Huber Engineered Materials Global Regulatory Affairs
email: regulatory.affairs@huber.com

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet