

Martoxid® KMS-96; Martoxid® KMS-98

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03
Canadian Workplace Hazardous Material Information System (WHMIS) 2015
Mexico NOM-018-STPS-2000; NOM-018-STPS-2015
Globally Harmonized System (GHS)

Issue Date: 28/May/2019
Print Date: 28/May/2019

Revision Number: 1.3
Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: Martoxid® KMS-96; Martoxid® KMS-98

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Raw material for ceramics, refractory products, etc.

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company: MARTINSWERK GmbH
Kölner Strasse 110
50127 Bergheim
Germany
Tel. : +49-2271-90.22.78
Fax. : +49-2271-90.27.17

Internet www.hubermaterials.com

E-mail hubermaterials@huber.com

1.4. Emergency telephone number CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

OSHA Regulatory Status This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Physical Hazards Not classified

Health Hazards Not classified

Environmental Hazard Not classified

HUBER

Safety Data Sheet

Martoxid® KMS-96; Martoxid® KMS-98

Issue Date: 28/May/2019
Print Date: 28/May/2019

Revision Number: 1.3
Page 2 of 11

2.2. Label elements

Symbols/Pictograms	None
Signal Word	None
Hazard Statements	None
Hazard Statements	None

Precautionary Statements

Prevention	Employ good industrial hygiene practice Do not handle until all safety precautions have been read and understood. Do not breathe dust Wear protective gloves/protective clothing/eye protection/face protection
Response	IF ON SKIN: Wash with plenty of soap and water
Storage	Store away from incompatible materials
Disposal	Dispose of contents/containers in accordance with local regulations

Additional Information: None.

Hazards not otherwise classified (HNOC) Not classified.

SECTION 3: Composition/information on ingredients

Chemical Name	CAS Number	TSCA: United States	Canada (DSL)	Mexico	REACH registration number	OSHA Regulatory Status	WHMIS	Weight-%
Aluminum oxide	1344-28-1	Y	Y	Y	01-211952924 8-35-xxxx 01-211952924 8-35-0017	Not classified	--	>90

Legend

X / Y: Complies , - / N: Not Listed , Exempt

SECTION 4: First aid measures

4.1. Description of first aid measures

General Advice When in doubt or if symptoms are observed, get medical advice. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

Safety Data Sheet

Martoxid® KMS-96; Martoxid® KMS-98

Issue Date: 28/May/2019
Print Date: 28/May/2019

Revision Number: 1.3
Page 3 of 11

Eye Contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Skin Contact	Wash with plenty of soap and water.
Ingestion	Rinse mouth thoroughly with water.
Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Aspiration hazard	Not an expected route of exposure.
4.2. Most important symptoms and effects, both acute and delayed	May cause irritation to mucous membranes and respiratory tract. Contact with dust can cause mechanical irritation or drying of the skin.
4.3. Indication of any immediate medical attention and special treatment needed	Treatment should be symptomatic and supportive.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

Not combustible. Use extinguishing agent suitable for type of surrounding fire. Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO₂).

Unsuitable Extinguishing Media

None known.

5.2. Special hazards arising from the substance or mixture

None known.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1. Personal precautions,

Ensure adequate ventilation. Use personal protection recommended in Section 8.

HUBER

Safety Data Sheet

Martoxid® KMS-96; Martoxid® KMS-98

Issue Date: 28/May/2019
Print Date: 28/May/2019

Revision Number: 1.3
Page 4 of 11

protective equipment and emergency procedures

Avoid dust formation. Keep unauthorized personnel away.

For non-emergency personnel

Keep unauthorized personnel away.

For emergency responders

Keep unauthorized personnel away. Use personal protection recommended in Section 8.

6.2. Environmental precautions

Avoid runoff to waterways and sewers.

6.3. Methods and material for containment and cleaning up

Methods for Containment : Prevent further leakage or spillage if safe to do so
Methods for Clean-up : Sweep up and shovel into suitable containers for disposal

6.4. Reference to other sections

Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Minimize dust generation and accumulation. Provide local exhaust ventilation. Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Store away from incompatible materials. Keep container tightly closed and dry.

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Aluminum oxide

OSHA

TWA: 15 mg/m³ total dust
TWA: 5 mg/m³ respirable fraction
(vacated) TWA: 10 mg/m³ total dust
(vacated) TWA: 5 mg/m³ respirable fraction

ACGIH

TWA: 10 mg/m³

ACGIH TLV

TWA: 1 mg/m³ respirable fraction

NIOSH

Not established

Mexico

TWA 10 mg/m³

Biological Limit Values:

None

Aluminum oxide - 1344-28-1

Worker - inhalative,
long-term - systemic

3 mg/m³

Consumer - oral, long-term -

6.22 mg/kg bw/d

Safety Data Sheet

Martoxid® KMS-96; Martoxid® KMS-98

Issue Date: 28/May/2019
Print Date: 28/May/2019

Revision Number: 1.3
Page 5 of 11

systemic	
----------	--

Aluminum oxide - 1344-28-1

Sewage treatment plant	20 mg/l
------------------------	---------

8.2. Exposure controls

Engineering Measures

Provide a good standard of controlled ventilation (5 to 10 air changes per hour).
Use exhaust ventilation to keep airborne concentrations below exposure limits. In case of insufficient ventilation, wear suitable respiratory equipment.

Personal protective equipment

Eye/Face Protection

Wear safety glasses with side shields (or goggles).

Skin and Body Protection

Wear suitable protective clothing.

Hand protection

For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn. Wear suitable gloves tested to EN 374.

Respiratory Protection

In case of inadequate ventilation wear respiratory protection.

Thermal hazards

None known.

Hygiene Measures

Follow general hygiene considerations recognized as common good workplace practices. The worker should wash daily at the end of each work shift, and prior to eating, drinking, smoking, etc.

Environmental Exposure Controls

Dispose of in accordance with local regulations.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:

Physical State

Solid Powder

Color

White (Al₂O₃)

Odor

Odorless

Odor Threshold

No information available

pH:

+/- 9 (10 % / H₂O)

Melting point / Freezing point

2000 °C (3632 °F) (1013 hPa)

Initial boiling point and boiling range

2980 °C (5396 °F) (1013 hPa)

Flash Point:

Not applicable. Product/Substance is inorganic. Solid.

Evaporation Rate

Not applicable. Melting Point : > 300°C

Flammability (solid, gas)

No information available

Upper flammability limit:

Lower flammability limit:

Vapor Pressure

No information available

HUBER

Safety Data Sheet

Martoxid® KMS-96; Martoxid® KMS-98

Issue Date: 28/May/2019
Print Date: 28/May/2019

Revision Number: 1.3
Page 6 of 11

Vapor Density	Not applicable
Relative Density	Melting Point : > 300°C
Water Solubility	+/- 3.7 - 3.9
Solubility in other solvents	Insoluble
Partition coefficient	No information available
Autoignition Temperature	Not applicable : Product/Substance is inorganic
Decomposition Temperature	No information available
Dynamic viscosity	No information available
Explosive Properties	Not applicable Solid
Oxidizing Properties	None
	None

SECTION 10: Stability and reactivity

10.1. Reactivity	No data available
10.2. Chemical stability	Stable under normal conditions
10.3. Possibility of hazardous reactions	None under normal processing
10.4. Conditions to avoid	Incompatible materials Decomposition Temperature : Al ₂ O ₃ Water
10.5. Incompatible materials	Strong acids
10.6. Hazardous decomposition products	None known

SECTION 11: Toxicological information

General Information	Users are advised to consider national Occupational Exposure Limits or other equivalent values.
---------------------	---

Information on Likely Routes of Exposure

Inhalation	Do not breathe dust
Skin	Avoid prolonged or repeated contact with skin Contact with dust can cause mechanical irritation or drying of the skin
Eyes	Avoid contact with eyes Dust contact with the eyes can lead to mechanical irritation
Ingestion	Ingestion is not a likely route of exposure
Aspiration hazard	Not an expected route of exposure.

Issue Date: 28/May/2019
Print Date: 28/May/2019

Revision Number: 1.3
Page 7 of 11

11.1. Information on toxicological effects

Aluminum oxide

Serious eye damage/eye irritation	Non-irritant : Rabbit
Skin Corrosion/Irritation	Non-irritant : Rabbit
Mutagenicity	in vitro in vivo Based on available data, the classification criteria are not met
Reproductive Effects	No indication of effects on fertility. No indication of effects on developmental toxicity.
Target Organ Effects	Lungs
Specific target organ toxicity - Single exposure	No information available
Specific target organ toxicity - Repeated exposure	Repeated dose toxicity Inhalation 28-d Rat NOAEL (No observed adverse effect level) 70 mg(Al)/m ³ Repeated dose toxicity 1- Year Rat NOAEL (No observed adverse effect level) >=30 mg Al/kg bw

Acute Toxicity	Mixture Al ₂ O ₃ Repeated dose toxicity Inhalation 28-d Rat NOAEL (No observed adverse effect level) 70 mg(Al)/m ³ . Target Organs Lungs Respiratory system Repeated dose toxicity 1- Year Oral Rat NOAEL (No observed adverse effect level) >=30 mg Al/kg bw
Respiratory Sensitization	Based on available data, the classification criteria are not met
Serious eye damage/eye irritation	Non-irritant : Rabbit
Skin Corrosion/Irritation	Non-irritant : Rabbit
Mutagenicity	Based on available data, the classification criteria are not met
Reproductive Effects	Based on available data, the classification criteria are not met.
Reproductive Toxicity	Based on available data, the classification criteria are not met.
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Target Organ Effects	Lungs.
Specific target organ toxicity - Single exposure	No information available.
Specific target organ toxicity - Repeated exposure	No information available.

SECTION 12: Ecological information

Safety Data Sheet

Martoxid® KMS-96; Martoxid® KMS-98

Issue Date: 28/May/2019
Print Date: 28/May/2019

Revision Number: 1.3
Page 8 of 11

12.1. Ecotoxicity Very low solubility. Not considered to be harmful to aquatic life.

Aluminum oxide

WGK Classification (VwVwS) 1346. WGK: nwg

12.2. Persistence and degradability The methods for determining biodegradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential Not likely to bioaccumulate.

Bioconcentration factor (BCF) No data available.

12.4. Mobility in soil None.

12.5. Results of PBT and vPvB assessment This substance does not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects None known

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal Methods Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not reuse container.

Waste codes Waste codes should be assigned by the user based on the application for which the product was used

Aluminum oxide

WGK Classification (VwVwS) 1346. WGK: nwg

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada	Not regulated
DOT	Not regulated
ADR	Not regulated

HUBER

Safety Data Sheet

Martoxid® KMS-96; Martoxid® KMS-98

Issue Date: 28/May/2019
Print Date: 28/May/2019

Revision Number: 1.3
Page 9 of 11

RID	Not regulated
IATA	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated

14.1. UN number None

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

14.6. Special precautions for user Not applicable

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not applicable

SECTION 15: Regulatory information

Global Inventories

Chemical Name	CAS Number	EC No	REACH registration number	Australia (AICS)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	New Zealand	Philippines (PICCS)	Taiwan	TSCA: United States
Aluminum oxide	1344-28-1	215-691-6	01-211952 9248-35-x xxx 01-211952 9248-35-0 017	Y	Y	Y	(1)-23 (ENCS)(ISHL)	KE-01012	Y	Y	Y	Y	Y

Legend

X / Y: Complies - / N: Not Listed Exempt

US Federal Regulations

EPA

CERCLA
Aluminum oxide
SARA 313

1.0

SARA 311/312 Hazardous Categorization

<u>Aluminum oxide</u>	
Acute Health Hazard	Yes [based on aluminum generics]
Chronic Health Hazard	No

HUBER

Safety Data Sheet

Martoxid® KMS-96; Martoxid® KMS-98

Issue Date: 28/May/2019

Print Date: 28/May/2019

Revision Number: 1.3

Page 10 of 11

Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

CWA (Clean Water Act)

Not listed

CAA (Clean Air Act)

Not listed

U.S. State Right-to-Know Regulations

Chemical Name	CAS Number	California Proposition 65	California CPR	Massachusetts	Minnesota	New Jersey	Pennsylvania
Aluminum oxide	1344-28-1	-	--	Listed	--	Listed	Listed

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65)

This product does not contain any Proposition 65 chemicals

CANADA

WHMIS:

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR

Aluminum oxide

--

SECTION 16: Other information

Prepared by

Huber Engineered Materials (HEM) Global Regulatory Affairs
regulatory.affairs@huber.com

Issue Date:

28/May/2019

Print Date:

28/May/2019

Revision Number:

1.3

Reason for Version

OSHA (Occupational Safety and Health Administration of the US Department of Labor).

Training Advice

Do not handle until all safety precautions have been read and understood.

Abbreviations and acronyms

International Agency for Research on Cancer (IARC)
International Air Transport Association (IATA)
International Maritime Dangerous Goods (IMDG)
International Uniform Chemical Information Database (IUCLID)
Workplace Hazardous Materials Information System (WHMIS) status and classification
EPA SARA Title III Section 312 (40 CFR 370) Hazard Classification
DOT (Department of Transportation)
OSHA (Occupational Safety and Health Administration of the US Department of Labor)
TWA - Time-Weighted Average
Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA)
The Classification, Labeling and Packaging of Substances and Mixtures (CLP) Regulation (EC 1272/2008)
PPE - Personal Protection Equipment
NIOSH - National Institute for Occupational Safety and Health
TDG (Transport of Dangerous Goods) Canada

HUBER

Safety Data Sheet

Martoxid® KMS-96; Martoxid® KMS-98

Issue Date: 28/May/2019

Print Date: 28/May/2019

Revision Number: 1.3

Page 11 of 11

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)
Reportable Quantity (RQ) (RQ/% in mixture)
STEL - Short Term Exposure Limit
TLV® - Threshold Limit Value
Derived No Effect Level (DNEL)
SVHC: Substances of Very High Concern for Authorization:
Land transport (ADR/RID)
Biochemical oxygen demand (BOD)
Chemical oxygen demand (COD)
ICAO (air)
(IMDG) International Maritime Dangerous Goods
Positive Pressure Self-Contained Breathing Apparatus (SCBA)
Predicted No Effect Concentration (PNEC)
Globally Harmonized System (GHS)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet