



ADVANCED MATERIALS

Safety Data Sheet

Compalox® AN/V-801 N 1.0; Compalox® AN/V-802 N 1.0; Compalox® AN/V-813 N 0.5; Compalox® AN/V-813 N 0.6; Compalox® AN/V-813 N 1.0

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006
COMMISSION REGULATION (EU) No. 2020/878

Issue Date 15/Feb/2023
Print Date 17/Feb/2023

Revision Number 1.3.1
Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: Compalox® AN/V-801 N 1.0; Compalox® AN/V-802 N 1.0; Compalox® AN/V-813 N 0.5; Compalox® AN/V-813 N 0.6; Compalox® AN/V-813 N 1.0

Pure substance/mixture Substance

Chemical Name	CAS Number	EC No	EU REACH registration number	(CLP) Regulation (EC 1272/2008)	Weight-%
Aluminum oxide	1344-28-1	215-691-6	01-2119529248-35-xxxx 01-2119529248-35-0017	Not classified	>99

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Chemical industry (raw material for the production of other aluminium compounds), etc. Absorbent, purification of process liquids and gases, etc.

Industrial use --

Professional use --

Consumer use --

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Manufacturer MARTINSWERK GmbH
Kölner Strasse 110
50127 Bergheim
Germany
Tel. : +49-2271-90.22.78
Fax. : +49-2271-90.27.17

Internet www.hubermaterials.com

E-mail hubermaterials@huber.com

1.4. Emergency telephone number CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

Poison control center phone National Anti-Poison Center UK: +44 844 892 0111 (National Poisons)

HUBER

Safety Data Sheet

Compalox® AN/V-801 N 1.0; Compalox® AN/V-802 N 1.0; Compalox® AN/V-813 N 0.5; Compalox® AN/V-813 N 0.6; Compalox® AN/V-813 N 1.0

Issue Date 15/Feb/2023

Print Date 17/Feb/2023

Revision Number 1.3.1

Page 2 of 13

number

Information Service)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

(CLP) Regulation (EC 1272/2008) Not classified

Hazards identification

Physical Hazard Not classified

Health Hazards Not classified

Environmental Hazard Not classified

2.2. Label elements

Symbols/Pictograms None

Signal Word None

Hazard Statements This product is not classified as hazardous according to the UN GHS guideline and labeling is not required
This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Precautionary Statements

Prevention Employ good industrial hygiene practice
Wash hands thoroughly after handling

Response IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
IF ON SKIN: Wash with plenty of soap and water
IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing
If swallowed, rinse mouth with water (only if the person is conscious)
Drink plenty of water

Storage Keep in a dry place
Store away from incompatible materials

Disposal Disposal should be in accordance with applicable regional, national and local laws and regulations.

Additional Information: None.

2.3. Other hazards No information available.

HUBER

Safety Data Sheet

Compalox® AN/V-801 N 1.0; Compalox® AN/V-802 N 1.0; Compalox® AN/V-813 N 0.5; Compalox® AN/V-813 N 0.6; Compalox® AN/V-813 N 1.0

Issue Date 15/Feb/2023

Print Date 17/Feb/2023

Revision Number 1.3.1

Page 3 of 13

SECTION 3: Composition/information on ingredients

3.1. Substance

Substance

Chemical Name	CAS Number	EC No	EU REACH registration number	(CLP) Regulation (EC 1272/2008)	Annex	Weight-%
Aluminum oxide	1344-28-1	215-691-6	01-2119529248-35 -xxxx 01-2119529248-35 -0017	Not classified	-	>99

SECTION 4: First aid measures

4.1. Description of first aid measures

General Advice

When in doubt or if symptoms are observed, get medical advice. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

Eye Contact

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Skin Contact

Wash with plenty of soap and water.

Inhalation

If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.

Ingestion

Rinse mouth thoroughly with water.

Aspiration hazard

Not an expected route of exposure.

Notes to Physician

Treat symptomatically.

4.2. Most important symptoms and effects, both acute and delayed

Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment should be symptomatic and supportive.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

HUBER

Safety Data Sheet

Compalox® AN/V-801 N 1.0; Compalox® AN/V-802 N 1.0; Compalox® AN/V-813 N 0.5; Compalox® AN/V-813 N 0.6; Compalox® AN/V-813 N 1.0

Issue Date 15/Feb/2023

Print Date 17/Feb/2023

Revision Number 1.3.1

Page 4 of 13

Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO₂).

Unsuitable Extinguishing Media

None known.

5.2. Special hazards arising from the substance or mixture

None known.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protection recommended in Section 8. Avoid dust formation. Keep unauthorized personnel away.

For non-emergency personnel

Keep unauthorized personnel away.

For emergency responders

Keep unauthorized personnel away. Use personal protection recommended in Section 8.

6.2. Environmental precautions

Avoid runoff to waterways and sewers.

6.3. Methods and material for containment and cleaning up

Methods for Containment : Prevent further leakage or spillage if safe to do so
Methods for Clean-up : Sweep up and shovel into suitable containers for disposal

6.4. Reference to other sections

Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Minimize dust generation and accumulation
Provide local exhaust ventilation
Handle in accordance with good industrial hygiene and safety practice

7.2. Conditions for safe storage, including any incompatibilities

Store away from incompatible materials
Keep container tightly closed and dry

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

HUBER

Safety Data Sheet

Compalox® AN/V-801 N 1.0; Compalox® AN/V-802 N 1.0; Compalox® AN/V-813 N 0.5; Compalox® AN/V-813 N 0.6; Compalox® AN/V-813 N 1.0

Issue Date 15/Feb/2023

Print Date 17/Feb/2023

Revision Number 1.3.1

Page 5 of 13

8.1. Control parameters

Occupational exposure limits

Aluminum oxide

ACGIH

OSHA

NIOSH

Austria

Austria

Belgium

Bulgaria

Croatia

Czech Republic

Denmark

Estonia

Finland

France

Germany

Greece

Hungary

Ireland

Ireland

Italy

Latvia

Lithuania

Netherlands

Norway

Norway

Poland

Portugal

Romania

Romania

Slovakia

Spain

TWA: 10 mg/m³

TWA: 15 mg/m³ total dust

TWA: 5 mg/m³ respirable fraction

(vacated) TWA: 10 mg/m³ total dust

(vacated) TWA: 5 mg/m³ respirable fraction

Not established

TWA: 5 mg/m³ respirable fraction, smoke

STEL: 10 mg/m³ respirable fraction, smoke

TWA: 1 mg/m³

TWA: 1.5MGM3;Respirable fraction.

10.0MGM3;Dust.

TWA: 10 mg/m³ total dust

4 mg/m³ respirable dust

TWA: 10.0 mg/m³ dust

TWA: 5 mg/m³ total

2 mg/m³ respirable

TWA: 10 mg/m³ total dust

4 mg/m³ respirable dust

TWA: 2 mg/m³ Al

VME/VLE: 10MGM3

DFG MAK: 8-hr TWA: 4 mg/m³: haltige Stäube (alveolengängige Fraktion)[4 mg/m³ : inhalable dust fraction]

1.5 mg/m³ haltige Stäube (einatembare Fraktion)[1.5MGM3 : respirable dust fraction]

TRGS 900 limit : 3 mg/m³: respirable; 10MG/M3 inhalable

TWA: 10 mg/m³ inhalable fraction

5 mg/m³ respirable fraction

TWA: 6 mg/m³ respirable dust

TWA: 10 mg/m³ total inhalable dust

4 mg/m³ respirable dust

30 mg/m³ total inhalable dust

12 mg/m³ respirable dust

TWA: 1MGM3;Respirable.

TWA: 6 mg/m³ disintegration aerosol

TWA: 5 mg/m³ Al inhalable fraction

2 mg/m³ Al respirable fraction

MAC TWA: 10 mg/m³

TWA: 10 mg/m³

STEL: 10 mg/m³

TWA: 2.5 mg/m³ inhalable fraction

1.2 mg/m³ respirable fraction

TWA: 10 mg/m³ particulate matter containing no Asbestos and <1% Crystalline silica

TWA: 2 mg/m³ aerosol

3 mg/m³

1 mg/m³

STEL: 5 mg/m³ aerosol

10 mg/m³ dust

3 mg/m³ fume

TWA: 1.5 mg/m³ fume

1.5 mg/m³

0.1 mg/m³ respirable fraction 6 mg/m³ total aerosol

TWA: 10 mg/m³

HUBER

Safety Data Sheet

Compalox® AN/V-801 N 1.0; Compalox® AN/V-802 N 1.0; Compalox® AN/V-813 N 0.5; Compalox® AN/V-813 N 0.6; Compalox® AN/V-813 N 1.0

Issue Date 15/Feb/2023

Print Date 17/Feb/2023

Revision Number 1.3.1

Page 6 of 13

Sweden

TWA: 5 mg/m³ total dust

2 mg/m³ respirable dust

Switzerland

TWA: 3 mg/m³ respirable dust, smoke

Switzerland

STEL: 24 mg/m³ respirable dust, smoke

United Kingdom

TWA: 10 mg/m³ inhalable dust

4 mg/m³ respirable dust

Recommended monitoring procedures

Refer also to national guidance documents for information on currently recommended monitoring procedures

Biological Limit Values

None

DNEL (Derived No Effect Level)

Aluminum oxide

Worker - inhalative, long-term - systemic	3 mg/m ³
Consumer - oral, long-term - systemic	6.22 mg/kg bw/d

PNEC (Predicted No Effect Concentration)

Aluminum oxide

Sewage treatment plant	20 mg/l
------------------------	---------

8.2. Exposure controls

Engineering Measures

Do not handle until all safety precautions have been read and understood
Ensure adequate ventilation, especially in confined areas
Provide a good standard of controlled ventilation (10 to 15 air changes per hour)
Use exhaust ventilation to keep airborne concentrations below exposure limits
In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment

Eye/Face Protection

Wear safety glasses with side shields (or goggles).

Skin and Body Protection

Wear suitable protective clothing.

Hand protection

For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn. Wear suitable gloves tested to EN 374.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Recommended filter type:

(FFP2)

(FFP3)

Thermal hazards

None known.

HUBER

Safety Data Sheet

Compalox® AN/V-801 N 1.0; Compalox® AN/V-802 N 1.0; Compalox® AN/V-813 N 0.5; Compalox® AN/V-813 N 0.6; Compalox® AN/V-813 N 1.0

Issue Date 15/Feb/2023

Print Date 17/Feb/2023

Revision Number 1.3.1

Page 7 of 13

Hygiene Measures

Follow general hygiene considerations recognized as common good workplace practices

The worker should wash daily at the end of each work shift, and prior to eating, drinking, smoking, etc

Environmental Exposure Controls

Dispose of in accordance with local regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:

Physical State	Solid Powder
Color	White
Odor	Odorless
Odor Threshold	No information available
pH:	Not available
Melting point / Freezing point	2000 °C (3632 °F) (1013 hPa)
Initial boiling point and boiling range	2980 °C (5396 °F) (1013 hPa)
Freezing Point	Not applicable
Flash Point	Not applicable Product/Substance is inorganic Solid
Evaporation Rate	Not applicable. Melting Point : > 300°C
Flammability (solid, gas)	No information available
Upper flammability limit:	--
Lower flammability limit:	--
Vapor Pressure	1 hPa (2158 °C)
Vapor Density	Not applicable Melting Point : > 300°C
Density	No data available
Relative Density	4 (20 °C)
Water Solubility	Insoluble
Solubility in other solvents	No information available
Partition coefficient	No information available Not applicable Product/Substance is inorganic
Autoignition Temperature	Aluminum oxide has no potential to explode.
Decomposition Temperature	~2000 °C (> 2050 °C)
Viscosity	No information available.
Kinematic viscosity	Not applicable Solid
Dynamic viscosity	Not applicable Solid
Explosive Properties	None
Oxidizing Properties	None
Particle Size	No information available
VOC Content (%)	Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity	No data available
10.2. Chemical stability	Stable under normal conditions
10.3. Possibility of hazardous reactions	None under normal processing
10.4. Conditions to avoid	Incompatible materials Decomposition Temperature ~ 2000 °C (> 2050°C) < / =0.3% : Al ₂ O ₃ , Water
10.5. Incompatible materials	Strong acids
10.6. Hazardous decomposition products	None known

SECTION 11: Toxicological information

General Information	Users are advised to consider national Occupational Exposure Limits or other equivalent values.
---------------------	---

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**Aluminum oxide**

Serious eye damage/eye irritation	Non-irritant : Rabbit
Skin Corrosion/Irritation	Non-irritant : Rabbit
Mutagenicity	Based on available data, the classification criteria are not met
Reproductive Effects	No indication of effects on fertility. No indication of effects on developmental toxicity.
Target Organ Effects	Lungs
Specific target organ toxicity - Single exposure	May cause respiratory irritation
Specific target organ toxicity - Repeated exposure	May cause damage to organs through prolonged or repeated exposure if inhaled Lungs

Acute Toxicity	Based on available data, the classification criteria are not met
Chronic Toxicity	Based on available data, the classification criteria are not met.
Chronic Effects	Based on available data, the classification criteria are not met.
Respiratory Sensitization	Based on available data, the classification criteria are not met

HUBER

Safety Data Sheet

Compalox® AN/V-801 N 1.0; Compalox® AN/V-802 N 1.0; Compalox® AN/V-813 N 0.5; Compalox® AN/V-813 N 0.6; Compalox® AN/V-813 N 1.0

Issue Date 15/Feb/2023
Print Date 17/Feb/2023

Revision Number 1.3.1
Page 9 of 13

Serious eye damage/eye irritation	Based on available data, the classification criteria are not met
Skin Corrosion/Irritation	Based on available data, the classification criteria are not met
Skin Sensitization	Based on available data, the classification criteria are not met
Mutagenicity	Based on available data, the classification criteria are not met
Reproductive Effects	This product does not contain any known or suspected reproductive hazards.
Reproductive Toxicity	Based on available data, the classification criteria are not met.
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Specific target organ toxicity - Single exposure	Based on available data, the classification criteria are not met.
Specific target organ toxicity - Repeated exposure	Based on available data, the classification criteria are not met.

Information on Likely Routes of Exposure

Inhalation	Do not breathe dust
Ingestion	Ingestion is not a likely route of exposure
Skin	Avoid prolonged or repeated contact with skin Contact with dust can cause mechanical irritation or drying of the skin
Eyes	Avoid contact with eyes Dust contact with the eyes can lead to mechanical irritation
Aspiration hazard	Not an expected route of exposure.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties	This product does not contain any known or suspected endocrine disruptors
11.2.2. Other information	Not applicable

SECTION 12: Ecological information

12.1. Toxicity	Not considered to be harmful to aquatic life
-----------------------	--

Aluminum oxide
WGK Classification (AwSV) 1346 WGK: nwg

12.2. Persistence and degradability	The methods for determining biodegradability are not applicable to inorganic substances.
12.3. Bioaccumulative potential	Not likely to bioaccumulate.
Bioconcentration factor (BCF)	No data available.
12.4. Mobility in soil	None.
12.5. Results of PBT and vPvB assessment	This substance does not meet the criteria for classification as PBT or vPvB.
12.6. Endocrine disrupting properties	This product does not contain any known or suspected endocrine disruptors

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal Methods	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not reuse container.
Waste codes	Waste codes should be assigned by the user based on the application for which the product was used

Aluminum oxide

WGK Classification (AwSV) 1346 WGK: nwg

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada	Not regulated
DOT	Not regulated
ADR	Not regulated
RID	Not regulated
ADN	Not regulated
IATA	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated

HUBER

Safety Data Sheet

Compalox® AN/V-801 N 1.0; Compalox® AN/V-802 N 1.0; Compalox® AN/V-813 N 0.5; Compalox® AN/V-813 N 0.6; Compalox® AN/V-813 N 1.0

Issue Date 15/Feb/2023

Print Date 17/Feb/2023

Revision Number 1.3.1

Page 11 of 13

14.1. UN number or ID number None

14.1. UN number None

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

14.6. Special precautions for user Not applicable

14.7. Maritime transport in bulk according to IMO instruments
Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global Inventories

Pure substance/mixture Substance

Chemical Name	CAS Number	EC No	Australia (AIIIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	Thailand (TECI)	New Zealand	Philippines (PICCS)	Taiwan	TSCA: United States
Aluminum oxide	1344-28-1	215-691-6	Y	Y	Y	(1)-23 (ENCS)(IS HL)	KE-01012	Y	55-1-01517	Y	Y	Y	A

Legend X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

REACH No.

Aluminum oxide

EU REACH registration number 01-2119529248-35-xxxx

01-2119529248-35-0017

Turkish KKDIK pre-registration 05-0000192736-20-0000

Germany

Very low solubility Not considered to be harmful to aquatic life

Aluminum oxide

WGK Classification (AwSV) 1346 WGK: nwg

15.2. Chemical safety assessment

HUBER

Safety Data Sheet

Compalox® AN/V-801 N 1.0; Compalox® AN/V-802 N 1.0; Compalox® AN/V-813 N 0.5; Compalox® AN/V-813 N 0.6; Compalox® AN/V-813 N 1.0

Issue Date 15/Feb/2023

Print Date 17/Feb/2023

Revision Number 1.3.1

Page 12 of 13

A Chemical Safety Assessment has been carried out for this substance

SECTION 16: Other information

Reason for Revision This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 & COMMISSION REGULATION (EU) No. 2020/878

Issue Date 15/Feb/2023

Print Date 17/Feb/2023

Revision Number 1.3.1

Prepared by Huber Engineered Materials Global Regulatory Affairs
email: regulatory.affairs@huber.com.

(CLP) Regulation (EC 1272/2008) Not classified

Labeling

Symbols/Pictograms None

Signal Word None

Hazard Statements This product is not classified as hazardous according to the UN GHS guideline and labeling is not required. This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Training Advice Do not handle until all safety precautions have been read and understood.

Abbreviations and acronyms

IARC (International Agency for Research on Cancer)
IUCLID (International Uniform Chemical Information Database)
WHMIS (Workplace Hazardous Materials Information System)
OSHA (Occupational Safety and Health Administration of the US Department of Labor)
TWA (Time-Weighted Average)
CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008))
PPE (Personal Protection Equipment)
NIOSH (National Institute for Occupational Safety and Health)
CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)
RQ (Reportable Quantity) (RQ/% in mixture)
STEL (Short Term Exposure Limit)
TLV® (Threshold Limit Value)
DNEL (Derived No Effect Level)
SVHC (Substances of Very High Concern)
BOD (Biochemical oxygen demand)
COD (Chemical oxygen demand)
ICAO (International Civil Aviation Organization)
IMDG (International Maritime Dangerous Goods)
ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)
IATA (International Air Transport Association)
IMDG (International Maritime Dangerous Goods)
DOT (Department of Transportation)
TDG (Transport of Dangerous Goods) Canada
PNEC (Predicted No Effect Concentration)
SCBA (Self-Contained Breathing Apparatus) Positive Pressure
GHS (Globally Harmonized System)
TSCA (Toxic Substances Control Act)

HUBER

Safety Data Sheet

Compalox® AN/V-801 N 1.0; Compalox® AN/V-802 N 1.0; Compalox® AN/V-813 N 0.5; Compalox® AN/V-813 N 0.6; Compalox® AN/V-813 N 1.0

Issue Date 15/Feb/2023

Print Date 17/Feb/2023

Revision Number 1.3.1

Page 13 of 13

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet