Safety Data Sheet



FIRE RETARDANT ADDITIVES

Martoxid® DN-206; Martoxid® DN-430; Martoxid® DN-440; Martoxid® DN-6

Globally Harmonized System (GHS)

Issue Date: 06/Oct/2020 **Print Date:** 06/Oct/2020 Revision Number: 1.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier Product Name:

Martoxid® DN-206; Martoxid® DN-430; Martoxid® DN-440; Martoxid® DN-6

Pure substance/mixture Substance

Chemical Name	CAS Number	REACH registration number	TSCA: United States	GHS Classification	Weight-%
Aluminium oxide	1344-28-1	01-2119529248-35- xxxx 01-2119529248-35- 0017	A	Not classified.	>99

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Abrasive , Polishing agent , Adsorbent(s) , Catalyst , Filler , Chemical industry (raw material for the production of other aluminium compounds), etc.

1.3. Details of the supplier of the safety data sheet

Company:	MARTINSWERK GmbH Kölner Strasse 110 50127 Bergheim Germany Tel. : +49-2271-90.22.78 Fax. : +49-2271-90.27.17
Internet	www.hubermaterials.com
E-mail	hubermaterials@huber.com
1.4. Emergency telephone number	CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS Classification

HUBER

Safety Data Sheet

Martoxid® DN-206; Martoxid® DN-430; Martoxid® DN-440; Martoxid® DN-6

Issue Date: 06/Oct/2020 Print Date: 06/Oct/2020 and labeling is not required Hazards identification Not classified. **Physical Hazard Health Hazards** Not classified Not classified. **Environmental Hazard** 2.2. Label elements None Symbols/Pictograms None Signal Word **Precautionary Statements** Prevention Employ good industrial hygiene practice Do not handle until all safety precautions have been read and understood Wash thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Do not breathe dust IF ON SKIN: Wash with plenty of soap and water Response IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing If swallowed, rinse mouth with water (only if the person is conscious) Drink plenty of water Storage Store away from incompatible materials. Disposal Dispose of contents/containers in accordance with local regulations. Additional Information: None. 2.3. Other hazards No information available.

SECTION 3: Composition/information on ingredients

Pure substance/mixture

Substance

Γ	Chemical Name	CAS Number	TSCA: United States	,	GHS Classification	Weight-%
				number		
Γ	Aluminium oxide	1344-28-1	A	01-2119529248-35-xx	Not classified.	>99
				XX		
				01-2119529248-35-00		
				17		

Revision Number: 1.3 Page 2 of 11

HUBER

Safety Data Sheet

Martoxid® DN-206; Martoxid® DN-430; Martoxid® DN-440; Martoxid® DN-6

Issue Date: 06/Oct/2020 **Print Date:** 06/Oct/2020 Revision Number: 1.3 Page 3 of 11

SECTION 4: First aid measures

4.1. Description of first aid measures **General Advice** When in doubt or if symptoms are observed, get medical advice. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Eye Contact In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. **Skin Contact** Wash with plenty of soap and water. Inhalation If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Ingestion Rinse mouth thoroughly with water. Aspiration hazard Not an expected route of exposure. Notes to Physician Treat symptomatically. 4.2. Most important symptoms Dust contact with the eyes can lead to mechanical irritation. Contact with dust can and effects, both acute and cause mechanical irritation or drying of the skin. delayed **4.3. Indication of any immediate** Treatment should be symptomatic and supportive. medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO2).

Unsuitable Extinguishing Media None known.

5.2. Special hazards arising from the substance or mixture None known.

5.3. Advice for firefighters

Special protective

equipment for firefighters Wear a self-contained breathing apparatus and chemical protective clothing.

HUBER

Safety Data Sheet

Martoxid® DN-206; Martoxid® DN-430; Martoxid® DN-440; Martoxid® DN-6

Issue Date: 06/Oct/2020 **Print Date:** 06/Oct/2020 Revision Number: 1.3 Page 4 of 11

Fire-fighting measures

In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures	Ensure adequate ventilation. Use personal protection recommended in Section 8. Avoid dust formation. Keep unauthorized personnel away.
For non-emergency personnel	Keep unauthorized personnel away.
For emergency responders	Keep unauthorized personnel away. Use personal protection recommended in Section 8.
6.2. Environmental precautions	Avoid runoff to waterways and sewers.
6.3. Methods and material for containment and cleaning up	Methods for Containment : Prevent further leakage or spillage if safe to do so Methods for Clean-up : Sweep up and shovel into suitable containers for disposal
6.4. Reference to other sections	Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling	Minimize dust generation and accumulation Provide local exhaust ventilation Handle in accordance with good industrial hygiene and safety practice
	, Store away from incompatible materials Keep container tightly closed and dry

7.3. Specific end use(s) No information available.

SECTION 8: Exposure controls/personal protection

Exposure Limits	Provide adequate ventilation as well as local exhaustion at critical locations
Aluminium oxide ACGIH ACGIH TLV OSHA	TWA: 10 mg/m ³ TWA: 1 mg/m ³ respirable fraction TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction
Argentina	TLV-CMP: 10 mg/m ³
Australia	TWA: 10 mg/m ³
Australia	OEL: 10 mg/m ³

HUBER

Safety Data Sheet

Martoxid® DN-206; Martoxid® DN-430; Martoxid® DN-440; Martoxid® DN-6

Issue Date: 06/Oct/2020 **Print Date:** 06/Oct/2020 Revision Number: 1.3 Page 5 of 11

China	TWA: 4 mg/m ³ total dust
China	STEL: 8 mg/m ³ total dust
Columbia	TWA (CMP: 8-hour: 1 mg/m ³
Hong Kong	TWA: 10 mg/m ³
India	TWA: Not established
Indonesia	TWA: 10 mg/m ³
Japan	ISHL TLV: Not established
Japan	JSOH TWA: 0.5 mg/m ³ (Class 1 (alumina); respirable dust)2 mg/m ³ (Class 1 (alumina); total dust)
Korea	TWA: 10 mg/m ³
Malaysia	TWA: 10 mg/m ³
Mexico	TWA 10 mg/m ³
New Zealand	TWA: 10 mg/m ³
Singapore	TWA: 10MGM3
Taiwan	Not established
Taiwan	5 mg/m ³ (respirable dust)
Thailand	10 mg/m³ (total dust) Not established
Vietnam	TWA: 2 mg/m ³
Vietnam	STEL: 4 mg/m ³
, ionani	
Engineering Measures	Do not handle until all safety precautions have been read and understood Ensure adequate ventilation, especially in confined areas Provide a good standard of controlled ventilation (10 to 15 air changes per hour) Use exhaust ventilation to keep airborne concentrations below exposure limits In case of insufficient ventilation, wear suitable respiratory equipment
Personal Protective Equipment	
Eye/Face Protection	Wear safety glasses with side shields (or goggles)
Lychade Frededich	wear survey glasses with side shields (or goggies)
Skin and Body Protection	Wear suitable protective clothing
Hand Protection	Impervious gloves
Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice Handle in accordance with good industrial hygiene and safety practice
Environmental Exposure Controls	Dispose of in accordance with local regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physic Appearance:	cal and chemical properties
Physical State	Solid Powder
Color	White
Odor	Odorless
Odor Threshold	No information available
pH:	Not available
Melting point / Freezing point	2000 °C (3632 °F) (1013 hPa)

HUBER

Safety Data Sheet

Martoxid® DN-206; Martoxid® DN-430; Martoxid® DN-440; Martoxid® DN-6

Issue Date: 06/Oct/2020 **Print Date:** 06/Oct/2020 Revision Number: 1.3 Page 6 of 11

Initial boiling point and boiling	2980 °C (5396 °F) (1013 hPa)
range Flash Point: Evaporation Rate Flammability (solid, gas)	Not applicable. Product/Substance is inorganic. Solid. Not applicable. Melting Point : > 300°C No information available
Upper flammability limit: Lower flammability limit:	
Vapor Pressure	1 hPa (2158 °C)
Vapor Density	Not applicable Melting Point : > 300°C
Relative Density	4 (20 °C)
Water Solubility	Insoluble
Solubility in other solvents	No information available
Partition coefficient	Not applicable Product/Substance is inorganic
Autoignition Temperature	Aluminum oxide has no potential to explode.
Decomposition Temperature	~2000 °C (> 2050 °C)
Kinematic viscosity	Not applicable Solid
Dynamic viscosity	Not applicable Solid
Explosive Properties	None
Oxidizing Properties	None

SECTION 10: Stability and reactivity

10.1. Reactivity	No data available
10.2. Chemical stability	Stable under normal conditions
10.3. Possibility of hazardous reactions	None under normal processing
10.4. Conditions to avoid	Incompatible materials Decomposition Temperature ~ 2000 °C (> 2050°C) < / =0.3% : Al ₂ O ₃ , Water
10.5. Incompatible materials	Strong acids
10.6. Hazardous decomposition	None known

products

SECTION 11: Toxicological information

General Information

Users are advised to consider national Occupational Exposure Limits or other equivalent values.

Information on Likely Routes of Exposure

Inhalation

Do not breathe dust

HUBER

Safety Data Sheet Martoxid® DN-206; Martoxid® DN-430; Martoxid® DN-440; Martoxid® DN-6

Issue Date: 06/Oct/2020 Print Date: 06/Oct/2020

Revision Number: 1.3 Page 7 of 11

Skin	Avoid prolonged or repeated contact with skin Contact with dust can cause mechanical irritation or drying of the skin
Eyes	Avoid contact with eyes Dust contact with the eyes can lead to mechanical irritation
Ingestion	Ingestion is not a likely route of exposure
Aspiration hazard	Not an expected route of exposure.
11.1. Information on toxicologic	al effects
Aluminium oxide Serious eye damage/eye irritation Skin Corrosion/Irritation Mutagenicity Reproductive Effects Target Organ Effects Specific target organ toxicity - Single exposure Specific target organ toxicity - Repeated exposure	Non-irritant : Rabbit Non-irritant : Rabbit in vitro in vivo Based on available data, the classification criteria are not met No indication of effects on fertility. No indication of effects on developmental toxicity. Lungs No information available Repeated dose toxicity Inhalation 28-d Rat NOAEL (No observed adverse effect level) 70 mg(Al)/m ³ Repeated dose toxicity 1- Year Rat NOAEL (No observed adverse effect level)
	>=30 mg Al/kg bw
Acute Toxicity	
Acute Toxicity Chronic Toxicity	>=30 mg Al/kg bw
-	>=30 mg Al/kg bw Based on available data, the classification criteria are not met
Chronic Toxicity	 >=30 mg Al/kg bw Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met.
Chronic Toxicity Chronic Effects	 >=30 mg Al/kg bw Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.
Chronic Toxicity Chronic Effects Respiratory Sensitization Serious eye damage/eye	 >=30 mg Al/kg bw Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.
Chronic Toxicity Chronic Effects Respiratory Sensitization Serious eye damage/eye irritation	 >=30 mg Al/kg bw Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met
Chronic Toxicity Chronic Effects Respiratory Sensitization Serious eye damage/eye irritation Skin Corrosion/Irritation	 >=30 mg Al/kg bw Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met
Chronic Toxicity Chronic Effects Respiratory Sensitization Serious eye damage/eye irritation Skin Corrosion/Irritation Skin Sensitization	 >=30 mg Al/kg bw Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met
Chronic Toxicity Chronic Effects Respiratory Sensitization Serious eye damage/eye irritation Skin Corrosion/Irritation Skin Sensitization Mutagenicity	>=30 mg Al/kg bw Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met
Chronic Toxicity Chronic Effects Respiratory Sensitization Serious eye damage/eye irritation Skin Corrosion/Irritation Skin Sensitization Mutagenicity Reproductive Effects	 >=30 mg Al/kg bw Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met Based on available data, the classification criteria are not met This product does not contain any known or suspected reproductive hazards.

HUBER

Safety Data Sheet

Martoxid® DN-206; Martoxid® DN-430; Martoxid® DN-440; Martoxid® DN-6

Issue Date: 06/Oct/2020 **Print Date:** 06/Oct/2020 Revision Number: 1.3 Page 8 of 11

Single exposure

Specific target organ toxicity - Based on available data, the classification criteria are not met. **Repeated exposure**

SECTION 12: Ecological information

12.1. Ecotoxicity	Very low solubility. Not considered to be harmful to aquatic life.
<u>Aluminium oxide</u> WGK Classification (AwSV)	1346. WGK: nwg
12.2. Persistence and degradability	The methods for determining biodegradability are not applicable to inorganic substances.
12.3. Bioaccumulative potential	Not likely to bioaccumulate.
Bioconcentration factor (BCF)	No data available.
12.4. Mobility in soil	None.
12.5. Results of PBT and vPvB assessment	This substance does not meet the criteria for classification as PBT or vPvB.
12.6. Other adverse effects	None known

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal Methods	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not reuse container.
Waste codes	Waste codes should be assigned by the user based on the application for which the product was used
Aluminium oxide WGK Classification (AwSV)	1346. WGK: nwg

HUBER

Safety Data Sheet

Martoxid® DN-206; Martoxid® DN-430; Martoxid® DN-440; Martoxid® DN-6

Issue Date: 06/Oct/2020 Print Date: 06/Oct/2020

Revision Number: 1.3 Page 9 of 11

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada	Not regulated
DOT	Not regulated
ADR	Not regulated
RID	Not regulated
ADN	Not regulated
ΙΑΤΑ	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated

14.1. UN number	None
14.2. UN proper shipping name	None

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

14.6. Special precautions for Not applicable

user

Substance

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global Inventories

Pure substance/mixture

Chemical Name	CAS Number	EC No	REACH registrati on number	Australia (AICS)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico		Philippine s (PICCS)		TSCA: United States
Aluminium oxide	1344-28-1				Y	Y	(1)-23 (ENCS)(IS HL)	KE-01012	Y	Y	Y	Y	A

Legend X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

HUBER

Safety Data Sheet

Martoxid® DN-206; Martoxid® DN-430; Martoxid® DN-440; Martoxid® DN-6

Issue Date: 06/Oct/2020 **Print Date:** 06/Oct/2020 Revision Number: 1.3 Page 10 of 11

Germany

Very low solubility Not considered to be harmful to aquatic life

Aluminium oxide

WGK Classification (AwSV) 1346. WGK: nwg

15.2. Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance

SECTION 16: Other information

Prepared by	Huber Engineered Materials Global Regulatory Affairs email: regulatory.affairs@huber.com.					
GHS Classification	This product is not classified as hazardous according to the UN GHS guideline and labeling is not required					
Symbols/Pictograms	None					
Signal Word	None					
Hazard Statements	None					
Hazards identification Physical Hazard	Not classified					
Health Hazards	Not classified					
Environmental Hazard	Not classified					
Abbreviations and acronyms	International Agency for Research on Cancer (IARC) International Air Transport Association (IATA) International Maritime Dangerous Goods (IMDG) International Uniform Chemical Information Database (IUCLID) Workplace Hazardous Materials Information System (WHMIS) status and classification EPA SARA Title III Section 312 (40 CFR 370) Hazard Classification DOT (Department of Transportation) OSHA (Occupational Safety and Health Administration of the US Department of Labor) TWA - Time-Weighted Average Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) The Classification, Labeling and Packaging of Substances and Mixtures (CLP) Regulation (EC 1272/2008) PPE - Personal Protection Equipment NIOSH - National Institute for Occupational Safety and Health TDG (Transport of Dangerous Goods) Canada CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act) Reportable Quantity (RQ) (RQ/% in mixture) STEL - Short Term Exposure Limit TLV® - Threshold Limit Value					

HUBER

Safety Data Sheet

Martoxid® DN-206; Martoxid® DN-430; Martoxid® DN-440; Martoxid® DN-6

Issue Date: 06/Oct/2020 **Print Date:** 06/Oct/2020 Revision Number: 1.3 Page 11 of 11

Derived No Effect Level (DNEL) SVHC: Substances of Very High Concern for Authorization: Land transport (ADR/RID) Biochemical oxygen demand (BOD) Chemical oxygen demand (COD) ICAO (air) (IMDG) International Maritime Dangerous Goods Positive Pressure Self-Contained Breathing Apparatus (SCBA) Predicted No Effect Concentration (PNEC) Globally Harmonized System (GHS)

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet