



Martoxid® DN-206; Martoxid® DN-430; Martoxid® DN-440; Martoxid® DN-6

GHS (Globally Harmonized System)

Issue Date 15/Feb/2023 Print Date 17/Apr/2023 Revision Number 1.3.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name:	Martoxid® DN-206; Martoxid® DN-430; Martoxid® DN-440; Martoxid® DN-6	
Pure substance/mixture	Substance	
Aluminum oxide CAS Number EU REACH registration number	1344-28-1 01-2119529248-35-xxxx 01-2119529248-35-0017	
1.2. Relevant identified uses of the substance or mixture and uses advised against		
Recommended Use	Abrasive , Polishing agent , Adsorbent(s) , Catalyst , Filler , Chemical industry (raw material for the production of other aluminium compounds), etc.	
Uses advised against	None known.	
1.3. Details of the supplier of the safety data sheet		
Internet	www.hubermaterials.com	
E-mail	hubermaterials@huber.com	
1.4. Emergency telephone number	CHEMTREC: +1 800 424 9300 or International +1 703 527 3887	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS Classification	This product is not classified as hazardous according to the UN GHS guideline and labeling is not required
Hazards identification	
Physical Hazard	Not classified

Martoxid® DN-206; Martoxid® DN-430; Martoxid® DN-440; Martoxid® DN-6

Issue Date 15/Feb/2023 Print Date 17/Apr/2023	Revision Number 1.3.1 Page 2 of 11
Health Hazards	Not classified
Environmental Hazard	Not classified
2.2. Label elements	
Symbols/Pictograms	None
Signal Word	None
Hazard Statement	None
Precautionary Statements	
Prevention	Employ good industrial hygiene practice Do not handle until all safety precautions have been read and understood Wash thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Do not breathe dust
Response	IF ON SKIN: Wash with plenty of soap and water IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing If swallowed, rinse mouth with water (only if the person is conscious) Drink plenty of water
Storage	Store away from incompatible materials.
Disposal	Dispose of contents/containers in accordance with local regulations.
Additional Information:	None.

SECTION 3: Composition/information on ingredients

Pure substance/mixture

Substance

Chemical Name	CAS Number	TSCA: United States	EU REACH registration number
Aluminum oxide	1344-28-1	A	01-2119529248-35-xxxx
			01-2119529248-35-0017

Legend

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

SECTION 4: First aid measures

4.1. Description of first aid measures

General Advice

When in doubt or if symptoms are observed, get medical advice. Ensure that medical personnel are aware of the material(s) involved and take precautions to

Safety Data Sheet

Martoxid® DN-206; Martoxid® DN-430; Martoxid® DN-440; Martoxid® DN-6

Issue Date 15/Feb/2023 Print Date 17/Apr/2023	Revision Number 1.3.1 Page 3 of 11
	protect themselves.
Eye Contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Skin Contact	Wash with plenty of soap and water.
Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Ingestion	Rinse mouth thoroughly with water.
Aspiration hazard	Not an expected route of exposure.
Notes to Physician	Treat symptomatically.
4.2. Most important symptoms and effects, both acute and delayed	Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin.
4.3. Indication of any immediate medical attention and special treatment needed	Treatment should be symptomatic and supportive.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO2).

Unsuitable Extinguishing Media None known.

5.2. Special hazards arising from the substance or mixture None known.

5.3. Advice for firefighters

Special protective equipment for firefighters Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

Martoxid® DN-206; Martoxid® DN-430; Martoxid® DN-440; Martoxid® DN-6

Issue Date 15/Feb/2023 Print Date 17/Apr/2023 Revision Number 1.3.1 Page 4 of 11

6.1. Personal precautions, protective equipment and emergency procedures	Ensure adequate ventilation. Use personal protection recommended in Section 8. Avoid dust formation. Keep unauthorized personnel away.
For non-emergency personnel	Keep unauthorized personnel away.
For emergency responders	Keep unauthorized personnel away. Use personal protection recommended in Section 8.
6.2. Environmental precautions	Avoid runoff to waterways and sewers.
6.3. Methods and material for containment and cleaning up	Methods for Containment : Prevent further leakage or spillage if safe to do so Methods for Clean-up : Sweep up and shovel into suitable containers for disposal
6.4. Reference to other sections	Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling	Minimize dust generation and accumulation Provide local exhaust ventilation Handle in accordance with good industrial hygiene and safety practice
	, Store away from incompatible materials Keep container tightly closed and dry

7.3. Specific end use(s)

SECTION 8: Exposure controls/personal protection

No information available.

8.1. Control parameters

Occupational exposure limits

<u>Aluminum oxide</u> Thailand	Not established
Biological Limit Values	None
Recommended monitoring procedures	Refer also to national guidance documents for information on currently recommended monitoring procedures
8.2. Exposure controls	
Engineering Measures	Do not handle until all safety precautions have been read and understood Ensure adequate ventilation, especially in confined areas Provide a good standard of controlled ventilation (10 to 15 air changes per hour) Use exhaust ventilation to keep airborne concentrations below exposure limits

Martoxid® DN-206; Martoxid® DN-430; Martoxid® DN-440; Martoxid® DN-6

Issue Date 15/Feb/2023 Print Date 17/Apr/2023	Revision Number 1.3.1 Page 5 of 11
	In case of insufficient ventilation, wear suitable respiratory equipment
Personal protective equipment	
Eye/Face Protection	Wear safety glasses with side shields (or goggles).
Skin and Body Protection	Wear suitable protective clothing.
Thermal hazards	None known.
Hygiene Measures	Follow general hygiene considerations recognized as common good workplace practices
	The worker should wash daily at the end of each work shift, and prior to eating, drinking, smoking, etc
Environmental Exposure Controls	Dispose of in accordance with local regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties		
Appearance: Physical State	Solid Powder	
Color	White	
Odor	Odorless	
Odor Threshold	No information available	
pH:	Not available	
Melting point / Freezing point	2000 °C (3632 °F) (1013 hPa)	
Initial boiling point and boiling	2980 °C (5396 °F) (1013 hPa)	
range		
Freezing Point	Not applicable	
Flash Point	Not applicable Product/Substance is inorganic Solid	
Evaporation Rate	Not applicable. Melting Point : > 300°C	
Flammability (solid, gas)	No information available	
Upper flammability limit:		
Lower flammability limit:		
Vapor Pressure	1 hPa (2158 °C)	
Vapor Density	Not applicable Melting Point : > 300°C	
Density	No data available	
Relative Density	4 (20 °C)	
Water Solubility	Insoluble	
Solubility in other solvents	No information available	
Partition coefficient	No information available Not applicable Product/Substance is inorganic	
Autoignition Temperature	Aluminum oxide has no potential to explode.	
Decomposition Temperature	~2000 °C (> 2050 °C)	
Viscosity	No information available.	
Kinematic viscosity	Not applicable Solid	
Dynamic viscosity	Not applicable Solid	

Safety Data Sheet

Martoxid® DN-206; Martoxid® DN-430; Martoxid® DN-440; Martoxid® DN-6

Issue Date 15/Feb/2023 Print Date 17/Apr/2023 Revision Number 1.3.1 Page 6 of 11

Explosive Properties Oxidizing Properties Particle Size VOC Content (%) None None No information available Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes Not applicable

9.2.2. Other safety characteristics Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity	No data available
10.2. Chemical stability	Stable under normal conditions
10.3. Possibility of hazardous reactions	None under normal processing
10.4. Conditions to avoid	Incompatible materials Decomposition Temperature ~ 2000 °C (> 2050°C) < / =0.3% : Al ₂ O ₃ , Water
10.5. Incompatible materials	Strong acids
10.6. Hazardous decomposition products	None known

SECTION 11: Toxicological information

General Information	Users are advised to consider national Occupational Exposure Limits or other
	equivalent values.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

<u>Aluminum oxide</u> Serious eye damage/eye irritation	Non-irritant : Rabbit
Skin Corrosion/Irritation	Non-irritant : Rabbit
Mutagenicity	Based on available data, the classification criteria are not met
Reproductive Effects	No indication of effects on fertility. No indication of effects on developmental toxicity.
Target Organ Effects	Lungs
Specific target organ toxicity	May cause respiratory irritation

Safety Data Sheet

Martoxid® DN-206; Martoxid® DN-430; Martoxid® DN-440; Martoxid® DN-6

Issue Date 15/Feb/2023 Print Date 17/Apr/2023 Revision Number 1.3.1 Page 7 of 11

Single exposure
 Specific target organ toxicity May cause damage to organs through prolonged or repeated exposure if inhaled
 Repeated exposure Lungs

Acute Toxicity	Based on available data, the classification criteria are not met			
Chronic Toxicity	Based on available data, the classification criteria are not met.			
Chronic Effects	Based on available data, the classification criteria are not met.			
Respiratory Sensitization	Based on available data, the classification criteria are not met			
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met			
Skin Corrosion/Irritation	Based on available data, the classification criteria are not met			
Skin Sensitization	Based on available data, the classification criteria are not met			
Mutagenicity	Based on available data, the classification criteria are not met			
Reproductive Effects	This product does not contain any known or suspected reproductive hazards.			
Reproductive Toxicity	Based on available data, the classification criteria are not met.			
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.			
Specific target organ toxicity - Single exposure	Based on available data, the classification criteria are not met.			
Specific target organ toxicity - Repeated exposure	Based on available data, the classification criteria are not met.			
Information on Likely Routes of Exposure				
Inhalation	Do not breathe dust			
Ingestion	Ingestion is not a likely route of exposure			
Skin	Avoid prolonged or repeated contact with skin Contact with dust can cause mechanical irritation or drying of the skin			

Aspiration hazard Not an expected route of exposure.

Avoid contact with eyes

11.2. Information on other hazards

Eyes

11.2.1. Endocrine disrupting This product does not contain any known or suspected endocrine disruptors

Dust contact with the eyes can lead to mechanical irritation

Martoxid® DN-206; Martoxid® DN-430; Martoxid® DN-440; Martoxid® DN-6

Issue Date 15/Feb/2023 Print Date 17/Apr/2023 Revision Number 1.3.1 Page 8 of 11

properties

11.2.2. Other information Not applicable

SECTION 12: Ecological information

12.1. Toxicity	Not considered to be harmful to aquatic life
<u>Aluminum oxide</u> WGK Classification (AwSV)	1346 WGK: nwg
12.2. Persistence and degradability	The methods for determining biodegradability are not applicable to inorganic substances.
12.3. Bioaccumulative potential	Not likely to bioaccumulate.
Bioconcentration factor (BCF)	No data available.
12.4. Mobility in soil	None.
12.5. Results of PBT and vPvB assessment	This substance does not meet the criteria for classification as PBT or vPvB.
12.6. Endocrine disrupting properties	This product does not contain any known or suspected endocrine disruptors

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal Methods	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not reuse container.
Waste codes	Waste codes should be assigned by the user based on the application for which the product was used
Aluminum oxide	

```
WGK Classification (AwSV) 1346 WGK: nwg
```

Martoxid® DN-206; Martoxid® DN-430; Martoxid® DN-440; Martoxid® DN-6

Issue Date 15/Feb/2023 Print Date 17/Apr/2023 Revision Number 1.3.1 Page 9 of 11

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada	Not regulated
DOT	Not regulated
ADR	Not regulated
RID	Not regulated
ADN	Not regulated
ΙΑΤΑ	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated

- 14.1. UN number or ID number None
- 14.1. UN number None
- 14.2. UN proper shipping name None
- 14.3. Transport hazard class(es) None
- 14.4. Packing group None
- 14.5. Environmental hazards No
- 14.6. Special precautions for Not applicable

user

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global Inventories

Pure substance/mixture Substance

Chemical Name	CAS Number	EC No	Australia (AIIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	Thailand (TECI)		Philippine s (PICCS)	Taiwan	TSCA: United States
Aluminum oxide	1344-28-1	215-691-6	Y	Y	Y	(1)-23 (ENCS)(IS HL)	KE-01012	Y	55-1-0151 7	Y	Y	Y	A

Legend X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

Martoxid® DN-206; Martoxid® DN-430; Martoxid® DN-440; Martoxid® DN-6

Issue Date 15/Feb/2023 Print Date 17/Apr/2023 Revision Number 1.3.1 Page 10 of 11

Aluminum oxide

EU REACH registration number	01-2119529248-35-xxxx
	01-2119529248-35-0017
Turkish KKDIK pre-registration	05-0000192736-20-0000

<u>Germany</u>

Very low solubility Not considered to be harmful to aquatic life <u>Aluminum oxide</u> WGK Classification (AwSV) 1346 WGK: nwg

15.2. Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance

SECTION 16: Other information

Prepared by	Huber Engineered Materials Global Regulatory Affairs email: regulatory.affairs@huber.com.
GHS Classification	This product is not classified as hazardous according to the UN GHS guideline and labeling is not required
Symbols/Pictograms	None
Signal Word	None
Hazards identification	
Physical Hazard	Not classified
Health Hazards	Not classified
Environmental Hazard	Not classified
Abbreviations and acronyms	 IARC (International Agency for Research on Cancer) IATA (International Air Transport Association) IMDG (International Maritime Dangerous Goods) IUCLID (International Uniform Chemical Information Database) WHMIS (Workplace Hazardous Materials Information System) EPA SARA Title III Section 312 (40 CFR 370) Hazard Classification DOT (Department of Transportation) OSHA (Occupational Safety and Health Administration of the US Department of Labor) TWA (Time-Weighted Average) Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008)) PPE (Personal Protection Equipment) NIOSH (National Institute for Occupational Safety and Health) TDG (Transport of Dangerous Goods) Canada CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act) RQ (Reportable Quantity) (RQ/% in mixture) STEL (Short Term Exposure Limit) TLV® (Threshold Limit Value) DNEL (Derived No Effect Level)

Safety Data Sheet

Martoxid® DN-206; Martoxid® DN-430; Martoxid® DN-440; Martoxid® DN-6

Issue Date 15/Feb/2023 Print Date 17/Apr/2023 Revision Number 1.3.1 Page 11 of 11

SVHC (Substances of Very High Concern) Land transport (ADR/RID) BOD (Biochemical oxygen demand) COD (Chemical oxygen demand) ICAO (International Civil Aviation Organization) IMDG (International Maritime Dangerous Goods) SCBA (Self-Contained Breathing Apparatus) Positive Pressure PNEC (Predicted No Effect Concentration) GHS (Globally Harmonized System)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet