

SAFETY DATA SHEET

MAGNIFIN® H-5 GV; MAGNIFIN® H-5 HV; MAGNIFIN® H-5 MV; MAGNIFIN® H-10 MV

MoEL's Public Notice No. 2016-19 Standards for Classification and Labeling of Chemical Substances and Safety Data Sheet (SDS)

Issue Date 21/Aug/2023 **Revision Number** 1.3.2 Print Date 21/Aug/2023 Page 1 of 8

Section 1: PRODUCT AND COMPANY IDENTIFICATION

A. Product name MAGNIFIN® H-5 GV; MAGNIFIN® H-5 HV; MAGNIFIN® H-5 MV; MAGNIFIN®

H-10 MV

Chemical Name Magnesium Hydroxide (surface modified)

Pure substance/mixture Mixture

Magnesium Hydroxide

CAS Number 1309-42-8 Weight-% >=97

B. Recommended use and Limitations on use

Recommended Use Additive: Flame retardant

Uses advised against None known

C. Supplier information

J.M. Huber Corporation **Company Name**

3100 Cumberland Boulevard, Suite 600

Atlanta, GA 30339 USA Tel: +1 678 247-7300

E-mail hubermaterials@huber.com

www.huberadvancedmaterials.com Internet

Contact person CHEMTREC

Emergency phone number +1 800 424 9300 International +1 703 527 3887

Section 2: HAZARDS IDENTIFICATION

A. Hazard category/Classification

Physical Hazards Not classified

Health Hazards Not classified

Not classified **Environmental Hazards**

B. Warning label items including precautionary statement

Label Elements

MAGNIFIN® H-5 GV; MAGNIFIN® H-5 HV; MAGNIFIN® H-5 MV; MAGNIFIN® H-10 MV

Issue Date 21/Aug/2023 Revision Number 1.3.2

Print Date 21/Aug/2023 Page 2 of 8

Symbols/Pictograms None

Signal Words None

Hazard Statements None

Precautionary statement

Prevention Employ good industrial hygiene practice

Response Wash skin with soap and water

Storage Store away from incompatible materials

Disposal Disposal should be in accordance with applicable regional, national and local laws

and regulations

C. Other hazards not included in the hazard category criteria (e.g. dust explosion hazard)

None known

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture Mixture

Chemical Name	CAS Number	S. Korea (KECL)	Korean GHS Classification	Weight-%	
Magnesium Hydroxide	1309-42-8	KE-22716	Not classified	>=97	

Section 4: FIRST AID MEASURES

A. In case of eye contact Rinse with water. Get medical attention if irritation develops and persists.

B. In case of skin contact Wash off with soap and water. Get medical attention if irritation develops and

persists.

C. In case of inhalationMove to fresh air. Call a physician if symptoms develop or persist.

D. In case of swallowingRinse mouth. Get medical attention if symptoms occur.

E. Note to physician Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

A. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

MAGNIFIN® H-5 GV; MAGNIFIN® H-5 HV; MAGNIFIN® H-5 MV; MAGNIFIN® H-10 MV

Issue Date 21/Aug/2023 Revision Number 1.3.2 Print Date 21/Aug/2023 Page 3 of 8

Unsuitable extinguishing

None known

media

B. Specific hazards arising from the chemical (example: hazardous combustion products)

Explosion hazard: None known

C. Specific methods of fire-fighting

Self-contained breathing apparatus and full protective clothing must be worn in case of fire. In the event of fire and/or explosion do not breathe fumes. Move container from fire area if it can be done without risk.

Section 6: SPILLAGE, ACCIDENTAL RELEASE MEASURES

- **A. Personal precautions, protective equipment and emergency measures** Ensure adequate ventilation. Avoid dust formation. See section 8 for more information.
- **B. Environmental precautions** Not considered to be harmful to aquatic life. Avoid discharge into drains, water courses or onto the ground.
- **C. Methods and materials for containment and cleaning up** Vacuum or sweep material and place in a disposal container.

Section 7: HANDLING AND STORAGE

A. Precautions for safe handling

In case of exposure to environments exceeding the occupational exposure limit, wear a respirator in compliance with national legislation.

B. Conditions for safe storage (including any incompatibilities)

Keep container tightly closed in a dry and well-ventilated place

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

A. Exposure limit values, biological limit values, etc

Magnesium Hydroxide

OSHA

Korea TWA: Not established
Korea STEL: Not established

ACGIH TLV-TWA: 8-hr: 10 mg/m³ (total dust) 3 mg/m³ (respirable fraction)

TWA: 15 mg/m³ total dust

5 mg/m3 respirable

B. Engineering Controls

Engineering Measures Do not handle until all safety precautions have been read and understood

MAGNIFIN® H-5 GV; MAGNIFIN® H-5 HV; MAGNIFIN® H-5 MV; MAGNIFIN® H-10 MV

Issue Date 21/Aug/2023 Revision Number 1.3.2
Print Date 21/Aug/2023 Page 4 of 8

Ensure adequate ventilation, especially in confined areas

Provide a good standard of controlled ventilation (10 to 15 air changes per hour) Use exhaust ventilation to keep airborne concentrations below exposure limits In case of insufficient ventilation, wear suitable respiratory equipment

C. Personal protective equipment

Eye protection
 Hand protection
 If contact is likely, safety glasses with side shields are recommended.
 For prolonged or repeated skin contact use suitable protective gloves.

• Body protection Wear suitable protective clothing.

Hygiene Measures Always observe good personal hygiene measures, such as washing after handling

the material and before eating, drinking, and/or smoking. Routinely wash work

clothing and protective equipment to remove contaminants.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State Solid

Powder White

Color White
Odor Odorless
Odor Threshold No inform

Odor Threshold

pH:

No information available
+/- 10 (10% H2O)

Melting point / Freezing point

Not applicable

Melting point / Freezing point Decomposes at > 320 °C

Initial boiling point and boiling Not applicable

range

Flash Point Not applicable

Product/Substance is inorganic

Evaporation Rate
Flammability (solid, gas)
Upper flammability limit:
Lower flammability limit:
Vapor Pressure
Vapor Density
Relative Density
Not applicable
Not applicable
Not applicable
Not applicable
2.4 g/cm3, 20° C

Water Solubility Insoluble

Solubility in other solvents No data available

Partition coefficient Not applicable Product/Substance is inorganic

Autoignition Temperature Not applicable

Decomposition Temperature > 320 °C

Kinematic viscosity Dynamic viscosityNot applicable. :. Solid.
Not applicable. :. Solid.

Oxidizing Properties None

9.2. Other information

No data available

Section 10: STABILITY AND REACTIVITY

MAGNIFIN® H-5 GV; MAGNIFIN® H-5 HV; MAGNIFIN® H-5 MV; MAGNIFIN® H-10 MV

Issue Date 21/Aug/2023 Revision Number 1.3.2
Print Date 21/Aug/2023 Page 5 of 8

A. Stability and hazardous reaction potential

Stability Stable under normal conditions

Hazardous reaction

potential

None known

- **B.** Conditions to avoid (e.g. static discharge, shock or Vibration, etc) Avoid creating dust. Incompatible materials.
- C. Incompatible materials Strong oxidizing agents
- D. Hazardous decomposition products No hazardous decomposition products are known.

Section 11: TOXICOLOGICAL INFORMATION

A. Information on likely routes of exposure

Mouth Not an expected route of exposure

Eyes Dust contact with the eyes can lead to mechanical irritation
 Skin Prolonged skin contact may cause temporary irritation.

B. Information on health hazards

Magnesium Hydroxide

Oral LD50 8500 mg/kg Rat

Specific target organ toxicity -

No information available.

Single exposure

Specific target organ toxicity -

No information available.

Repeated exposure

Section 12: ECOLOGICAL INFORMATION

A. Ecotoxicity

Hazardous to the aquatic Not classified

environment, **acute hazard** Avoid runoff to waterways and sewers

Hazardous to the aquatic

Not classified

environment, long-term

Avoid runoff to waterways and sewers

hazard

MAGNIFIN® H-5 GV; MAGNIFIN® H-5 HV; MAGNIFIN® H-5 MV; MAGNIFIN® H-10 MV

Issue Date 21/Aug/2023 **Revision Number** 1.3.2 Print Date 21/Aug/2023 Page 6 of 8

- B. Persistence/degradability No data available
- C. Bioaccumulative potential No data available
- **D. Mobility in soil** No data available
- E. Other adverse effects No data available

Section 13: DISPOSAL CONSIDERATIONS

A. Method of disposal

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in accordance with all applicable regulations.

B. Disposal considerations (including disposal of contaminated containers or packaging) Disposal should be in accordance with applicable regional, national and local laws and regulations

Section 14: TRANSPORT INFORMATION

Mode of Transportation (Road, Water, Air, Rail)

ADR Not regulated RID Not regulated IATA Not regulated IMDG/IMO Not regulated Not regulated **ICAO**

14.1. UN number None

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards Nο

14.6. Special precautions for Not applicable

user

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

MAGNIFIN® H-5 GV; MAGNIFIN® H-5 HV; MAGNIFIN® H-5 MV; MAGNIFIN® H-10 MV

Issue Date 21/Aug/2023 **Revision Number** 1.3.2 Print Date 21/Aug/2023 Page 7 of 8

A. Method of disposal

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in accordance with all applicable regulations.

B. Disposal considerations (including disposal of contaminated containers or packaging) Disposal should be in accordance with applicable regional, national and local laws and regulations

Section 15: REGULATORY INFORMATION

National Regulations

Magnesium Hydroxide

CAS Number 1309-42-8 Weight-% >=97 **Korean GHS Classification** Not classified

Other domestic and foreign regulations

Global Inventories

Chemical Name	CAS Number	EC No	EU REACH registrati on number	Australia (AIIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico		Philippine s (PICCS)		TSCA: United States
Magnesium Hydroxide	1309-42-8		01-211948 8756-18-0 040		Ý	Y	(1)-386 (ENCS) (ISHL)	KE-22716	Y	Y	Ý	Y	Α

X / Y: Complies; A: Active; - / N: Exempt / Not Listed

Section 16: OTHER INFORMATION

A. Source of Information

Abbreviations and acronyms IARC (International Agency for Research on Cancer)

IATA (International Air Transport Association)

IMDG (International Maritime Dangerous Goods)

IUCLID (International Uniform Chemical Information Database) WHMIS (Workplace Hazardous Materials Information System)

DOT (Department of Transportation)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

TWA (Time-Weighted Average)

CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC

1272/2008))

PPE (Personal Protection Equipment)

NIOSH (National Institute for Occupational Safety and Health)

TDG (Transport of Dangerous Goods) Canada

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)

RQ (Reportable Quantity) (RQ/% in mixture)

MAGNIFIN® H-5 GV; MAGNIFIN® H-5 HV; MAGNIFIN® H-5 MV; MAGNIFIN® H-10 MV

Issue Date 21/Aug/2023 Revision Number 1.3.2 Print Date 21/Aug/2023 Page 8 of 8

STEL (Short Term Exposure Limit) TLV® (Threshold Limit Value) DNEL (Derived No Effect Level)

SVHC (Substances of Very High Concern) BOD (Biochemical oxygen demand) COD (Chemical oxygen demand)

ICAO (International Civil Aviation Organization)
IMDG (International Maritime Dangerous Goods)

ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)

SCBA (Self-Contained Breathing Apparatus) Positive Pressure

PNEC (Predicted No Effect Concentration) TSCA (Toxic Substances Control Act) GHS (Globally Harmonized System)

B. Issue Date 21/Aug/2023 **Print Date** 21/Aug/2023

C. Number of revisions and Date 1.3.2 of most recent revision

D. Other

Prepared by Huber Engineered Materials Global Regulatory Affairs

email: regulatory.affairs@huber.com

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet