SAFETY DATA SHEET



Martifin® OL-104LE; Martifin® OL-107; Martifin® OL-111; Martifin® ON-313

MOL No. 2009-68Standards for Classification and Labeling of Chemical Substances and Safety Data Sheet (SDS)

Issue Date 23/Jun/2022 Print Date 23/Jun/2022

Revision Number 1.3.2 Page 1 of 8

Section 1: PRODUCT AND COMPANY IDENTIFICATION

A. Product name	Martifin® OL-104LE; Martifin® OL-107; Martifin® OL-111; Martifin® ON-313	
Pure substance/mixture	Substance	
Aluminum Hydroxide CAS Number Weight-%	21645-51-2 >99	
B. Recommended use and Limitations on use		
Recommended Use	Additive : Flame retardant	
C. Supplier information		
Company Name	MARTINSWERK GmbH Kölner Strasse 110 50127 Bergheim Germany Tel. : +49-2271-90.22.78 Fax. : +49-2271-90.27.17	
E-mail	hubermaterials@huber.com	
Internet	www.hubermaterials.com	
Contact person Emergency phone number	CHEMTREC +1 800 424 9300 International +1 703 527 3887	

Section 2: HAZARDS IDENTIFICATION

A. Hazard category/Classification

Physical Hazards	Not classified
Health Hazards	Not classified
Environmental Hazards	Not classified

B. Warning label items including precautionary statement

Label Elements

Symbols/Pictograms None

Martifin® OL-104LE; Martifin® OL-107; Martifin® OL-111; Martifin® ON-313

Issue Date 23/Jun/2022 Print Date 23/Jun/2022	Revision Number 1.3.2 Page 2 of 8
Signal Words	None
Hazard Statements	None
Precautionary statement Prevention	Employ good industrial hygiene practice Do not handle until all safety precautions have been read and understood Do not breathe dust Wear protective gloves/protective clothing/eye protection/face protection
Response	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing IF ON SKIN: Wash with plenty of soap and water
Storage	Keep in a dry place Store away from incompatible materials
Disposal	Dispose of contents/containers in accordance with local regulations
Additional Information:	None.
C. Other hazards not included in	n the hazard category criteria (e.g. dust explosion hazard) None known

None known

Substance

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	S. Korea (KECL)	Korean GHS Classification	Weight-%
Aluminum Hydroxide	21645-51-2	KE-00980	Not classified	>99

Section	4: FIRST	AID MEASURES
----------------	----------	--------------

A. In case of eye contact	Rinse with water. Get medical attention if irritation develops and persists.
B. In case of skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
C. In case of inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
D. In case of swallowing	Rinse mouth. Get medical attention if symptoms occur.
E. Note to physician	Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

Martifin® OL-104LE; Martifin® OL-107; Martifin® OL-111; Martifin® ON-313

Issue Date 23/Jun/2022 Print Date 23/Jun/2022 Revision Number 1.3.2 Page 3 of 8

A. Suitable (and unsuitable) extinguishing media

Suitable extinguishing
mediaWater fog. Foam. Dry chemical powder. Carbon dioxide (CO2).Unsuitable extinguishing
mediaNone known

B. Specific hazards arising from the chemical (example: hazardous combustion products)

Explosion hazard: None known

C. Specific methods of fire-fighting

Self-contained breathing apparatus and full protective clothing must be worn in case of fire. In the event of fire and/or explosion do not breathe fumes. Move container from fire area if it can be done without risk.

Section 6: SPILLAGE, ACCIDENTAL RELEASE MEASURES

A. Personal precautions, protective equipment and emergency measures Ensure adequate ventilation. Avoid dust formation. See section 8 for more information.

B. Environmental precautions Not considered to be harmful to aquatic life. Avoid discharge into drains, water courses or onto the ground.

C. Methods and materials for containment and cleaning up Vacuum or sweep material and place in a disposal container.

Section 7: HANDLING AND STORAGE

A. Precautions for safe handling

In case of exposure to environments exceeding the occupational exposure limit, wear a respirator in compliance with national legislation.

B. Conditions for safe storage (including any incompatibilities)

Keep container tightly closed in a dry and well-ventilated place

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

A. Exposure limit values, biological limit values, etc

Aluminum Hydroxide ACGIH OSHA

TLV/TWA 8-hr: 1 mg/m³ (respirable fraction) TWA: 15 mg/m³ Total Dust 5 mg/m³ Respirable Dust

B. Engineering Controls

Martifin® OL-104LE; Martifin® OL-107; Martifin® OL-111; Martifin® ON-313

Issue Date 23/Jun/2022 Print Date 23/Jun/2022 Revision Number 1.3.2 Page 4 of 8

Engineering MeasuresDo not handle until all safety precautions have been read and understood
Ensure adequate ventilation, especially in confined areas
Provide a good standard of controlled ventilation (10 to 15 air changes per hour)
Use exhaust ventilation to keep airborne concentrations below exposure limits
In case of insufficient ventilation, wear suitable respiratory equipment

C. Personal protective equipment

Eye protection	If contact is likely, safety glasses with side shields are recommended.
 Hand protection 	For prolonged or repeated skin contact use suitable protective gloves.
 Body protection 	Wear suitable protective clothing.

Hygiene Measures Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State Color Odor Odor Threshold pH: Melting point / Freezing point Initial boiling point and boiling range Flash Point	Solid Powder White Odorless No information available +/- 9 (10% Water) Not applicable Not applicable Product/Substance is inorganic Solid
Evaporation Rate Flammability (solid, gas) Upper flammability limit: Lower flammability limit: Vapor Pressure Vapor Density Relative Density Water Solubility Solubility in other solvents Decomposition Temperature Kinematic viscosity Dynamic viscosity Explosive Properties Oxidizing Properties	Not applicable Not flammable No data available No data available Not applicable +/- 2.42 g/cm ³ (20 °C) Insoluble No information available Not applicable Product/Substance is inorganic ~ 200 °C No data available. Not applicable. Solid. None None

9.2. Other information

No data available

Martifin® OL-104LE; Martifin® OL-107; Martifin® OL-111; Martifin® ON-313

Issue Date 23/Jun/2022 Print Date 23/Jun/2022

Revision Number 1.3.2 Page 5 of 8

Section 10: STABILITY AND REACTIVITY

A. Stability and hazardous reaction potential Stability Stable under normal conditions

Hazardous reaction None known potential

B. Conditions to avoid (e.g. static discharge, shock or Vibration, etc) Avoid creating dust. Incompatible materials.

C. Incompatible materials Strong oxidizing agents

D. Hazardous decomposition products No hazardous decomposition products are known.

Section 11: TOXICOLOGICAL INFORMATION

A. Information on likely routes of exposure

- Not an expected route of exposure
- Mouth Dust contact with the eyes can lead to mechanical irritation Eves
- Skin Prolonged skin contact may cause temporary irritation.
- B. Information on health hazards

Aluminum Hydroxide Oral LD50 Inhalation LC50	> 2000 mg/kg Rat Rat > 2.3 mg/l (Al2O3) Aerosol Maximum attainable concentration
Aluminum Hydroxide IARC	Not Listed
Reproductive Toxicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.

Section 12: ECOLOGICAL INFORMATION

A. Ecotoxicity Hazardous to the aquatic environment, acute hazard	Not classified Avoid runoff to waterways and sewers
Hazardous to the aquatic environment, long-term hazard	Not classified Avoid runoff to waterways and sewers

Martifin® OL-104LE; Martifin® OL-107; Martifin® OL-111; Martifin® ON-313

Issue Date 23/Jun/2022 Print Date 23/Jun/2022 Revision Number 1.3.2 Page 6 of 8

B. Persistence/degradability No data available

C. Bioaccumulative potential No data available

D. Mobility in soil No data available

E. Other adverse effects No data available

Section 13: DISPOSAL CONSIDERATIONS

A. Method of disposal

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in accordance with all applicable regulations.

B. Disposal considerations (including disposal of contaminated containers or packaging) Disposal should be in accordance with applicable regional, national and local laws and regulations

Section 14: TRANSPORT INFORMATION

Mode of Transportation (Road, Water, Air, Rail)

IATA IMDG/IMO ICAO	Not regulated Not regulated Not regulated
14.1. UN number	None
14.2. UN proper shipping name	None
14.3. Transport hazard class(es)	None
14.4. Packing group	None
14.5. Environmental hazards	No
14.6. Special precautions for user	Not applicable

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

Martifin® OL-104LE; Martifin® OL-107; Martifin® OL-111; Martifin® ON-313

Issue Date 23/Jun/2022 Print Date 23/Jun/2022 Revision Number 1.3.2 Page 7 of 8

Section 15: REGULATORY INFORMATION

National Regulations

Aluminum Hydroxide	
CAS Number	21645-51-2
Weight-%	>99
Korean GHS Classification	Not classified

Other domestic and foreign regulations

Global Inventories

Chemical Name	CAS Number	EC No	EU REACH registrati on number	Australia (AIIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico		Philippine s (PICCS)	Taiwan	TSCA: United States
Aluminum Hydroxide	21645-51- 2	244-492-7	01-211952 9246-39	Ŷ	Ŷ	Ŷ	(1)-17 (ENCS); ISHL	KE-00980	Y	Y	Ý	Ŷ	A

Legend

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

Section 16: OTHER INFORMATION

A. Source of Information

Abbreviations and acronyms IARC (International Agency for Research on Cancer) IATA (International Air Transport Association) IMDG (International Maritime Dangerous Goods) IUCLID (International Uniform Chemical Information Database) WHMIS (Workplace Hazardous Materials Information System) DOT (Department of Transportation) OSHA (Occupational Safety and Health Administration of the US Department of Labor) TWA (Time-Weighted Average) CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008)) PPE (Personal Protection Equipment) NIOSH (National Institute for Occupational Safety and Health) TDG (Transport of Dangerous Goods) Canada CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act) RQ (Reportable Quantity) (RQ/% in mixture) STEL (Short Term Exposure Limit) TLV® (Threshold Limit Value) DNEL (Derived No Effect Level) SVHC (Substances of Very High Concern) BOD (Biochemical oxygen demand) COD (Chemical oxygen demand) ICAO (International Civil Aviation Organization) IMDG (International Maritime Dangerous Goods) ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail) SCBA (Self-Contained Breathing Apparatus) Positive Pressure PNEC (Predicted No Effect Concentration) TSCA (Toxic Substances Control Act)

Martifin® OL-104LE; Martifin® OL-107; Martifin® OL-111; Martifin® ON-313

Issue Date 23/Jun/2022 Print Date 23/Jun/2022 Revision Number 1.3.2 Page 8 of 8

GHS (Globally Harmonized System)

B. Issue Date23/Jun/2022Print Date23/Jun/2022

C. Number of revisions and Date 1.3.2 **of most recent revision**

D. Other

Prepared by Huber Engineered Materials Global Regulatory Affairs email: regulatory.affairs@huber.com

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet