ADVANCED MATERIALS

Safety Data Sheet

Martifin® OL-005

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 **COMMISSION REGULATION (EU) No. 2020/878**

Issue Date 15/Feb/2023 Revision Number 1.3.1 Print Date 17/Feb/2023

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: Martifin® OL-005

Chemical Name Aluminum Hydroxide (suspension)

Pure substance/mixture Mixture

Chemical Name	CAS Number	EC No	EU REACH registration number	(CLP) Regulation (EC 1272/2008)	Weight-%
Aluminum hydroxide-Dispersion	Multiple	-	Complies	Not classified	100
Aluminum Hydroxide	21645-51-2	244-492-7	01-2119529246-39	Not classified	66 - 69

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Additive: White pigment for paper and board, filler, etc.

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

MARTINSWERK GmbH Manufacturer

> Kölner Strasse 110 50127 Bergheim

Germany: +49-2271-90.22.78 Fax.: +49-2271-90.27.17

www.hubermaterials.com Internet

hubermaterials@huber.com E-mail

1.4. Emergency telephone

number

CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

Poison control center phone

number

National Anti-Poison Center UK: +44 844 892 0111 (National Poisons

Information Service)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Martifin® OL-005

Issue Date 15/Feb/2023 Revision Number 1.3.1
Print Date 17/Feb/2023 Page 2 of 12

(CLP) Regulation (EC 1272/2008) Not classified

Hazards identification

Physical Hazard Not classified

Health Hazards Not classified

Environmental Hazard Not classified

2.2. Label elements

Symbols/Pictograms None

Signal Word None

Hazard Statements The substance does not meet the criteria for classification.

Precautionary Statements

Prevention Employ good industrial hygiene practice

Wash hands thoroughly after handling

Response IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing IF ON SKIN: Wash with plenty of soap and water

Storage Keep in a dry place

Store away from incompatible materials

Disposal Disposal should be in accordance with applicable regional, national and local laws

and regulations.

Additional Information: None.

2.3. Other hazards No information available.

SECTION 3: Composition/information on ingredients

3.1. Substance Not applicable

3.2. Mixture Mixture

Chemical Name	CAS Number	EC No	EU REACH registration number	(CLP) Regulation (EC 1272/2008)	Annex	Weight-%	
Aluminum hydroxide-Dispersion	Multiple		Complies	Not classified	-	100	
Aluminum Hydroxide	21645-51-2	244-492-7	01-2119529246-39	Not classified		66 - 69	

SECTION 4: First aid measures

Safety Data Sheet

Martifin® OL-005

Issue Date 15/Feb/2023 Revision Number 1.3.1
Print Date 17/Feb/2023 Page 3 of 12

4.1. Description of first aid measures

General Advice When in doubt or if symptoms are observed, get medical advice. Ensure that

medical personnel are aware of the material(s) involved and take precautions to

protect themselves.

Eye Contact In case of eye contact, remove contact lens and rinse immediately with plenty of

water, also under the eyelids, for at least 15 minutes.

Skin Contact Wash with plenty of soap and water.

Inhalation If breathing is difficult, remove victim to fresh air and keep at rest in a position

comfortable for breathing.

Ingestion Rinse mouth thoroughly with water.

Aspiration hazard No information available.

Notes to Physician Treat symptomatically.

4.2. Most important symptoms

and effects, both acute and

delayed

Treat symptomatically.

4.3. Indication of any immediate medical attention and special

treatment needed

4.3. Indication of any immediate Treatment should be symptomatic and supportive.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing

Media

Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO2).

Unsuitable Extinguishing Media

None known.

5.2. Special hazards arising from the substance or mixture

None known.

5.3. Advice for firefighters

Special protective

equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

In case of fire and/or explosion do not breathe fumes.

Martifin® OL-005

Issue Date 15/Feb/2023 Print Date 17/Feb/2023

Revision Number 1.3.1 Page 4 of 12

SECTION 6: Accidental release measures

6.1. Personal precautions. protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protection recommended in Section 8.

Keep unauthorized personnel away.

For non-emergency personnel Keep unauthorized personnel away.

Keep unauthorized personnel away. Use personal protection recommended in For emergency responders

Section 8.

6.2. Environmental precautions Avoid runoff to waterways and sewers.

6.3. Methods and material for containment and cleaning up Methods for Containment: Prevent further leakage or spillage if safe to do so

Methods for Clean-up: Sweep up and shovel into suitable containers for disposal

6.4. Reference to other sections Section 8: Exposure controls and personal protection. See Section 13 for

additional waste treatment information.

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Provide local exhaust ventilation

Handle in accordance with good industrial hygiene and safety practice

including any incompatibilities

7.2. Conditions for safe storage. Keep container tightly closed and dry

No information available. 7.3. Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Austria

Austria

Occupational exposure limits

Aluminum hydroxide-Dispersion

TWA/TLV: 1 mg/m³ respirable fraction **ACGIH**

OSHA Not established NIOSH Not established

> TWA: 5 mg/m³ respirable fraction 10 mg/m³ inhalable fraction

STEL: 10 mg/m³ respirable fraction

20 mg/m³ inhalable fraction

Belgium TWA: 1 mg/m³ Respirable fraction

Bulgaria TWA: 2.0MGM3;AI

1.5 mg/m³;Respirable fraction

10.0 mg/m³;Dust

TWA: 6 mg/m³ Respirable dust Croatia

Martifin® OL-005

Issue Date 15/Feb/2023 Revision Number 1.3.1
Print Date 17/Feb/2023 Page 5 of 12

 Czech Republic
 TWA: 10 mg/m³ dust

 Estonia
 TWA: 2 mg/m³

 Finland
 2 mg/m³ AI

Germany TWA: 3 mg/m³ respirable dust

10 mg/m³ inhalable dust

BAT: 200 µg/l

Ireland TWA: 10 mg/m³ total ihalable dust

4 mg/m³ respirable dust

Ireland STEL: 30 mg/m³ total inhalable dust

12 mg/m³ respirable dust

Italy TWA: 1 mg/m³ respirable fraction

Latvia 6 mg/m³ Lithuania 6 mg/m³

Netherlands TWA: 0.05 mg/m³

Poland TWA: 1.2 mg/m³ respirable dust and/or fume (AI)

2.5 mg/m³ fume, total dust (Al)

Romania TWA: 3 mg/m³ dust

1 mg/m³ fume

Slovakia TWA: 1.5 mg/m³ respirable fraction

4 mg/m³ inhalable fraction

Slovenia TWA: 6 mg/m³ respirable fraction
Sweden TWA: 1mg/m³ Total dust (Al)
Switzerland TWA: 3 mg/m³ respirable dust
United Kingdom TWA: 10 mg/m³ inhalable dust

4 mg/m³ respirable dust

Aluminum Hydroxide

ACGIH TLV/TWA 8-hr: 1 mg/m³ (respirable fraction)

OSHA TWA: 15 mg/m³ Total Dust

5 mg/m³ Respirable Dust

NIOSH TWA: 5 mg/m³ (respirable dust); 10 mg/m³ TWA (total dust)

France Not established (Non établi)
France Not established (Non établi)

Poland 2.5 mg/m³ (inhalable); 1.2 mg/m³ (respirable)

Switzerland TWA: 3 mg/m³

United Kingdom 10 mg.m-3 (inhalable); 4 mg.m-3 (respirable)

Recommended monitoring

procedures

Refer also to national guidance documents for information on currently

recommended monitoring procedures

Biological Limit Values None

DNEL (Derived No Effect Level)

Aluminum hydroxide-Dispersion

N C	initiani nyarokiac Diopersion						
	Worker - inhalative,	3 mg/m³					
	long-term - local						
	Consumer - oral, long-term -	6.85 mg/kg bw/day					
	systemic						

PNEC (Predicted No Effect Concentration)

<u>Aluminum hydroxide-Dispersion</u>

 minum myarexiae Biepereien	
Sewage treatment plant	20 mg/L

8.2. Exposure controls

Safety Data Sheet

Martifin® OL-005

Issue Date 15/Feb/2023 Revision Number 1.3.1
Print Date 17/Feb/2023 Page 6 of 12

Engineering Measures Do not handle until all safety precautions have been read and understood

Ensure adequate ventilation, especially in confined areas

Provide a good standard of controlled ventilation (10 to 15 air changes per hour) Use exhaust ventilation to keep airborne concentrations below exposure limits In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment

Eye/Face Protection Wear safety glasses with side shields (or goggles).

Skin and Body Protection Wear suitable protective clothing.

Hand protection For operations where prolonged or repeated skin contact may occur, impervious

gloves should be worn. Wear suitable gloves tested to EN 374.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

Recommended filter type:

(FFP2) (FFP3)

Thermal hazards None known.

Hygiene Measures Follow general hygiene considerations recognized as common good workplace

practices

The worker should wash daily at the end of each work shift, and prior to eating,

drinking, smoking, etc

Environmental Exposure

Controls

Dispose of in accordance with local regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:

Physical State Liquid (suspension)

Color White Odor Odorless

Odor Threshold No information available

oH: 9-10

Melting point / Freezing point $<= 0 \, ^{\circ}\text{C} \, / \, 32 \, ^{\circ}\text{F} \, (\text{Water})$ Initial boiling point and boiling $>= 100 \, ^{\circ}\text{C} \, / \, 212 \, ^{\circ}\text{F} \, (\text{Water})$

range

Freezing Point
Flash Point
Evaporation Rate
Flammability (solid, gas)
Upper flammability limit:
Lower flammability limit:
Vapor Pressure

Not applicable
No data available
No data available
No data available
ca 25 mbar (Water)

Safety Data Sheet

Martifin® OL-005

Issue Date 15/Feb/2023 **Revision Number** 1.3.1

Print Date 17/Feb/2023 Page 7 of 12

No data available **Vapor Density** Density No data available **Relative Density** +/- 1.6 g/cm³ (20 °C) **Water Solubility** Insoluble (Solid) Solubility in other solvents No information available

No information available No data available **Partition coefficient**

Autoignition Temperature No data available **Decomposition Temperature** No data available **Viscosity** No information available.

Kinematic viscosity No data available

Dynamic viscosity No data available ca 150 mPa.s (Epprecht Rheometer)

Explosive Properties None

Oxidizing Properties No data available **Particle Size** No information available

VOC Content (%) Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity No data available

10.2. Chemical stability Stable under normal conditions

10.3. Possibility of hazardous

reactions

None under normal processing

10.4. Conditions to avoid Decomposition Temperature Al₂O₃ Water +/- pH

No information available 10.5. Incompatible materials

10.6. Hazardous decomposition None known

products

SECTION 11: Toxicological information

General Information Users are advised to consider national Occupational Exposure Limits or other

equivalent values.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Aluminum hydroxide-Dispersion

Safety Data Sheet

Martifin® OL-005

Issue Date 15/Feb/2023 Revision Number 1.3.1
Print Date 17/Feb/2023 Page 8 of 12

Oral LD50 > 2000 mg/kg Rat

Inhalation LC50 (4 hrs) Rat > 2.3 mg/l (Al2O3) Aerosol Maximum attainable

concentration

Serious eye damage/eye

irritation

Skin Corrosion/Irritation Non-irritant : Rabbit

Skin Sensitization Guinea pig: Not a skin sensitizer

Mutagenicity in vitro Not genotoxic in bacteria and mammalian cell systems.

in vivo Mutagenicity (micronucleus test) Rat: Negative

Reproductive Effects No indication of effects on developmental toxicity.

Non-irritant: Rabbit

No indication of effects on fertility.

Specific target organ toxicity No information available

- Single exposure

Specific target organ toxicity No information available

- Repeated exposure

Aluminum Hydroxide

Oral LD50 > 2000 mg/kg Rat

Inhalation LC50 Rat > 2.3 mg/l (Al2O3) Aerosol Maximum attainable concentration

IARC Not Listed

Acute Toxicity Low hazard for usual industrial or commercial handling

Carcinogenicity Based on available data, the classification criteria are not met.

Specific target organ toxicity -

Single exposure

No information available.

Specific target organ toxicity -

Repeated exposure

No information available.

Information on Likely Routes of Exposure

Inhalation Avoid breathing vapor or mist

Ingestion Ingestion is not a likely route of exposure

Skin Avoid prolonged or repeated contact with skin

Eyes Avoid contact with eyes

Aspiration hazard No information available.

11.2. Information on other hazards

11.2.1. Endocrine disrupting This product does not contain any known or suspected endocrine disruptors

properties

11.2.2. Other information Not applicable

SECTION 12: Ecological information

Safety Data Sheet

Martifin® OL-005

Issue Date 15/Feb/2023 Revision Number 1.3.1
Print Date 17/Feb/2023 Page 9 of 12

12.1. Toxicity Not considered to be harmful to aquatic life

Aluminum hydroxide-Dispersion

96-Hour LC50 > 10000 mg/l Fish

48-Hour EC50 > 10000 mg/l Daphnia Magna (Water Flea)

WGK Classification (AwSV) 5442. WGK: nwg

Aluminum Hydroxide

WGK Classification (AwSV) 5220 WGK: nwg

12.2. Persistence andThe methods for determining biodegradability are not applicable to inorganic

degradability substances.

12.3. Bioaccumulative potential Not likely to bioaccumulate.

Bioconcentration factor

(BCF)

No data available.

12.4. Mobility in soil No information available.

•

12.5. Results of PBT and vPvB

assessment

This substance does not meet the criteria for classification as PBT or vPvB.

12.6. Endocrine disrupting

properties

This product does not contain any known or suspected endocrine disruptors

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal Methods Disposal should be in accordance with applicable regional, national and local laws

and regulations.

Contaminated Packaging Empty containers should be taken to an approved waste handling site for recycling

or disposal. Do not reuse container.

Waste codes Waste codes should be assigned by the user based on the application for which

the product was used

Aluminum hydroxide-Dispersion

WGK Classification (AwSV) 5442. WGK: nwg

<u>Aluminum Hydroxide</u>

European Waste Catalog 060299

WGK Classification (AwSV) 5220 WGK: nwg

SECTION 14: Transport information

Martifin® OL-005

Issue Date 15/Feb/2023
Print Date 17/Feb/2023

Revision Number 1.3.1 Page 10 of 12

Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada	Not regulated
DOT	Not regulated
ADR	Not regulated
RID	Not regulated
ADN	Not regulated
IATA	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated

14.1. UN number or ID number None

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

14.6. Special precautions for Not applicable

usei

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global Inventories

Pure substance/mixture Mixture

Chemical Name	CAS Number	EC No	Australia (AIIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	Thailand (TECI)		Philippine s (PICCS)	Taiwan	TSCA: United States
Aluminum hydroxide-Disper sion	Multiple		Y	Υ	Х	(1)-17	KE-00980	Х		Х	Х	Х	А
Aluminum Hydroxide	21645-51- 2	244-492-7	Y	Υ	Y	(1)-17 (ENCS); ISHI	KE-00980	Y	55-1-0259 4	Y	Y	Υ	Α

Legend X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

REACH No.

<u>Aluminum hydroxide-Dispersion</u>
<u>EU REACH registration number</u> Complies

Safety Data Sheet

Martifin® OL-005

Issue Date 15/Feb/2023 Revision Number 1.3.1
Print Date 17/Feb/2023 Page 11 of 12

Aluminum Hydroxide

EU REACH registration number 01-2119529246-39 **Turkish KKDIK pre-registration** 05-0000193352-73-0000

Germany

Very low solubility Not considered to be harmful to aquatic life

<u>Aluminum hydroxide-Dispersion</u>

WGK Classification (AwSV) 5442. WGK: nwg

Aluminum Hydroxide

WGK Classification (AwSV) 5220 WGK: nwg

15.2. Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance

SECTION 16: Other information

Reason for RevisionThis safety data sheet complies with the requirements of Regulation (EC) No.

1907/2006 & COMMISSION REGULATION (EU) No. 2020/878

 Issue Date
 15/Feb/2023

 Print Date
 17/Feb/2023

Revision Number 1.3.1

Prepared by Huber Engineered Materials Global Regulatory Affairs

email: regulatory.affairs@huber.com.

(CLP) Regulation (EC 1272/2008) Not classified

Labeling

Symbols/Pictograms None

Signal Word None

Hazard Statements The substance does not meet the criteria for classification.

Training Advice Do not handle until all safety precautions have been read and understood.

Abbreviations and acronyms IARC (International Agency for Research on Cancer)

IUCLID (International Uniform Chemical Information Database) WHMIS (Workplace Hazardous Materials Information System)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

TWA (Time-Weighted Average)

CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC

1272/2008))

PPE (Personal Protection Equipment)

NIOSH (National Institute for Occupational Safety and Health)

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)

RQ (Reportable Quantity) (RQ/% in mixture)

STEL (Short Term Exposure Limit) TLV® (Threshold Limit Value) DNEL (Derived No Effect Level)

SVHC (Substances of Very High Concern) BOD (Biochemical oxygen demand)

Safety Data Sheet

Martifin® OL-005

Issue Date 15/Feb/2023 Print Date 17/Feb/2023 Revision Number 1.3.1 Page 12 of 12

COD (Chemical oxygen demand)

ICAO (International Civil Aviation Organization) IMDG (International Maritime Dangerous Goods)

ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)

IATA (International Air Transport Association)
IMDG (International Maritime Dangerous Goods)

DOT (Department of Transportation)

TDG (Transport of Dangerous Goods) Canada PNEC (Predicted No Effect Concentration)

SCBA (Self-Contained Breathing Apparatus) Positive Pressure

GHS (Globally Harmonized System)
TSCA (Toxic Substances Control Act)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet