

Martinal® ON; Martinal® ON-306; Martinal® ON-309

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006
COMMISSION REGULATION (EU) No. 2015/830

Issue Date: 13/Dec/2018

Print Date: 13/Dec/2018

Revision Number: 1.3

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: Martinal® ON; Martinal® ON-306; Martinal® ON-309

Pure substance/mixture Substance

Chemical Name	CAS Number	EC No	REACH registration number	(CLP) Regulation (EC 1272/2008)	TSCA: United States	Weight-%
Aluminum Hydroxide	21645-51-2	244-492-7	01-2119529246-39-0016	Not classified	Y	>99

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Additive : Flame retardant

Industrial use

- Production substance
- Polymer processing
- Production of plastics and rubber compounds
- Formulation flame retardant preparation
- Compounds used in transport industry
- Compounds used in electrical application
- Compounds used in electronic application
- Compounds used in Wire & Cable
- Abrasive for glass industry, ceramics and stones
- Textile coating
- Production of corrosion inhibitors
- Fuels
- Deacidification agent for paper
- pH Regulating agent
- Use in coatings, inks, paints and roofing
- Use as corrosion inhibitor of gas turbines and boilers
- Use in cleaning agents
- Use in oil field operations
- Use in lubricants
- Use in metal working fluids
- Use in blowing agents
- Use in binders and release agents
- Use in textile
- Use in functional fluids
- Use in agrochemicals
- Use in water treatment chemicals
- Use in mining chemicals
- Recycling plastics
- White pigment for paper and board, filler, etc.

Issue Date: 13/Dec/2018**Print Date:** 13/Dec/2018**Revision Number:** 1.3**Page** 2 of 11**Professional use**

Polymer processing
Use in Adhesives and/or sealants
Use in coatings, inks, paints and roofing
Use in agrochemicals
Use in cleaning agents
Use in oil field operations
Use in lubricants
Use in metal working fluids
Use in binders and release agents
Use in propellants
Use in textile
Use in explosives
Use in water treatment chemicals
Use in functional fluids
For use by laboratories for research
Fuels
De-icing & anti-icing applications
Road and construction applications

Consumer use

Use in coatings, inks, paints and roofing
Use in cleaning agents
Use in lubricants
Use in propellants
Fuels
Use in functional fluids
De-icing & anti-icing applications
Cosmetic additive
Use in water treatment chemicals

1.3. Details of the supplier of the safety data sheet**Company:**

MARTINSWERK GmbH
Kölner Strasse 110
50127 Bergheim
Germany
Tel. : +49-2271-90.22.78
Fax. : +49-2271-90.27.17

E-mail

hubermaterials@huber.com

1.4. Emergency telephone number

CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

Poison control center phone number

National Anti-Poison Center UK: +44 844 892 0111 (National Poisons Information Service)

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture**

(CLP) Regulation (EC 1272/2008) Not classified

HUBER

Safety Data Sheet

Martinal® ON; Martinal® ON-306; Martinal® ON-309

Issue Date: 13/Dec/2018

Print Date: 13/Dec/2018

Revision Number: 1.3

Page 3 of 11

Hazards identification

Physical Hazard Not classified

Health Hazards Not classified

Environmental Hazard Not classified

2.2. Label elements

Symbols/Pictograms None

Signal Word None

Hazard Statements This product is not classified as hazardous according to the UN GHS guideline and labeling is not required
This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Precautionary Statements

Prevention Employ good industrial hygiene practice
Wash hands thoroughly after handling

Response IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
IF ON SKIN: Wash with plenty of soap and water

Storage Keep in a dry place
Store away from incompatible materials

Disposal Disposal should be in accordance with applicable regional, national and local laws and regulations.

Additional Information: None.

2.3. Other hazards No information available.

SECTION 3: Composition/information on ingredients

3.1. Substances

Substance

Chemical Name	CAS Number	EC No	REACH registration number	(CLP) Regulation (EC 1272/2008)	Annex	TSCA: United States	Weight-%
Aluminum Hydroxide	21645-51-2	244-492-7	01-2119529246-39-0016	Not classified	--	Y	>99

SECTION 4: First aid measures

4.1. Description of first aid measures

Issue Date: 13/Dec/2018

Print Date: 13/Dec/2018

Revision Number: 1.3

Page 4 of 11

General Advice	When in doubt or if symptoms are observed, get medical advice. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Eye Contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Skin Contact	Wash with plenty of soap and water.
Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Ingestion	Rinse mouth thoroughly with water.
Aspiration hazard	Not an expected route of exposure.
Notes to Physician	Treat symptomatically.
4.2. Most important symptoms and effects, both acute and delayed	Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin.
4.3. Indication of any immediate medical attention and special treatment needed	Treatment should be symptomatic and supportive.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO₂).

Unsuitable Extinguishing Media

None known.

5.2. Special hazards arising from the substance or mixture

None known.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures** Ensure adequate ventilation. Use personal protection recommended in Section 8. Avoid dust formation. Keep unauthorized personnel away.
- For non-emergency personnel Keep unauthorized personnel away.
- For emergency responders Keep unauthorized personnel away. Use personal protection recommended in Section 8.
- 6.2. Environmental precautions** Avoid runoff to waterways and sewers.
- 6.3. Methods and material for containment and cleaning up** Methods for Containment : Prevent further leakage or spillage if safe to do so
Methods for Clean-up : Sweep up and shovel into suitable containers for disposal
- 6.4. Reference to other sections** Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

- 7.1. Precautions for safe handling** Minimize dust generation and accumulation
Provide local exhaust ventilation
Handle in accordance with good industrial hygiene and safety practice
- 7.2. Conditions for safe storage, including any incompatibilities** Store away from incompatible materials
Keep container tightly closed and dry
- 7.3. Specific end use(s)** No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Aluminum Hydroxide

ACGIH
OSHA

TLV/TWA 8-hr: 1 mg/m³ (respirable fraction)

TWA: 15 mg/m³ Total Dust

5 mg/m³ Respirable Dust

NIOSH

TWA: 5 mg/m³ (respirable dust); 10 mg/m³ TWA (total dust)

France

Not established (Non établi)

France

Not established (Non établi)

Russia

6 mg/m³ TWA (aerosol)

Switzerland

TWA: 3 mg/m³

United Kingdom

10 mg.m-3 (inhalable); 4 mg.m-3 (respirable)

Recommended monitoring procedures

Refer also to national guidance documents for information on currently recommended monitoring procedures

HUBER

Safety Data Sheet

Martinal® ON; Martinal® ON-306; Martinal® ON-309

Issue Date: 13/Dec/2018

Print Date: 13/Dec/2018

Revision Number: 1.3

Page 6 of 11

Biological Limit Values: None

Derived No Effect Level (DNEL)

Predicted No Effect Concentration (PNEC)

8.2. Exposure controls

Engineering Measures

Do not handle until all safety precautions have been read and understood
Ensure adequate ventilation, especially in confined areas
Provide a good standard of controlled ventilation (10 to 15 air changes per hour)
Use exhaust ventilation to keep airborne concentrations below exposure limits
In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment

Eye/Face Protection

Wear safety glasses with side shields (or goggles).

Skin and Body Protection

Wear suitable protective clothing.

Hand protection

For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn. Wear suitable gloves tested to EN 374.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Recommended filter type:
(FFP2)
(FFP3)

Thermal hazards

None known.

Hygiene Measures

Follow general hygiene considerations recognized as common good workplace practices
The worker should wash daily at the end of each work shift, and prior to eating, drinking, smoking, etc

Environmental Exposure Controls

Dispose of in accordance with local regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:

Physical State

Solid Powder

Color

White

Odor

Odorless

Odor Threshold

No information available

Issue Date: 13/Dec/2018

Print Date: 13/Dec/2018

Revision Number: 1.3

Page 7 of 11

pH:	+/- 9 (10% Water)
Melting point / Freezing point	~ 300 °C / 572 °F (1013 hPa)
Initial boiling point and boiling range	> 2900 °C / 5252 °F (1013 hPa)
Flash Point:	Not applicable. Product/Substance is inorganic. Solid.
Evaporation Rate	Not applicable.
Flammability (solid, gas)	Not flammable
Upper flammability limit:	
Lower flammability limit:	
Vapor Pressure	Not applicable
Vapor Density	Not applicable
Relative Density	+/- 2.42 g/cm ³ (20 °C)
Water Solubility	Insoluble
Solubility in other solvents	No information available
Partition coefficient	Not applicable Product/Substance is inorganic
Autoignition Temperature	No information available
Decomposition Temperature	No information available
Dynamic viscosity	Not applicable Solid
Explosive Properties	None
Oxidizing Properties	None

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity	No data available
10.2. Chemical stability	Stable under normal conditions
10.3. Possibility of hazardous reactions	None under normal processing
10.4. Conditions to avoid	Decomposition Temperature < / =0.3% : Al ₂ O ₃ Water
10.5. Incompatible materials	None known
10.6. Hazardous decomposition products	None known

SECTION 11: Toxicological information

General Information	Users are advised to consider national Occupational Exposure Limits or other equivalent values.
---------------------	---

Information on Likely Routes of Exposure

Issue Date: 13/Dec/2018

Print Date: 13/Dec/2018

Revision Number: 1.3

Page 8 of 11

Inhalation	Do not breathe dust
Skin	Avoid prolonged or repeated contact with skin Contact with dust can cause mechanical irritation or drying of the skin
Eyes	Avoid contact with eyes Dust contact with the eyes can lead to mechanical irritation
Ingestion	Ingestion is not a likely route of exposure
Aspiration hazard	Not an expected route of exposure.

11.1. Information on toxicological effects**Aluminum Hydroxide**

Oral LD50	> 2000 mg/kg Rat
Inhalation LC50	Rat > 2.3 mg/l (Al ₂ O ₃) Aerosol Maximum attainable concentration
IARC	Not Listed

Reproductive Toxicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Ecotoxicity Very low solubility. Not considered to be harmful to aquatic life.

Aluminum Hydroxide

WGK Classification (VwVwS) 5220 WKG: nwg

12.2. Persistence and degradability The methods for determining biodegradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential Not likely to bioaccumulate.

Bioconcentration factor (BCF) No data available.

12.4. Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment This substance does not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects No information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal Methods	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not reuse container.
Waste codes	Waste codes should be assigned by the user based on the application for which the product was used

Aluminum Hydroxide

European Waste Catalog 060299
WGK Classification (VwVwS) 5220 WKG: nwg

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada	Not regulated
DOT	Not regulated
IATA	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated

14.1. UN number None

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

14.6. Special precautions for user Not applicable

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

HUBER

Safety Data Sheet

Martinal® ON; Martinal® ON-306; Martinal® ON-309

Issue Date: 13/Dec/2018

Print Date: 13/Dec/2018

Revision Number: 1.3

Page 10 of 11

Global Inventories

Pure substance/mixture

Substance

Chemical Name	CAS Number	EC No	REACH registration number	Australia (AICS)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	New Zealand	Philippines (PICCS)	Taiwan	TSCA: United States
Aluminum Hydroxide	21645-51-2	244-492-7	01-211952 9246-39-0 016	Y	Y	Y	Y	KE-00980	Y	Y	Y	Y	Y

Legend X / Y: Complies , - / N: Not Listed , Exempt

National Regulations

Germany

Aluminum Hydroxide

WGK Classification (VwVwS) 5220 WKG: nwg

15.2. Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance

SECTION 16: Other information

Reason for Revision

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 & COMMISSION REGULATION (EU) No. 2015/830

Issue Date:

13/Dec/2018

Print Date:

13/Dec/2018

Revision Number:

1.3

Prepared by

Huber Engineered Materials Global Regulatory Affairs
email: regulatory.affairs@huber.com.

(CLP) Regulation (EC 1272/2008) Not classified

Labeling

Symbols/Pictograms

None

Signal Word

None

Hazard Statements

This product is not classified as hazardous according to the UN GHS guideline and labeling is not required This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Training Advice

Do not handle until all safety precautions have been read and understood.

Abbreviations and acronyms

International Agency for Research on Cancer (IARC)
International Air Transport Association (IATA)
International Maritime Dangerous Goods (IMDG)
International Uniform Chemical Information Database (IUCLID)
Workplace Hazardous Materials Information System (WHMIS) status and classification
EPA SARA Title III Section 312 (40 CFR 370) Hazard Classification

HUBER

Safety Data Sheet

Martinal® ON; Martinal® ON-306; Martinal® ON-309

Issue Date: 13/Dec/2018

Print Date: 13/Dec/2018

Revision Number: 1.3

Page 11 of 11

DOT (Department of Transportation)
OSHA (Occupational Safety and Health Administration of the US Department of Labor)
TWA - Time-Weighted Average
The Classification, Labeling and Packaging of Substances and Mixtures (CLP) Regulation (EC 1272/2008)
PPE - Personal Protection Equipment
NIOSH - National Institute for Occupational Safety and Health
TDG (Transport of Dangerous Goods) Canada
CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)
Reportable Quantity (RQ) (RQ/% in mixture)
STEL - Short Term Exposure Limit
TLV® - Threshold Limit Value
Derived No Effect Level (DNEL)
SVHC: Substances of Very High Concern for Authorization:
Land transport (ADR/RID)
Biochemical oxygen demand (BOD)
Chemical oxygen demand (COD)
ICAO (air)
(IMDG) International Maritime Dangerous Goods
Positive Pressure Self-Contained Breathing Apparatus (SCBA)
Predicted No Effect Concentration (PNEC)
Globally Harmonized System (GHS)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet