



ADVANCED MATERIALS

Safety Data Sheet

Martoxid® PN-505

GHS (Globally Harmonized System)

Issue Date 13/Oct/2022
Print Date 13/Oct/2022

Revision Number 1.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: Martoxid® PN-505

Pure substance/mixture Substance

Chemical Name	CAS Number	EU REACH registration number	TSCA: United States	GHS Classification	Weight-%
Aluminium oxide	1344-28-1	01-2119529248-35-xxxx 01-2119529248-35-0017	A	Not classified.	>99

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Abrasive Adsorbent(s) Catalyst Filler Chemical industry (raw material for the production of other aluminium compounds), etc.

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company: MARTINSWERK GmbH
Kölner Strasse 110
50127 Bergheim
Germany
Tel. : +49-2271-90.22.78
Fax. : +49-2271-90.27.17

Internet www.hubermaterials.com

E-mail hubermaterials@huber.com

1.4. Emergency telephone number CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS Classification This product is not classified as hazardous according to the UN GHS guideline

PAGE HEADER-HEM

HUBER

Safety Data Sheet Martoxid® PN-505

Issue Date 13/Oct/2022
Print Date 13/Oct/2022

Revision Number 1.3
Page 2 of 11

and labeling is not required

Hazards identification

Physical Hazard	Not classified.
Health Hazards	Not classified
Environmental Hazard	Not classified.

2.2. Label elements

Symbols/Pictograms	None
Signal Word	None

Precautionary Statements

Prevention	Employ good industrial hygiene practice Do not handle until all safety precautions have been read and understood Wash thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Do not breathe dust
Response	IF ON SKIN: Wash with plenty of soap and water IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing If swallowed, rinse mouth with water (only if the person is conscious) Drink plenty of water
Storage	Store away from incompatible materials.
Disposal	Dispose of contents/containers in accordance with local regulations.

Additional Information: None.

2.3. Other hazards No information available.

SECTION 3: Composition/information on ingredients

Pure substance/mixture Substance

Chemical Name	CAS Number	EU REACH registration number	GHS Classification	Weight-%
Aluminium oxide	1344-28-1	01-2119529248-35-xxxx 01-2119529248-35-0017	Not classified.	>99

SECTION 4: First aid measures

HUBER

Safety Data Sheet
Martoxid® PN-505

Issue Date 13/Oct/2022
Print Date 13/Oct/2022

Revision Number 1.3
Page 3 of 11

4.1. Description of first aid measures

General Advice	When in doubt or if symptoms are observed, get medical advice. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Eye Contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Skin Contact	Wash with plenty of soap and water.
Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Ingestion	Rinse mouth thoroughly with water.
Aspiration hazard	Not an expected route of exposure.
Notes to Physician	Treat symptomatically.
4.2. Most important symptoms and effects, both acute and delayed	Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin.
4.3. Indication of any immediate medical attention and special treatment needed	Treatment should be symptomatic and supportive.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO₂).

Unsuitable Extinguishing Media

None known.

5.2. Special hazards arising from the substance or mixture

None known.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

HUBER

Safety Data Sheet Martoxid® PN-505

Issue Date 13/Oct/2022
Print Date 13/Oct/2022

Revision Number 1.3
Page 4 of 11

In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

- | | |
|---|--|
| 6.1. Personal precautions, protective equipment and emergency procedures | Ensure adequate ventilation. Use personal protection recommended in Section 8.
Avoid dust formation. Keep unauthorized personnel away. |
| For non-emergency personnel | Keep unauthorized personnel away. |
| For emergency responders | Keep unauthorized personnel away. Use personal protection recommended in Section 8. |
| 6.2. Environmental precautions | Avoid runoff to waterways and sewers. |
| 6.3. Methods and material for containment and cleaning up | Methods for Containment : Prevent further leakage or spillage if safe to do so
Methods for Clean-up : Sweep up and shovel into suitable containers for disposal |
| 6.4. Reference to other sections | Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information. |

SECTION 7: Handling and storage

- | | |
|--|---|
| 7.1. Precautions for safe handling | Minimize dust generation and accumulation
Provide local exhaust ventilation
Handle in accordance with good industrial hygiene and safety practice |
| 7.2. Conditions for safe storage, including any incompatibilities | Store away from incompatible materials
Keep container tightly closed and dry |
| 7.3. Specific end use(s) | No information available. |

SECTION 8: Exposure controls/personal protection

Exposure Limits Provide adequate ventilation as well as local exhaustion at critical locations

Aluminium oxide

ACGIH	TWA: 10 mg/m ³
ACGIH TLV	TWA: 1 mg/m ³ respirable fraction
OSHA	TWA: 15 mg/m ³ total dust
	TWA: 5 mg/m ³ respirable fraction
	(vacated) TWA: 10 mg/m ³ total dust
	(vacated) TWA: 5 mg/m ³ respirable fraction
	TLV-CMP: 10 mg/m ³
Argentina	TWA: 10 mg/m ³
Australia	OEL: 10 mg/m ³
Australia	TWA: 4 mg/m ³ total dust
China	STEL: 8 mg/m ³ total dust
China	

HUBER

Safety Data Sheet Martoxid® PN-505

Issue Date 13/Oct/2022
Print Date 13/Oct/2022

Revision Number 1.3
Page 5 of 11

Columbia	TWA (CMP: 8-hour: 1 mg/m ³
Hong Kong	TWA: 10 mg/m ³
India	TWA: Not established
Indonesia	TWA: 10 mg/m ³
Japan	ISHL TLV: Not established
Japan	JSOH TWA: 0.5 mg/m ³ (Class 1 (alumina); respirable dust)2 mg/m ³ (Class 1 (alumina); total dust)
Korea	TWA: 10 mg/m ³
Malaysia	TWA: 10 mg/m ³
Mexico	TWA 10 mg/m ³
New Zealand	TWA: 10 mg/m ³
Singapore	TWA: 10MGM3
Taiwan	Not established
Taiwan	5 mg/m ³ (respirable dust)
	10 mg/m ³ (total dust)
Thailand	Not established
Vietnam	TWA: 2 mg/m ³
Vietnam	STEL: 4 mg/m ³

Engineering Measures

Do not handle until all safety precautions have been read and understood
Ensure adequate ventilation, especially in confined areas
Provide a good standard of controlled ventilation (10 to 15 air changes per hour)
Use exhaust ventilation to keep airborne concentrations below exposure limits
In case of insufficient ventilation, wear suitable respiratory equipment

Personal Protective Equipment

Eye/Face Protection	Wear safety glasses with side shields (or goggles)
Skin and Body Protection	Wear suitable protective clothing
Hand Protection	Impervious gloves
Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice Handle in accordance with good industrial hygiene and safety practice

Environmental Exposure Controls

Dispose of in accordance with local regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:

Physical State	Solid Powder
Color	White
Odor	Odorless
Odor Threshold	No information available
pH:	Not available
Melting point / Freezing point	2000 °C (3632 °F) (1013 hPa)
Initial boiling point and boiling	2980 °C (5396 °F) (1013 hPa)

PAGE HEADER-HEM

HUBER

Safety Data Sheet Martoxid® PN-505

Issue Date 13/Oct/2022
Print Date 13/Oct/2022

Revision Number 1.3
Page 6 of 11

range

Flash Point

Evaporation Rate

Flammability (solid, gas)

Upper flammability limit:

Lower flammability limit:

Vapor Pressure

Vapor Density

Relative Density

Water Solubility

Solubility in other solvents

Partition coefficient

Autoignition Temperature

Decomposition Temperature

Kinematic viscosity

Dynamic viscosity

Explosive Properties

Oxidizing Properties

Not applicable Product/Substance is inorganic Solid

Not applicable. Melting Point : > 300°C

No information available

1 hPa (2158 °C)

Not applicable Melting Point : > 300°C

4 (20 °C)

Insoluble

No information available

Not applicable Product/Substance is inorganic

Aluminum oxide has no potential to explode.

~2000 °C (> 2050 °C)

Not applicable Solid

Not applicable Solid

None

None

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

None under normal processing

10.4. Conditions to avoid

Incompatible materials

Decomposition Temperature ~ 2000 °C (> 2050°C)

< / =0.3% : Al₂O₃ , Water

10.5. Incompatible materials

Strong acids

10.6. Hazardous decomposition products

None known

SECTION 11: Toxicological information

General Information

Users are advised to consider national Occupational Exposure Limits or other equivalent values.

Information on Likely Routes of Exposure

Inhalation

Do not breathe dust

HUBER

Safety Data Sheet Martoxid® PN-505

Issue Date 13/Oct/2022
Print Date 13/Oct/2022

Revision Number 1.3
Page 7 of 11

Skin	Avoid prolonged or repeated contact with skin Contact with dust can cause mechanical irritation or drying of the skin
Eyes	Avoid contact with eyes Dust contact with the eyes can lead to mechanical irritation
Ingestion	Ingestion is not a likely route of exposure
Aspiration hazard	Not an expected route of exposure.

11.1. Information on toxicological effects

Aluminium oxide

Serious eye damage/eye irritation	Non-irritant : Rabbit
Skin Corrosion/Irritation	Non-irritant : Rabbit
Mutagenicity	Based on available data, the classification criteria are not met
Reproductive Effects	No indication of effects on fertility. No indication of effects on developmental toxicity.
Target Organ Effects	Lungs
Specific target organ toxicity - Single exposure	No information available
Specific target organ toxicity - Repeated exposure	Repeated dose toxicity Inhalation 28-d Rat NOAEL (No observed adverse effect level) 70 mg(Al)/m ³ Repeated dose toxicity 1- Year Rat NOAEL (No observed adverse effect level) ≥ 30 mg Al/kg bw

Acute Toxicity	Based on available data, the classification criteria are not met
Chronic Toxicity	Based on available data, the classification criteria are not met.
Chronic Effects	Based on available data, the classification criteria are not met.
Respiratory Sensitization	Based on available data, the classification criteria are not met
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met
Skin Corrosion/Irritation	Based on available data, the classification criteria are not met
Skin Sensitization	Based on available data, the classification criteria are not met
Mutagenicity	Based on available data, the classification criteria are not met
Reproductive Effects	This product does not contain any known or suspected reproductive hazards.
Reproductive Toxicity	Based on available data, the classification criteria are not met.
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Specific target organ toxicity - Single exposure	Based on available data, the classification criteria are not met.

HUBER

Safety Data Sheet
Martoxid® PN-505

Issue Date 13/Oct/2022
Print Date 13/Oct/2022

Revision Number 1.3
Page 8 of 11

Specific target organ toxicity - Repeated exposure Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Ecotoxicity Very low solubility. Not considered to be harmful to aquatic life.

Aluminium oxide

WGK Classification (AwSV) 1346. WGK: nwg

12.2. Persistence and degradability The methods for determining biodegradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential Not likely to bioaccumulate.

Bioconcentration factor (BCF) No data available.

12.4. Mobility in soil None.

12.5. Results of PBT and vPvB assessment This substance does not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects None known

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal Methods Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not reuse container.

Waste codes Waste codes should be assigned by the user based on the application for which the product was used

Aluminium oxide

WGK Classification (AwSV) 1346. WGK: nwg

PAGE HEADER-HEM

HUBER

Safety Data Sheet Martoxid® PN-505

Issue Date 13/Oct/2022
Print Date 13/Oct/2022

Revision Number 1.3
Page 9 of 11

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada	Not regulated
DOT	Not regulated
ADR	Not regulated
RID	Not regulated
ADN	Not regulated
IATA	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated

14.1. UN number None

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

14.6. Special precautions for user Not applicable

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global Inventories

Pure substance/mixture Substance

Chemical Name	CAS Number	EC No	Australia (AIIIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	Thailand (TECI)	New Zealand	Philippines (PICCS)	Taiwan	TSCA: United States
Aluminium oxide	1344-28-1	215-691-6	Y	Y	Y	(1)-23 (ENCS)(IS HL)	KE-01012	Y	55-1-01517	Y	Y	Y	A

Legend X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

REACH No.

Aluminium oxide

PAGE HEADER-HEM

HUBER

Safety Data Sheet Martoxid® PN-505

Issue Date 13/Oct/2022
Print Date 13/Oct/2022

Revision Number 1.3
Page 10 of 11

EU REACH registration number 01-2119529248-35-xxxx
01-2119529248-35-0017
Turkish KKDIK pre-registration 05-0000192736-20-0000

Germany

Very low solubility Not considered to be harmful to aquatic life

Aluminium oxide

WGK Classification (AwSV) 1346. WGK: nwg

15.2. Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance

SECTION 16: Other information

Prepared by	Huber Engineered Materials Global Regulatory Affairs email: regulatory.affairs@huber.com.
GHS Classification	This product is not classified as hazardous according to the UN GHS guideline and labeling is not required
Symbols/Pictograms	None
Signal Word	None
Hazard Statements	None
Hazards identification	
Physical Hazard	Not classified
Health Hazards	Not classified
Environmental Hazard	Not classified
Abbreviations and acronyms	IARC (International Agency for Research on Cancer) IATA (International Air Transport Association) IMDG (International Maritime Dangerous Goods) IUCLID (International Uniform Chemical Information Database) WHMIS (Workplace Hazardous Materials Information System) DOT (Department of Transportation) OSHA (Occupational Safety and Health Administration of the US Department of Labor) TWA (Time-Weighted Average) CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008)) PPE (Personal Protection Equipment) NIOSH (National Institute for Occupational Safety and Health) TDG (Transport of Dangerous Goods) Canada CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act) RQ (Reportable Quantity) (RQ/% in mixture) STEL (Short Term Exposure Limit) TLV® (Threshold Limit Value) DNEL (Derived No Effect Level)

PAGE HEADER-HEM

HUBER

Safety Data Sheet Martoxid® PN-505

Issue Date 13/Oct/2022
Print Date 13/Oct/2022

Revision Number 1.3
Page 11 of 11

SVHC (Substances of Very High Concern)
BOD (Biochemical oxygen demand)
COD (Chemical oxygen demand)
ICAO (International Civil Aviation Organization)
IMDG (International Maritime Dangerous Goods)
ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)
SCBA (Self-Contained Breathing Apparatus) Positive Pressure
GHS (Globally Harmonized System)
SARA (Superfund Amendments and Reauthorization Act of 1986)
TSCA (Toxic Substances Control Act)

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet