

## Martoxid® PN-202; Martoxid® PN-6(12);Martoxid® PN-6; Martoxid® PS-6(12); Martoxid® PS-6

This material safety datasheet has been prepared according to Brazilian legislation and ABNT NBR 14725:2014 GHS (Globally Harmonized System)

Issue Date 22/Apr/2022 Print Date 13/May/2022 Revision Number 1.1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product Name:	Martoxid® PN-202; Martoxid® PN-6(12);Martoxid® PN-6; Martoxid® PS-6(12); Martoxid® PS-6
Pure substance/mixture	Substance
Aluminium oxide CAS Number Weight-%	1344-28-1 >99
1.2. Relevant identified uses of t	he substance or mixture and uses advised against
Recommended Use	Abrasive Adsorbent(s) Catalyst Filler Chemical industry (raw material for the production of other aluminium compounds), etc.
Uses advised against	None known.
1.3. Details of the supplier of the	e safety data sheet
Company:	MARTINSWERK GmbH Kölner Strasse 110 50127 Bergheim Germany Tel. : +49-2271-90.22.78 Fax. : +49-2271-90.27.17
Internet	www.hubermaterials.com
E-mail	hubermaterials@huber.com
1.4. Emergency telephone number	CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

**SECTION 2: Hazards identification** 

Martoxid® PN-202; Martoxid® PN-6(12); Martoxid® PN-6; Martoxid® PS-6(12); Martoxid® PS-6

Issue Date 22/Apr/2022 Print Date 13/May/2022 Revision Number 1.1 Page 2 of 11

Brazil Ministry of Transport	This product is not part of the Hazardous Products Classification established by the Brazilian Federal Department of Transportation's Administrative Ruling 204 from 5/20/1997.
2.1. Classification of the substa	nce or mixture
Physical Hazards	Not classified
Health Hazards	Not classified
Environmental Hazard	Not classified
2.2. Label elements	
Symbols/Pictograms	None.
Signal Word	None.
Hazard Statements	None
Precautionary Statements	
Prevention	Employ good industrial hygiene practice Do not handle until all safety precautions have been read and understood Wash thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Do not breathe dust
Response	IF ON SKIN: Wash with plenty of soap and water IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing If swallowed, rinse mouth with water (only if the person is conscious) Drink plenty of water
Storage	Store away from incompatible materials
Disposal	Dispose of contents/containers in accordance with local regulations
Additional Information:	None.
Hazards not otherwise classifie	d Not classified.

(HNOC)

# **SECTION 3: Composition/information on ingredients**

## Safety Data Sheet Martoxid® PN-202; Martoxid® PN-6(12);Martoxid® PN-6;

Martoxid® PS-6(12); Martoxid® PS-6

Issue Date 22/Apr/2022 Print Date 13/May/2022 Revision Number 1.1 Page 3 of 11

Chemical Name	CAS Number	TSCA: United States	EU REACH	GHS Classification	Weight-%
			registration number		
Aluminium oxide	1344-28-1	A	01-2119529248-35-xx	Not classified.	>99
			XX		
			01-2119529248-35-00		
			17		

Additional information

TSCA A: Component is listed on Inventory as Active

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

General Advice	When in doubt or if symptoms are observed, get medical advice. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Eye Contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Skin Contact	Wash with plenty of soap and water.
Ingestion	Rinse mouth thoroughly with water.
Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Aspiration hazard	Not an expected route of exposure.
4.2. Most important symptoms and effects, both acute and delayed	Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin.
4.3. Indication of any immediate	Treatment should be symptomatic and supportive.

**4.3. Indication of any immediate** Treatment should be symptomatic and supportiv **medical attention and special treatment needed** 

# **SECTION 5: Firefighting measures**

Flammable Properties

None known

5.1. Extinguishing media

Suitable Extinguishing	Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO2).
Media	

Martoxid® PN-202; Martoxid® PN-6(12); Martoxid® PN-6; Martoxid® PS-6(12); Martoxid® PS-6

Issue Date 22/Apr/2022 Print Date 13/May/2022	Revision Number 1.1 Page 4 of 11
Unsuitable Extinguishing Media	None known.
5.2. Special hazards arising from the substance or mixture	<b>n</b> None known.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Wear a self-contained breathing apparatus and chemical protective clothing.
Fire-fighting measures	In case of fire and/or explosion do not breathe fumes.

# **SECTION 6: Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures	Ensure adequate ventilation Use personal protection recommended in Section 8 Avoid dust formation Keep unauthorized personnel away
For non-emergency personnel	Keep unauthorized personnel away.
For emergency responders	Keep unauthorized personnel away Use personal protection recommended in Section 8
6.2. Environmental precautions	Avoid runoff to waterways and sewers.
6.3. Methods and material for containment and cleaning up	Methods for Containment : Prevent further leakage or spillage if safe to do so Methods for Clean-up : Sweep up and shovel into suitable containers for disposal
6.4. Reference to other sections	Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

# **SECTION 7: Handling and storage**

7.1. Precautions for safe handling	Minimize dust generation and accumulation Provide local exhaust ventilation Handle in accordance with good industrial hygiene and safety practice
7.2. Conditions for safe storage including any incompatibilities	, Store away from incompatible materials. Keep container tightly closed and dry.

7.3. Specific end use(s)

No information available.

# **SECTION 8: Exposure controls/personal protection**

## Safety Data Sheet Martoxid® PN-202; Martoxid® PN-6(12);Martoxid® PN-6;

Martoxid® PS-6(12); Martoxid® PS-6

Issue Date 22/Apr/2022 Print Date 13/May/2022 Revision Number 1.1 Page 5 of 11

#### 8.1. Control parameters

#### **Occupational exposure limits**

Aluminium oxide - 1344-28-1 OSHA NIOSH ACGIH Mexico	TWA: 15 mg/m <sup>3</sup> total dust TWA: 5 mg/m <sup>3</sup> respirable fraction (vacated) TWA: 10 mg/m <sup>3</sup> total dust (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction Not established TWA: 10 mg/m <sup>3</sup> TWA 10 mg/m <sup>3</sup>
PNEC (Predicted No Effect Concentration)	
<b>Biological Limit Values</b>	None
8.2. Exposure controls	
Engineering Measures	Do not handle until all safety precautions have been read and understood Ensure adequate ventilation, especially in confined areas Provide a good standard of controlled ventilation (10 to 15 air changes per hour) Use exhaust ventilation to keep airborne concentrations below exposure limits In case of insufficient ventilation, wear suitable respiratory equipment
Personal protective equipment	
Eye/Face Protection	Wear safety glasses with side shields (or goggles).
Skin and Body Protection	Wear suitable protective clothing.
Hand Protection	For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn.
<b>Respiratory Protection</b>	In case of inadequate ventilation wear respiratory protection.
Thermal hazards	None known.
Hygiene Measures	Follow general hygiene considerations recognized as common good workplace practices. The worker should wash daily at the end of each work shift, and prior to eating, drinking, smoking, etc.
Environmental Exposure Controls	Dispose of in accordance with local regulations.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

White

Physical State Solid.

Color

## Safety Data Sheet

Martoxid® PN-202; Martoxid® PN-6(12); Martoxid® PN-6; Martoxid® PS-6(12); Martoxid® PS-6

Issue Date 22/Apr/2022 Print Date 13/May/2022 Revision Number 1.1 Page 6 of 11

Odor	Odorless
Odor Threshold	None
pH:	Not available
Melting point / Freezing point	2000 °C (3632 °F) (1013 hPa)
Initial boiling point	2980 °C (5396 °F) (1013 hPa)
Flash Point	Not applicable Product/Substance is inorganic Solid
Evaporation Rate	Not applicable
Flammability (solid, gas)	No information available
Vapor Pressure	1 hPa (2158 °C)
Relative Density	4 g/cm³ (20 °C)
Water Solubility	Insoluble
Partition coefficient	Not available
Autoignition Temperature	Aluminum oxide has no potential to explode.
Decomposition Temperature	~2000 °C (> 2050 °C)
Viscosity	Not applicable
Explosive Properties	None
Oxidizing Properties	None
VOC Content (%) Solubility in other solvents	Not applicable No information available

9.2. Other information

# **SECTION 10: Stability and reactivity**

10.1. Reactivity	No data available.
10.2. Chemical stability	Stable under normal conditions.
10.3. Possibility of hazardous reactions	None under normal processing.
10.4. Conditions to avoid	Incompatible materials. Decomposition Temperature. ~ 2000 °C (> 2050°C).

## Safety Data Sheet

Martoxid® PN-202; Martoxid® PN-6(12); Martoxid® PN-6; Martoxid® PS-6(12); Martoxid® PS-6

Issue Date 22/Apr/2022 Print Date 13/May/2022 Revision Number 1.1 Page 7 of 11

< / =0.3%. :. Al<sub>2</sub>O<sub>3</sub>. ,. Water.

**10.5. Incompatible materials** Strong acids

**10.6. Hazardous decomposition** None known. **products** 

# **SECTION 11: Toxicological information**

General Information	Users are advised to consider national Occupational Exposure Limits or other equivalent values.
Information on Likely Routes o	f Exposure
Inhalation	Do not breathe dust.
Skin	Avoid prolonged or repeated contact with skin. Contact with dust can cause mechanical irritation or drying of the skin.
Eyes	Avoid contact with eyes. Dust contact with the eyes can lead to mechanical irritation.
Ingestion	Ingestion is not a likely route of exposure.
Aspiration hazard	Not an expected route of exposure.
Symptoms related to the physical, chemical and toxicological characteristics	Signs and symptoms may include coughing, gasping, choking and difficulty breathing. Contact with eyes may cause irritation.
Symptoms	Low hazard for usual industrial or commercial handling
ejinptenie	Low hazard for usual industrial of confinencial handling
11.1. Information on toxicologic	
11.1. Information on toxicologic Aluminium oxide - 1344-28-1 Mutagenicity	cal effects Based on available data, the classification criteria are not met No indication of effects on fertility.
11.1. Information on toxicologic Aluminium oxide - 1344-28-1 Mutagenicity Reproductive Effects	cal effects Based on available data, the classification criteria are not met No indication of effects on fertility. No indication of effects on developmental toxicity.
11.1. Information on toxicologic Aluminium oxide - 1344-28-1 Mutagenicity Reproductive Effects Acute Toxicity	cal effects Based on available data, the classification criteria are not met No indication of effects on fertility. No indication of effects on developmental toxicity. Not expected to be acutely toxic
11.1. Information on toxicologic Aluminium oxide - 1344-28-1 Mutagenicity Reproductive Effects Acute Toxicity Chronic Toxicity	cal effects Based on available data, the classification criteria are not met No indication of effects on fertility. No indication of effects on developmental toxicity. Not expected to be acutely toxic Based on available data, the classification criteria are not met.

## Safety Data Sheet

Martoxid® PN-202; Martoxid® PN-6(12); Martoxid® PN-6; Martoxid® PS-6(12); Martoxid® PS-6

Issue Date 22/Apr/2022 Print Date 13/May/2022	Revision Number 1.1 Page 8 of 11
Skin Corrosion/Irritation	Based on available data, the classification criteria are not met.
Skin Sensitization	Based on available data, the classification criteria are not met.
Mutagenicity	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Reproductive Effects	No indication of effects on developmental toxicity. Information given is based on data obtained from similar substances. No indication of effects on fertility.
Reproductive Toxicity	Based on available data, the classification criteria are not met.
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Specific target organ toxicity - Single exposure	Based on available data, the classification criteria are not met.
Specific target organ toxicity - Repeated exposure	Based on available data, the classification criteria are not met.
Mixture versus substance information	No information available.

# **SECTION 12: Ecological information**

12.1. Ecotoxicity	Very low solubility. Not considered to be harmful to aquatic life.					
<u>Aluminium oxide - 1344-28-1</u> WGK Classification (AwSV)	1346. WGK: nwg					
12.2. Persistence and degradability	The methods for determining biodegradability are not applicable to inorganic substances.					
12.3. Bioaccumulative potential	Not likely to bioaccumulate.					
Partition coefficient	Not available.					
Bioconcentration factor (BCF)	No data available.					
12.4. Mobility in soil	None.					
12.5. Results of PBT and vPvB assessment	This substance does not meet the criteria for classification as PBT or vPvB.					
12.6. Other adverse effects	None known					

Martoxid® PN-202; Martoxid® PN-6(12);Martoxid® PN-6; Martoxid® PS-6(12); Martoxid® PS-6

Issue Date 22/Apr/2022 Print Date 13/May/2022 Revision Number 1.1 Page 9 of 11

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Contaminated Packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not reuse container.
Waste codes	Waste codes should be assigned by the user based on the application for which the product was used
Disposal Methods	Disposal should be in accordance with applicable regional, national and local laws and regulations

# **SECTION 14: Transport information**

#### Mode of Transportation (Road, Water, Air, Rail)

ADR	Not regulated
RID	Not regulated
ADN	Not regulated
ΙΑΤΑ	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated
14.1. UN number	None
14.2. UN proper shipping name	None
14.3. Transport hazard class(es)	None
14.4. Packing group	None
14.5. Environmental hazards	No
14.6. Special precautions for user	Not applicable

**14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable

Martoxid® PN-202; Martoxid® PN-6(12);Martoxid® PN-6; Martoxid® PS-6(12); Martoxid® PS-6

Issue Date 22/Apr/2022 Print Date 13/May/2022 Revision Number 1.1 Page 10 of 11

**SECTION 15: Regulatory information** 

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture


#### **Global Inventories**

Chemical Name	CAS Number	EC No	EU REACH registrati on number	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico		Philippine s (PICCS)	Taiwan	TSCA: United States
Aluminium oxide	1344-28-1		01-211952 9248-35-x xxx 01-211952 9248-35-0 017	Y	Y	(1)-23 (ENCS)(ISH L)	KE-01012	Y	Y	Y	Y	A

Legend

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

Information on risks and safety as written on the label Health - Blue Flammability - Red Physical Hazard - Yellow Special - White



- 4- Extreme
- 3- High
- 2- Moderate
- 1- Low
- 0- Minimum

## **SECTION 16: Other information**

Prepared by

Huber Engineered Materials (HEM) Global Regulatory Affairs regulatory.affairs@huber.com

Martoxid® PN-202; Martoxid® PN-6(12); Martoxid® PN-6; Martoxid® PS-6(12); Martoxid® PS-6

Issue Date 22/Apr/2022 Print Date 13/May/2022	Revision Number 1.1 Page 11 of 11
Reason for Version	Brasil: ABNT NRB 14725-4: 2014.
Training Advice	Do not handle until all safety precautions have been read and understood.
Abbreviations and acronyms	<ul> <li>IARC (International Agency for Research on Cancer)</li> <li>IATA (International Air Transport Association)</li> <li>IMDG (International Maritime Dangerous Goods)</li> <li>IUCLID (International Uniform Chemical Information Database)</li> <li>WHMIS (Workplace Hazardous Materials Information System)</li> <li>DOT (Department of Transportation)</li> <li>OSHA (Occupational Safety and Health Administration of the US Department of Labor)</li> <li>TWA (Time-Weighted Average)</li> <li>CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008))</li> <li>PPE (Personal Protection Equipment)</li> <li>NIOSH (National Institute for Occupational Safety and Health)</li> <li>TDG (Transport of Dangerous Goods) Canada</li> <li>CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)</li> <li>RQ (Reportable Quantity) (RQ/% in mixture)</li> <li>STEL (Short Term Exposure Limit)</li> <li>TLV@ (Threshold Limit Value)</li> <li>DNEL (Derived No Effect Level)</li> <li>SVHC (Substances of Very High Concern)</li> <li>BOD (Biochemical oxygen demand)</li> <li>ICAO (International Civil Aviation Organization)</li> <li>IMDG (International Maritime Dangerous Goods)</li> <li>SCBA (Self-Contained Breathing Apparatus) Positive Pressure</li> <li>PNEC (Predicted No Effect Concentration)</li> <li>GHS (Globally Harmonized System)</li> <li>TSCA (Toxic Substances Control Act)</li> </ul>
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with one other materials on the analysis.

### End of Safety Data Sheet

in combination with any other materials or in any process, unless specified in the text