



FIRE RETARDANT ADDITIVES

# Safety Data Sheet

## SB-30

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03  
Canadian Workplace Hazardous Material Information System (WHMIS) 2015  
Mexico NOM-018-STPS-2000; NOM-018-STPS-2015  
GHS (Globally Harmonized System)

Issue Date 12/May/2022

Print Date 12/May/2022

Revision Number 1.3.1

Page 1 of 10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product Name: SB-30  
Pure substance/mixture Substance

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Flame retardant  
Uses advised against None known.

### 1.3. Details of the supplier of the safety data sheet

Company: J.M. Huber Corporation  
3100 Cumberland Boulevard, Suite 600  
Atlanta, GA 30339 USA  
Tel: +1 678 247-7300

Internet [www.hubermaterials.com](http://www.hubermaterials.com)

E-mail [hubermaterials@huber.com](mailto:hubermaterials@huber.com)

1.4. Emergency telephone number CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

OSHA Regulatory Status This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Physical Hazards Not classified

Health Hazards Not classified

Environmental Hazard Not classified

Issue Date 12/May/2022  
Print Date 12/May/2022

Revision Number 1.3.1  
Page 2 of 10

**2.2. Label elements**

<b>Symbols/Pictograms</b>	None
<b>Signal Word</b>	None
<b>Hazard Statements</b>	None
<b>Hazard Statements</b>	None

**Precautionary Statements**

<b>Prevention</b>	Employ good industrial hygiene practice Do not handle until all safety precautions have been read and understood Do not breathe dust Wear protective gloves/protective clothing/eye protection/face protection
<b>Response</b>	IF ON SKIN: Wash with plenty of soap and water
<b>Storage</b>	Store away from incompatible materials
<b>Disposal</b>	Dispose of contents/containers in accordance with local regulations

**Additional Information:** None.

**Hazards not otherwise classified (HNOC)** Not classified.

**SECTION 3: Composition/information on ingredients**

**Pure substance/mixture** Substance

Chemical Name	CAS Number	TSCA: United States	Canada (DSL)	Mexico	EU REACH registration number	OSHA Regulatory Status	WHMIS	Weight-%
Aluminum Hydroxide	21645-51-2	A	Y	Y	01-211952924-6-39	Not classified	--	100

**Legend**

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

**SECTION 4: First aid measures****4.1. Description of first aid measures**

<b>General Advice</b>	When in doubt or if symptoms are observed, get medical advice. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
<b>Eye Contact</b>	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Issue Date 12/May/2022  
Print Date 12/May/2022

Revision Number 1.3.1  
Page 3 of 10

<b>Skin Contact</b>	Wash with plenty of soap and water.
<b>Ingestion</b>	Rinse mouth thoroughly with water.
<b>Inhalation</b>	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
<b>Aspiration hazard</b>	Not an expected route of exposure.
<b>4.2. Most important symptoms and effects, both acute and delayed</b>	Signs and symptoms may include coughing, gasping, choking and difficulty breathing.
<b>4.3. Indication of any immediate medical attention and special treatment needed</b>	Treatment should be symptomatic and supportive.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

**Suitable Extinguishing Media**

Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO<sub>2</sub>).

**Unsuitable Extinguishing Media**

None known.

### 5.2. Special hazards arising from the substance or mixture

None known.

### 5.3. Advice for firefighters

**Special protective equipment for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing.

**Fire-fighting measures**

In case of fire and/or explosion do not breathe fumes.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protection recommended in Section 8. Avoid dust formation. Keep unauthorized personnel away.

**For non-emergency personnel** Keep unauthorized personnel away.

Issue Date 12/May/2022  
Print Date 12/May/2022

Revision Number 1.3.1  
Page 4 of 10

**For emergency responders** Keep unauthorized personnel away. Use personal protection recommended in Section 8.

**6.2. Environmental precautions** Avoid runoff to waterways and sewers.

**6.3. Methods and material for containment and cleaning up** Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust Small Spill: Vacuum or sweep material and place in a disposal container

**6.4. Reference to other sections** Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

## SECTION 7: Handling and storage

**7.1. Precautions for safe handling** Minimize dust generation and accumulation. Provide local exhaust ventilation. Handle in accordance with good industrial hygiene and safety practice.

**7.2. Conditions for safe storage, including any incompatibilities** Store away from incompatible materials. Keep container tightly closed and dry.

**7.3. Specific end use(s)** Flame retardant.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

##### Aluminum Hydroxide

OSHA

TWA: 15 mg/m<sup>3</sup> Total Dust

5 mg/m<sup>3</sup> Respirable Dust

ACGIH

TLV/TWA 8-hr: 1 mg/m<sup>3</sup> (respirable fraction)

Canada - Nova Scotia - OEL - TWA

1 mg/m<sup>3</sup> TWA (respirable fraction)

**PNEC (Predicted No Effect Concentration)** No information available

**DNEL (Derived No Effect Level)** Consumer - oral, long-term - local and systemic 4.74 mg/kg bw/day  
Worker - inhalative, long-term - local and systemic 10.74 mg/m<sup>3</sup>

**Biological Limit Values** None

### 8.2. Exposure controls

**Engineering Measures** Ensure adequate ventilation, especially in confined areas. Provide a good standard of controlled ventilation (10 to 15 air changes per hour).

Issue Date 12/May/2022  
Print Date 12/May/2022

Revision Number 1.3.1  
Page 5 of 10

**Personal protective equipment**

<b>Eye/Face Protection</b>	Wear safety glasses with side shields (or goggles).
<b>Skin and Body Protection</b>	Wear suitable protective clothing.
<b>Hand Protection</b>	For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn.
<b>Respiratory Protection</b>	In case of inadequate ventilation wear respiratory protection.
<b>Thermal hazards</b>	None known.
<b>Hygiene Measures</b>	Follow general hygiene considerations recognized as common good workplace practices. The worker should wash daily at the end of each work shift, and prior to eating, drinking, smoking, etc.
<b>Environmental Exposure Controls</b>	Dispose of in accordance with local regulations.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties****Appearance:**

<b>Physical State</b>	Solid Powder
<b>Odor</b>	Odorless
<b>Odor Threshold</b>	No information available
<b>pH:</b>	8.4 - 10.2 5% Water suspension
<b>Melting point / Freezing point</b>	ca 300 °C / 572 °F (101.3 kPa)
<b>Initial boiling point</b>	5396 °F (2980 °C) 101.3 kPa
<b>Flash Point</b>	Not applicable
<b>Evaporation Rate</b>	Not applicable.
<b>Flammability (solid, gas)</b>	Not applicable
<b>Flammability (solid, gas)</b>	Not applicable
<b>Upper flammability limit:</b>	
<b>Lower flammability limit:</b>	
<b>Vapor Pressure</b>	Not applicable
<b>Vapor Density</b>	Not applicable
<b>Relative Density</b>	2.4 g/cm <sup>3</sup> , 20° C
<b>Water Solubility</b>	Insoluble
<b>Solubility in other solvents</b>	No information available
<b>Partition coefficient</b>	No information available
<b>Autoignition Temperature</b>	Not applicable
<b>Decomposition Temperature</b>	392 °F (200 °C)
<b>Viscosity</b>	Not applicable.
<b>Explosive Properties</b>	None
<b>Oxidizing Properties</b>	Not applicable
<b>VOC Content (%)</b>	Not applicable

**SECTION 10: Stability and reactivity**

Issue Date 12/May/2022  
Print Date 12/May/2022

Revision Number 1.3.1  
Page 6 of 10

10.1. Reactivity	None
10.2. Chemical stability	Stable under normal conditions
10.3. Possibility of hazardous reactions	None under normal processing
10.4. Conditions to avoid	Incompatible materials
10.5. Incompatible materials	Strong acids
10.6. Hazardous decomposition products	None known

## SECTION 11: Toxicological information

**General Information** Users are advised to consider national Occupational Exposure Limits or other equivalent values.

### Information on Likely Routes of Exposure

Inhalation	Do not breathe dust Inhalation of dust may cause irritation of the respiratory system
Skin	Contact with dust can cause mechanical irritation or drying of the skin
Eyes	Dust contact with the eyes can lead to mechanical irritation
Ingestion	Ingestion is not a likely route of exposure
Aspiration hazard	Not an expected route of exposure.

### 11.1. Information on toxicological effects

#### Aluminum Hydroxide

Oral LD50	> 2000 mg/kg Rat
Inhalation LC50	Rat > 2.3 mg/l (Al <sub>2</sub> O <sub>3</sub> ) Aerosol Maximum attainable concentration
IARC	Not Listed

Acute Toxicity	Based on available data, the classification criteria are not met
Chronic Toxicity	Based on available data, the classification criteria are not met.
Chronic Effects	Based on available data, the classification criteria are not met.
Respiratory Sensitization	No information available
Serious eye damage/eye	Non-irritant Rabbit

Issue Date 12/May/2022  
Print Date 12/May/2022

Revision Number 1.3.1  
Page 7 of 10

**irritation**

<b>Skin Corrosion/Irritation</b>	Non-irritant Rabbit
<b>Skin Sensitization</b>	Based on available data, the classification criteria are not met Not a skin sensitizer Guinea pig
<b>Mutagenicity</b>	in vitro Not genotoxic in bacteria and mammalian cell systems. in vivo Mutagenicity (micronucleus test) Rat Negative (weight of evidence approach)
<b>Germ cell mutagenicity</b>	No information available.
<b>Reproductive Effects</b>	Based on available data, the classification criteria are not met.
<b>Reproductive Toxicity</b>	Based on available data, the classification criteria are not met.
<b>Carcinogenicity</b>	Based on available data, the classification criteria are not met.
<b>Specific target organ toxicity - Single exposure</b>	Not classified.
<b>Specific target organ toxicity - Repeated exposure</b>	No information available.
<b>Mixture versus substance information</b>	No information available

## SECTION 12: Ecological information

**12.1. Ecotoxicity** Not considered to be harmful to aquatic life.

**Aluminum Hydroxide**

**WGK Classification (AwSV)** 5220 WGK: nwg

**12.2. Persistence and degradability** The methods for determining biodegradability are not applicable to inorganic substances.

**12.3. Bioaccumulative potential** Not likely to bioaccumulate.

**Partition coefficient** No information available

**Bioconcentration factor (BCF)** Not available.

**12.4. Mobility in soil** No information available.

**12.5. Results of PBT and vPvB assessment** This substance does not meet the criteria for classification as PBT or vPvB.

Issue Date 12/May/2022  
Print Date 12/May/2022

Revision Number 1.3.1  
Page 8 of 10

12.6. Other adverse effects No information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

<b>Disposal Methods</b>	Disposal should be in accordance with applicable regional, national and local laws and regulations.
<b>Contaminated Packaging</b>	Empty containers should be taken to an approved waste handling site for recycling or disposal.
<b>Waste codes</b>	Waste codes should be assigned by the user based on the application for which the product was used

#### Aluminum Hydroxide

<b>European Waste Catalog</b>	060299
<b>WGK Classification (AwSV)</b>	5220 WGK: nwg

## SECTION 14: Transport information

### Mode of Transportation (Road, Water, Air, Rail)

<b>TDG -Canada</b>	Not regulated
<b>DOT</b>	Not regulated
<b>ADR</b>	Not regulated
<b>RID</b>	Not regulated
<b>ADN</b>	Not regulated
<b>IATA</b>	Not regulated
<b>IMDG/IMO</b>	Not regulated
<b>ICAO</b>	Not regulated

14.1. UN number	None
14.2. UN proper shipping name	None
14.3. Transport hazard class(es)	None
14.4. Packing group	None
14.5. Environmental hazards	No
14.6. Special precautions for user	Not applicable



HUBER

# Safety Data Sheet

SB-30

Issue Date 12/May/2022  
Print Date 12/May/2022

Revision Number 1.3.1  
Page 9 of 10

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code  
Not applicable

## SECTION 15: Regulatory information

### Global Inventories

#### Pure substance/mixture

Substance

Chemical Name	CAS Number	EC No	EU REACH registration number	Australia (AIIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	New Zealand	Philippines (PICCS)	Taiwan	TSCA: United States
Aluminum Hydroxide	21645-51-2	244-492-7	01-211952 9246-39	Y	Y	Y	(1)-17 (ENCS); ISHL	KE-00980	Y	Y	Y	Y	A

#### Legend

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

### US Federal Regulations

#### EPA

##### SARA 304

Not regulated

##### Aluminum Hydroxide

CERCLA

Not listed

SARA 302

Not listed

##### CWA (Clean Water Act)

Not regulated

##### CAA (Clean Air Act)

Not regulated

### U.S. State Right-to-Know Regulations

Chemical Name	CAS Number	California Proposition 65	Massachusetts	Minnesota	New Jersey	Pennsylvania
Aluminum Hydroxide	21645-51-2	N	N	N	N	N

Legend Y: Listed ; N: Not Listed

### CANADA

#### WHMIS

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR

## SECTION 16: Other information

Prepared by

Huber Engineered Materials (HEM) Global Regulatory Affairs

HUBER

# Safety Data Sheet

SB-30

Issue Date 12/May/2022  
Print Date 12/May/2022

Revision Number 1.3.1  
Page 10 of 10

regulatory.affairs@huber.com

Issue Date 12/May/2022  
Print Date 12/May/2022

Revision Number 1.3.1

Reason for Version OSHA (Occupational Safety and Health Administration of the US Department of Labor).

Training Advice Do not handle until all safety precautions have been read and understood.

## Abbreviations and acronyms

IARC (International Agency for Research on Cancer)  
IATA (International Air Transport Association)  
IMDG (International Maritime Dangerous Goods)  
IUCLID (International Uniform Chemical Information Database)  
WHMIS (Workplace Hazardous Materials Information System)  
DOT (Department of Transportation)  
OSHA (Occupational Safety and Health Administration of the US Department of Labor)  
TWA (Time-Weighted Average)  
CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008))  
PPE (Personal Protection Equipment)  
NIOSH (National Institute for Occupational Safety and Health)  
TDG (Transport of Dangerous Goods) Canada  
CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)  
RQ (Reportable Quantity) (RQ/% in mixture)  
STEL (Short Term Exposure Limit)  
TLV® (Threshold Limit Value)  
DNEL (Derived No Effect Level)  
SVHC (Substances of Very High Concern)  
BOD (Biochemical oxygen demand)  
COD (Chemical oxygen demand)  
ICAO (International Civil Aviation Organization)  
IMDG (International Maritime Dangerous Goods)  
ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)  
SCBA (Self-Contained Breathing Apparatus) Positive Pressure  
GHS (Globally Harmonized System)  
SARA (Superfund Amendments and Reauthorization Act of 1986)  
TSCA (Toxic Substances Control Act)

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**