

Martoxid® TM-1130

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 COMMISSION REGULATION (EU) No. 2020/878

Issue Date 19/Mar/2024 Print Date 19/Mar/2024

1.1. Product identifier

Revision Number 1.3.1 Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product Name:	Martoxid® TM-1130	
Pure substance/mixture	Substance	
Formula	AI2O3	
1.2. Relevant identified uses of	the substance or mixture and uses advised against	
Recommended Use	Thermally conductive filler	
Industrial use	-	
Professional use	-	
Consumer use		
Uses advised against	None known.	
1.3. Details of the supplier of the safety data sheet		
Manufacturer	MARTINSWERK GmbH Kölner Strasse 110 50127 Bergheim Germany Tel. : +49-2271-90.22.78 Fax. : +49-2271-90.27.17	
Internet	www.huberadvancedmaterials.com	
Contact E-Mail	www.huberadvancedmaterials.com/contact	
1.4. Emergency telephone number	CHEMTREC: +1 800 424 9300 or International +1 703 527 3887	
Poison control center phone number	National Anti-Poison Center UK: +44 844 892 0111 (National Poisons Information Service)	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Issue Date 19/Mar/2024

Safety Data Sheet

Martoxid® TM-1130

Revision Number 1.3.1

Print Date 19/Mar/2024	Page 2 of 12	
(CLP) Regulation (EC 1272/2008) Not classified		
Hazards identification Physical Hazard	Not classified	
Health Hazards	Not classified	
Environmental Hazard	Not classified	
2.2. Label elements		
Symbols/Pictograms	None	
Signal Word	None	
Hazard Statements	This product is not classified as hazardous according to the UN GHS guideline and labeling is not required This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)	
Precautionary Statements		
Prevention	Employ good industrial hygiene practice Wash hands thoroughly after handling	
Response	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing IF ON SKIN: Wash with plenty of soap and water IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing If swallowed, rinse mouth with water (only if the person is conscious) Drink plenty of water	
Storage	Keep in a dry place Store away from incompatible materials	
Disposal	Disposal should be in accordance with applicable regional, national and local laws and regulations.	
Additional Information:	None.	
2.3. Other hazards	No information available.	

SECTION 3: Composition/information on ingredients

3.	1. Substance	Substance			
	Chemical Name	CAS Number	EC No	(CLP) Regulation (EC 1272/2008)	Weight-%
	Aluminum oxide	1344-28-1	215-691-6	Not classified.	>99

Safety Data Sheet

Martoxid® TM-1130

Issue Date 19/Mar/2024 Print Date 19/Mar/2024 Revision Number 1.3.1 Page 3 of 12

SECTION 4: First aid measures

4.1. Description of first aid measures

General Advice	When in doubt or if symptoms are observed, get medical advice. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Eye Contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Skin Contact	Wash with plenty of soap and water.
Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Ingestion	Rinse mouth thoroughly with water.
Aspiration hazard	Not an expected route of exposure.
Notes to Physician	Treat symptomatically.
4.2. Most important symptoms and effects, both acute and delayed	Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin.
4.3. Indication of any immediate medical attention and special treatment needed	Treatment should be symptomatic and supportive.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO2).

Unsuitable Extinguishing Media None known.

5.2. Special hazards arising from the substance or mixture None known.

5.3. Advice for firefighters

Special protective

Martoxid® TM-1130

Issue Date 19/Mar/2024 Print Date 19/Mar/2024 Revision Number 1.3.1 Page 4 of 12

equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures	Ensure adequate ventilation. Use personal protection recommended in Section 8. Avoid dust formation. Keep unauthorized personnel away.
For non-emergency personnel	Keep unauthorized personnel away.
For emergency responders	Keep unauthorized personnel away. Use personal protection recommended in Section 8.
6.2. Environmental precautions	Avoid runoff to waterways and sewers.
6.3. Methods and material for containment and cleaning up	Methods for Containment : Prevent further leakage or spillage if safe to do so Methods for Clean-up : Sweep up and shovel into suitable containers for disposal
6.4. Reference to other sections	Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling	Minimize dust generation and accumulation Provide local exhaust ventilation Handle in accordance with good industrial hygiene and safety practice
	Store away from incompatible materials Keep container tightly closed and dry
7.3. Specific end use(s)	No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Aluminum oxide ACGIH OSHA

TWA: 10 mg/m³ TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable fraction (vacated) TWA: 10 mg/m³ total dust

HUBER

Martoxid® TM-1130

Issue Date 19/Mar/2024 Print Date 19/Mar/2024 Revision Number 1.3.1 Page 5 of 12

	(vacated) TWA: 5 mg/m ³ respirable fraction
NIOSH	Not established
Austria	TWA: 5 mg/m ³ respirable fraction, smoke
Austria	STEL: 10 mg/m ³ respirable fraction, smoke
Belgium	TWA: 1 mg/m ³
Bulgaria	TWA: 1.5MGM3;Respirable fraction.
	10.0MGM3;Dust.
Croatia	TWA: 10 mg/m ³ total dust
	4 mg/m ³ respirable dust
Czech Republic	TWA: 10.0 mg/m ³ dust
Denmark	TWA: 5 mg/m ³ total
	2 mg/m ³ respirable
Estonia	TWA: 10 mg/m ³ total dust
	4 mg/m ³ respirable dust
Finland	TWA: 2 mg/m ³ Al
France	VME/VLE: 10MGM3
Germany	DFG MAK: 8-hr TWA: 4 mg/m ³ : haltige Stäube (alveolengängige Fraktion)[4 mg/m ³ :
	inhalable dust fraction]
	1.5 mg/m ³ haltige Stäube (einatembare Fraktion)[1.5MGM3 : respirable dust fraction]
_	TRGS 900 limit : 3 mg/m ³ : respirable; 10MG/M3 inhalable
Greece	TWA: 10 mg/m ³ inhalable fraction
	5 mg/m ³ respirable fraction
Hungary	TWA: 6 mg/m ³ respirable dust
Ireland	TWA: 10 mg/m ³ total inhalable dust
	4 mg/m ³ respirable dust
Ireland	30 mg/m ³ total inhalable dust
	12 mg/m ³ respirable dust
Italy	TWA: 1MGM3;Respirable.
Latvia	TWA: 6 mg/m ³ disintegration aerosol
Lithuania	TWA: 5 mg/m ³ Al inhalable fraction
	2 mg/m ³ AI respirable fraction
Netherlands	MAC TWA: 10 mg/m ³
Norway	TWA: 10 mg/m ³
Norway	STEL: 10 mg/m ³
Poland	TWA: 2.5 mg/m ³ inhalable fraction
	1.2 mg/m ³ respirable fraction
Portugal	TWA: 10 mg/m ³ particulate matter containing no Asbestos and <1% Crystalline silica
Romania	TWA: 2 mg/m ³ aerosol
	3 mg/m ³
	1 mg/m ³
Romania	STEL: 5 mg/m ³ aerosol
	10 mg/m ³ dust
	3 mg/m ³ fume
Slovakia	TWA: 1.5 mg/m ³ fume
	1.5 mg/m ³
	0.1 mg/m ³ respirable fraction 6 mg/m ³ total aerosol
Spain	TWA: 10 mg/m ³
Sweden	TWA: 5 mg/m ³ total dust
	2 mg/m ³ respirable dust
Switzerland	TWA: 3 mg/m ³ respirable dust, smoke
Switzerland	STEL: 24 mg/m ³ respirable dust, smoke
United Kingdom	TWA: 10 mg/m ³ inhalable dust
	4 mg/m ³ respirable dust
Recommended monitoring	Refer also to national guidance documents for information on currently
procedures	recommended monitoring procedures
procedures	

Safety Data Sheet

Martoxid® TM-1130

Issue Date 19/Mar/2024 Print Date 19/Mar/2024 Revision Number 1.3.1 Page 6 of 12

Biological Limit Values None

DNEL (Derived No Effect Level)

Aluminum oxide

Worker - inhalative, long-term	3 mg/m ³
- systemic	
Consumer - oral, long-term -	6.22 mg/kg bw/d
systemic	

PNEC (Predicted No Effect Concentration)

Aluminum oxide			
Sewage treatment plant	20 mg/l		
8.2. Exposure controls			
Engineering Measures	Do not handle until all safety precautions have been read and understood Ensure adequate ventilation, especially in confined areas Provide a good standard of controlled ventilation (10 to 15 air changes per hour) Use exhaust ventilation to keep airborne concentrations below exposure limits In case of insufficient ventilation, wear suitable respiratory equipment		
Personal protective equipment			
Eye/Face Protection	Wear safety glasses with side shields (or goggles).		
Skin and Body Protection	Wear suitable protective clothing.		
Hand protection	For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn. Wear suitable gloves tested to EN 374.		
When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Recommended filter type: (FFP2) (FFP3)			
Thermal hazards	None known.		
Hygiene Measures	Follow general hygiene considerations recognized as common good workplace practices The worker should wash daily at the end of each work shift, and prior to eating, drinking, smoking, etc		
Environmental Exposure Controls	Dispose of in accordance with local regulations		

Martoxid® TM-1130

Issue Date 19/Mar/2024 Print Date 19/Mar/2024 Revision Number 1.3.1 Page 7 of 12

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties Appearance:		
Physical State	Solid Powder	
Color	White	
Odor	Odorless	
Odor Threshold	No information available	
	Not available	
pH: Molting point / Freezing point	2000 °C (3632 °F) (1013 hPa)	
Melting point / Freezing point	2980 °C (5396 °F) (1013 hPa)	
Initial boiling point and boiling	2900 C (5590 F) (1015 IFA)	
range Erooping Boint	Not applicable	
Freezing Point Flash Point	Not applicable	
	Not applicable Product/Substance is inorganic Solid Not applicable. Melting Point : > 300°C	
Evaporation Rate	No information available	
Flammability (solid, gas)		
Upper flammability limit:	-	
Lower flammability limit:		
Vapor Pressure	1 hPa (2158 °C)	
Vapor Density	Not applicable Melting Point : > 300°C	
Density	No data available	
Relative Density	4 (20 °C)	
Water Solubility	Insoluble	
Solubility in other solvents	No information available	
Partition coefficient	No information available Not applicable Product/Substance is inorganic	
Autoignition Temperature	Aluminum oxide has no potential to explode.	
Decomposition Temperature	~2000 °C (> 2050 °C)	
Viscosity	No information available.	
Kinematic viscosity	Not applicable Solid	
Dynamic viscosity	Not applicable Solid	
Explosive Properties	None	
Oxidizing Properties	None	
Particle Size	No information available	
VOC Content (%)	Not applicable	

9.2. Other information 9.2.1. Information with regard to physical hazard classes Not applicable

9.2.2. Other safety characteristics Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

Stable under normal conditions

Safety Data Sheet

Martoxid® TM-1130

Issue Date 19/Mar/2024 Print Date 19/Mar/2024		Revision Number 1.3.1 Page 8 of 12
10.3. Possibility of hazardous reactions	None under normal processing	
10.4. Conditions to avoid	Incompatible materials Decomposition Temperature ~ 2000 °C (> 2050°C) < / =0.3% : Al ₂ O ₃ , Water	
10.5. Incompatible materials	Strong acids	
10.6. Hazardous decomposition products	None known	

SECTION 11: Toxicological information

General Information

Users are advised to consider national Occupational Exposure Limits or other equivalent values.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

- Single exposure	Non-irritant : Rabbit Non-irritant : Rabbit Based on available data, the classification criteria are not met No indication of effects on fertility. No indication of effects on developmental toxicity. Lungs May cause respiratory irritation May cause damage to organs through prolonged or repeated exposure if inhaled Lungs
Acute Toxicity	Based on available data, the classification criteria are not met
Chronic Toxicity	Based on available data, the classification criteria are not met.
Chronic Effects	Based on available data, the classification criteria are not met.
Respiratory Sensitization	Based on available data, the classification criteria are not met
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met
Skin Corrosion/Irritation	Based on available data, the classification criteria are not met
Skin Sensitization	Based on available data, the classification criteria are not met
Mutagenicity	Based on available data, the classification criteria are not met

Safety Data Sheet

Martoxid® TM-1130

Issue Date 19/Mar/2024 Print Date 19/Mar/2024	Revision Number 1.3.1 Page 9 of 12
Reproductive Effects	This product does not contain any known or suspected reproductive hazards.
Reproductive Toxicity	Based on available data, the classification criteria are not met.
Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Specific target organ toxicity - Single exposure	Based on available data, the classification criteria are not met.
Specific target organ toxicity - Repeated exposure	Based on available data, the classification criteria are not met.
Information on Likely Routes of	Exposure
Inhalation	Do not breathe dust
Ingestion	Ingestion is not a likely route of exposure
Skin	Avoid prolonged or repeated contact with skin Contact with dust can cause mechanical irritation or drying of the skin
Eyes	Avoid contact with eyes Dust contact with the eyes can lead to mechanical irritation
Aspiration hazard	Not an expected route of exposure.

11.2. Information on other hazards

11.2.1. Endocrine disrupting This product does not contain any known or suspected endocrine disruptors **properties**

11.2.2. Other information Not applicable

SECTION 12: Ecological information

12.1. Toxicity	Not considered to be harmful to aquatic life			
<u>Aluminum oxide</u> WGK Classification (AwSV)	1346 WGK: nwg			
12.2. Persistence and degradability	The methods for determining biodegradability are not applicable to inorganic substances.			
12.3. Bioaccumulative potential	Not likely to bioaccumulate.			
Bioconcentration factor	No data available.			

Safety Data Sheet

Martoxid® TM-1130

Issue Date 19/Mar/2024 Print Date 19/Mar/2024 Revision Number 1.3.1 Page 10 of 12

(BCF)
 12.4. Mobility in soil None.
 12.5. Results of PBT and vPvB This substance does not meet the criteria for classification as PBT or vPvB.
 12.6. Endocrine disrupting properties

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal Methods	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not reuse container.
Waste codes	Waste codes should be assigned by the user based on the application for which the product was used
Aluminum oxide WGK Classification (AwSV)	1346 WGK: nwg

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada DOT	Not regulated Not regulated
ADR	Not regulated
RID	Not regulated
ADN	Not regulated
ΙΑΤΑ	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated

14.1. UN number None

14.2. UN proper shipping name None

Safety Data Sheet

Martoxid® TM-1130

Issue Date 19/Mar/2024 Print Date 19/Mar/2024 Revision Number 1.3.1 Page 11 of 12

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

14.6. Special precautions for Not applicable user

14.7. Maritime transport in bulk according to IMO instruments Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global Inventories

Pure substance/mixture

Substance

Chemical Name	CAS Number	EC No	Australia (AIIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	Thailand (TECI)		Philippine s (PICCS)		TSCA: United States
Aluminum oxide	1344-28-1	215-691-6	Y	Y	Y	(1)-23 (ENCS)(IS HL)	KE-01012	Y	55-1-0151 7	Y	Y	Y	A

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

REACH No.

Aluminum oxide

EU REACH registration number	01-2119529248-35-xxxx
	01-2119529248-35-0017
Turkish KKDIK pre-registration	05-0000192736-20-0000

Germany

Very low solubility Not considered to be harmful to aquatic life
<u>Aluminum oxide</u>
<u>1246 WCK</u> pug

WGK Classification (AwSV) 1346 WGK: nwg

15.2. Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance

SECTION 16: Other information

Reason for Revision

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 & COMMISSION REGULATION (EU) No. 2020/878

Issue Date

19/Mar/2024

Martoxid® TM-1130

Issue Date 19/Mar/2024 Print Date 19/Mar/2024	Revision Number 1.3.1 Page 12 of 12
Print Date Revision Number	19/Mar/2024 1.3.1
Prepared by	Huber Engineered Materials Global Regulatory Affairs email: regulatory.affairs@huber.com.
(CLP) Regulation (EC 1272/2008	3) Not classified
Labeling	
Symbols/Pictograms	None
Signal Word	None
Hazard Statements	This product is not classified as hazardous according to the UN GHS guideline and labeling is not required. This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Training Advice	Do not handle until all safety precautions have been read and understood.
Abbreviations and acronyms	IARC (International Agency for Research on Cancer) IUCLID (International Uniform Chemical Information Database) WHMIS (Workplace Hazardous Materials Information System) OSHA (Occupational Safety and Health Administration of the US Department of Labor) TWA (Time-Weighted Average) CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008)) PPE (Personal Protection Equipment) NIOSH (National Institute for Occupational Safety and Health) CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act) RQ (Reportable Quantity) (RQ% in mixture) STEL (Short Term Exposure Limit) TLV® (Threshold Limit Value) DNEL (Derived No Effect Level) SVHC (Substances of Very High Concern) BOD (Biochemical oxygen demand) COD (Chemical oxygen demand) COD (Chemical oxygen demand) ICAO (International Maritime Dangerous Goods) ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (International Maritime Dangerous Goods) DOT (Department of Transport Association) IMDG (International Maritime Dangerous Goods) DOT (Department of Transportation) SCBA (Self-Contained Breathing Apparatus) Positive Pressure GHS (Globally Harmonized System) TSCA (Toxic Substances Control Act)
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet