ADVANCED MATERIALS

Safety Data Sheet

Martoxid® TM-2250; Martoxid® TM-2320; Martoxid® TM-2410

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03
Canadian Workplace Hazardous Material Information System (WHMIS) 2015
Mexico NOM-018-STPS-2000; NOM-018-STPS-2015
GHS (Globally Harmonized System)

Issue Date 07/Oct/2022 Revision Number 1.3.2 Print Date 07/Oct/2022 Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: Martoxid® TM-2250; Martoxid® TM-2320; Martoxid® TM-2410

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Thermally conductive filler

Recommended use: --

Industrial use --

Professional use --

Consumer use --

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company: MARTINSWERK GmbH

Kölner Strasse 110 50127 Bergheim

Germany

Tel.: +49-2271-90.22.78 Fax.: +49-2271-90.27.17

Internet www.hubermaterials.com

E-mail hubermaterials@huber.com

1.4. Emergency telephone

number

CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Safety Data Sheet

Martoxid® TM-2250; Martoxid® TM-2320; Martoxid® TM-2410

Issue Date 07/Oct/2022 **Revision Number** 1.3.2 Print Date 07/Oct/2022

Page 2 of 11

This material is not considered hazardous by the OSHA Hazard Communication **OSHA Regulatory Status**

Standard (29 CFR 1910.1200)

Not classified **Physical Hazards**

Not classified **Health Hazards**

Environmental Hazard Not classified

2.2. Label elements

Symbols/Pictograms None

Signal Word None

Hazard Statements None

Hazard Statements None

Precautionary Statements

Prevention Employ good industrial hygiene practice

Do not handle until all safety precautions have been read and understood

Wash thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Do not breathe dust

Response IF ON SKIN: Wash with plenty of soap and water

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

IF INHALED: Remove to fresh air and keep at rest in a position comfortable for

breathing

If swallowed, rinse mouth with water (only if the person is conscious)

Drink plenty of water

Store away from incompatible materials Storage

Dispose of contents/containers in accordance with local regulations Disposal

Additional Information: None.

Hazards not otherwise classified Not classified.

(HNOC)

Safety Data Sheet

Martoxid® TM-2250; Martoxid® TM-2320; Martoxid® TM-2410

Issue Date 07/Oct/2022 Print Date 07/Oct/2022

Revision Number 1.3.2 Page 3 of 11

SECTION 3: Composition/information on ingredients

Pure substance/mixture Mixture

Chemical Name	CAS Number	TSCA: United States	Canada (DSL)	Mexico	EU REACH registration number	OSHA Regulatory Status	WHMIS	Weight-%
Aluminum oxide	1344-28-1	A	Y	Y	01-211952924 8-35-xxxx 01-211952924 8-35-0017		1	>99

Legend

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

SECTION 4: First aid measures

4.1. Description of first aid measures

When in doubt or if symptoms are observed, get medical advice. Ensure that **General Advice**

medical personnel are aware of the material(s) involved and take precautions to

protect themselves.

Eye Contact In case of eye contact, remove contact lens and rinse immediately with plenty of

water, also under the eyelids, for at least 15 minutes.

Skin Contact Wash with plenty of soap and water.

Ingestion Rinse mouth thoroughly with water.

Inhalation If breathing is difficult, remove victim to fresh air and keep at rest in a position

comfortable for breathing.

Aspiration hazard Not an expected route of exposure.

4.2. Most important symptoms and effects, both acute and

delayed

Dust contact with the eyes can lead to mechanical irritation. Contact with dust can

cause mechanical irritation or drying of the skin.

4.3. Indication of any immediate Treatment should be symptomatic and supportive. medical attention and special

treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing

Media

Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO2).

Safety Data Sheet

Martoxid® TM-2250; Martoxid® TM-2320; Martoxid® TM-2410

Issue Date 07/Oct/2022 Print Date 07/Oct/2022

Revision Number 1.3.2 Page 4 of 11

Unsuitable Extinguishing Media

None known.

5.2. Special hazards arising from the substance or mixture

None known.

5.3. Advice for firefighters

Special protective

equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protection recommended in Section 8.

Avoid dust formation. Keep unauthorized personnel away.

For non-emergency personnel Keep unauthorized personnel away.

Keep unauthorized personnel away. Use personal protection recommended in For emergency responders

Section 8.

6.2. Environmental precautions Avoid runoff to waterways and sewers.

6.3. Methods and material for containment and cleaning up

Methods for Containment: Prevent further leakage or spillage if safe to do so Methods for Clean-up: Sweep up and shovel into suitable containers for disposal

6.4. Reference to other sections Section 8: Exposure controls and personal protection. See Section 13 for

additional waste treatment information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Minimize dust generation and accumulation. Provide local exhaust ventilation. Handle in accordance with good industrial hygiene and safety practice.

including any incompatibilities

7.2. Conditions for safe storage, Store away from incompatible materials. Keep container tightly closed and dry.

7.3. Specific end use(s) No information available.

SECTION 8: Exposure controls/personal protection

Safety Data Sheet

Martoxid® TM-2250; Martoxid® TM-2320; Martoxid® TM-2410

Issue Date 07/Oct/2022 Revision Number 1.3.2

Print Date 07/Oct/2022 Page 5 of 11

8.1. Control parameters

Occupational exposure limits

Aluminum oxide

OSHA TWA: 15 mg/m³ total dust

TWA: 5 mg/m³ respirable fraction (vacated) TWA: 10 mg/m³ total dust (vacated) TWA: 5 mg/m³ respirable fraction

ACGIH TWA: 10 mg/m³

NIOSH --

PNEC (Predicted No Effect

Concentration)

DNEL (Derived No Effect Level) No information available

Biological Limit Values None

8.2. Exposure controls

Engineering Measures Provide a good standard of controlled ventilation (5 to 10 air changes per hour).

Use exhaust ventilation to keep airborne concentrations below exposure limits. In

case of insufficient ventilation, wear suitable respiratory equipment.

Personal protective equipment

Eye/Face Protection Wear safety glasses with side shields (or goggles).

Skin and Body Protection Wear suitable protective clothing.

Hand Protection For operations where prolonged or repeated skin contact may occur, impervious

gloves should be worn.

Respiratory Protection In case of inadequate ventilation wear respiratory protection.

Thermal hazards None known.

Hygiene Measures Follow general hygiene considerations recognized as common good workplace

practices. The worker should wash daily at the end of each work shift, and prior to

eating, drinking, smoking, etc.

Environmental Exposure

Controls

Dispose of in accordance with local regulations.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:

Physical State Solid Powder Color White Odor Odorless

Safety Data Sheet

Martoxid® TM-2250; Martoxid® TM-2320; Martoxid® TM-2410

Issue Date 07/Oct/2022 Revision Number 1.3.2

Print Date 07/Oct/2022 Page 6 of 11

Odor Threshold No information available

pH: 8.8 11% Water

Melting point / Freezing point 2000 °C (3632 °F) (1013 hPa) Initial boiling point and boiling 2980 °C (5396 °F) (1013 hPa)

range

Flash Point Not applicable Product/Substance is inorganic Solid

Evaporation Rate Not applicable. Melting Point : > 300°C

Flammability (solid, gas) No information available

Upper flammability limit: Lower flammability limit:

Vapor Pressure 1 hPa (2158 °C)

Vapor Density Not applicable Melting Point : > 300°C

Relative Density 3.98 g/cm³ Water Solubility Insoluble

Solubility in other solvents No information available

Partition coefficientAutoignition Temperature
Not applicable Product/Substance is inorganic
Aluminum oxide has no potential to explode.

Decomposition Temperature ~2000 °C (> 2050 °C)

Kinematic viscosity Not applicable Solid

Dynamic viscosity Not applicable Solid

Explosive Properties None **Oxidizing Properties** None

SECTION 10: Stability and reactivity

10.1. Reactivity No data available

10.2. Chemical stability Stable under normal conditions

10.3. Possibility of hazardous

reactions

None under normal processing

10.4. Conditions to avoid Incompatible materials

Decomposition Temperature ~ 2000 °C (> 2050°C)

< / =0.3% : Al₂ O₃ , Water

10.5. Incompatible materials Strong acids

10.6. Hazardous decomposition None known

products

SECTION 11: Toxicological information

General Information Users are advised to consider national Occupational Exposure Limits or other

equivalent values.

Information on Likely Routes of Exposure

Safety Data Sheet

Martoxid® TM-2250; Martoxid® TM-2320; Martoxid® TM-2410

 Issue Date
 07/Oct/2022
 Revision Number
 1.3.2

 Print Date
 07/Oct/2022
 Page 7 of 11

Inhalation Do not breathe dust

Skin Avoid prolonged or repeated contact with skin

Contact with dust can cause mechanical irritation or drying of the skin

Eyes Avoid contact with eyes

Dust contact with the eyes can lead to mechanical irritation

Ingestion Ingestion is not a likely route of exposure

Aspiration hazard Not an expected route of exposure.

11.1. Information on toxicological effects

Aluminum oxide

Serious eye damage/eye Non-irritant : Rabbit

irritation

Skin Corrosion/Irritation Non-irritant : Rabbit

Mutagenicity Based on available data, the classification criteria are not met

Reproductive Effects No indication of effects on fertility.

No indication of effects on developmental toxicity.

Target Organ Effects Lungs

Specific target organ toxicity May cause respiratory irritation

- Single exposure

Specific target organ toxicity May cause damage to organs through prolonged or repeated exposure if inhaled

- Repeated exposure Lungs

Acute Toxicity Based on available data, the classification criteria are not met

Chronic Toxicity Based on available data, the classification criteria are not met.

Chronic Effects Based on available data, the classification criteria are not met.

Respiratory Sensitization Based on available data, the classification criteria are not met

Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met

Skin Corrosion/Irritation Based on available data, the classification criteria are not met

Skin Sensitization Based on available data, the classification criteria are not met

Mutagenicity Based on available data, the classification criteria are not met

Reproductive EffectsThis product does not contain any known or suspected reproductive hazards.

Reproductive Toxicity Based on available data, the classification criteria are not met.

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed

by OSHA, IARC or NTP.

Specific target organ toxicity -

Single exposure

Based on available data, the classification criteria are not met.

Safety Data Sheet

Martoxid® TM-2250; Martoxid® TM-2320; Martoxid® TM-2410

Issue Date 07/Oct/2022 Revision Number 1.3.2
Print Date 07/Oct/2022 Page 8 of 11

Specific target organ toxicity -

Repeated exposure

Based on available data, the classification criteria are not met.

Mixture versus substance

information

Not applicable

SECTION 12: Ecological information

12.1. Ecotoxicity Very low solubility. Not considered to be harmful to aquatic life.

Aluminum oxide

WGK Classification (AwSV) 1346 WGK: nwg

12.2. Persistence and

degradability

The methods for determining biodegradability are not applicable to inorganic

substances.

12.3. Bioaccumulative potential Not likely to bioaccumulate.

Bioconcentration factor

(BCF)

No data available.

12.4. Mobility in soil None.

12.5. Results of PBT and vPvB

assessment

This substance does not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects None known

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal MethodsDisposal should be in accordance with applicable regional, national and local laws

and regulations.

or disposal. Do not reuse container.

Waste codes Waste codes should be assigned by the user based on the application for which

the product was used

Aluminum oxide

WGK Classification (AwSV) 1346 WGK: nwg

Safety Data Sheet

Martoxid® TM-2250; Martoxid® TM-2320; Martoxid® TM-2410

Issue Date 07/Oct/2022 Print Date 07/Oct/2022 Revision Number 1.3.2 Page 9 of 11

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada Not regulated Not regulated DOT Not regulated **ADR** Not regulated RID **ADN** Not regulated **IATA** Not regulated Not regulated IMDG/IMO Not regulated **ICAO**

14.1. UN number None

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

14.6. Special precautions for Not applicable

user

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

Global Inventories

Pure substance/mixture Mixture

Chemical Name	CAS Number	EC No	EU REACH registrati on number	Australia (AIIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico		Philippine s (PICCS)	Taiwan	TSCA: United States
Aluminum oxide	1344-28-1		01-211952 9248-35-x xxx 01-211952 9248-35-0 017		Y	Y	(1)-23 (ENCS)(ISH L)	KE-01012	Y	Y	Y	Υ	A

Legend

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

Safety Data Sheet

Martoxid® TM-2250; Martoxid® TM-2320; Martoxid® TM-2410

Issue Date 07/Oct/2022 Revision Number 1.3.2
Print Date 07/Oct/2022 Page 10 of 11

US Federal Regulations

EPA

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemicals which is subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Aluminum oxide

SARA 313 1.0

CWA (Clean Water Act)

Not listed

CAA (Clean Air Act)

Not listed

U.S. State Right-to-Know Regulations

	Chemical Name	CAS Number	California Proposition 65	Massachusetts	Minnesota	New Jersey	Pennsylvania
ı	Aluminum oxide	1344-28-1	-	Y	Υ	Y	Υ

Legend Y: Listed; N: Not Listed

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65)

This product does not contain any Proposition 65 chemicals

CANADA

WHMIS

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR

SECTION 16: Other information

Prepared by Huber Engineered Materials (HEM) Global Regulatory Affairs

regulatory.affairs@huber.com

 Issue Date
 07/Oct/2022

 Print Date
 07/Oct/2022

Revision Number 1.3.2

Reason for Version OSHA (Occupational Safety and Health Administration of the US Department of

Labor).

Training Advice Do not handle until all safety precautions have been read and understood.

Abbreviations and acronyms IARC (International Agency for Research on Cancer)

IATA (International Air Transport Association)
IMDG (International Maritime Dangerous Goods)

IUCLID (International Uniform Chemical Information Database) WHMIS (Workplace Hazardous Materials Information System)

DOT (Department of Transportation)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

Safety Data Sheet

Martoxid® TM-2250; Martoxid® TM-2320; Martoxid® TM-2410

Issue Date 07/Oct/2022 Print Date 07/Oct/2022 Revision Number 1.3.2 Page 11 of 11

TWA (Time-Weighted Average)

CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008))

PPE (Personal Protection Equipment)

NIOSH (National Institute for Occupational Safety and Health)

TDG (Transport of Dangerous Goods) Canada

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)

RQ (Reportable Quantity) (RQ/% in mixture)

STEL (Short Term Exposure Limit)

TLV® (Threshold Limit Value)

DNEL (Derived No Effect Level)

SVHC (Substances of Very High Concern)

BOD (Biochemical oxygen demand)

COD (Chemical oxygen demand)

ICAO (International Civil Aviation Organization)

IMDG (International Maritime Dangerous Goods)

ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)

SCBA (Self-Contained Breathing Apparatus) Positive Pressure

GHS (Globally Harmonized System)

SARA (Superfund Amendments and Reauthorization Act of 1986)

TSCA (Toxic Substances Control Act)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet