# ADVANCED MATERIALS

#### **Safety Data Sheet**

#### Martoxid® TM-2250 X

Prepared in accordance with GB/T 16483-2008, GB/T 24774-2009, GB 13690 – 2009, GB/T 17519–2013 GHS (Globally Harmonized System)

Issue Date 11/Dec/2023 Revision Number 1.1
Print Date 11/Dec/2023 Page 1 of 10

#### Section 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name: Martoxid® TM-2250 X

Chemical Name Al<sub>2</sub>O<sub>3</sub> (surface modified)

Pure substance/mixture Mixture

Aluminum oxide

**CAS Number** 1344-28-1 **Weight-%** >99

Recommended Use Thermally conductive filler

Uses advised against None known

Company: MARTINSWERK GmbH

Kölner Strasse 110 50127 Bergheim

Germany

Tel.: +49-2271-90.22.78 Fax.: +49-2271-90.27.17

Emergency Telephone CHEMTREC China: 4001-204937 (Mandarin)

Local call: +86 532 5879 2008

**E-mail** hubermaterials@huber.com

**Internet** www.huberadvancedmaterials.com

#### **Section 2: HAZARDS IDENTIFICATION**

GHS Classification Not classified

Physical Hazard Not classified

Health Hazard Not classified

Environmental Hazard Not classified

**Label Elements** 

Symbols/Pictograms None
Signal Word None

### **Safety Data Sheet**

#### Martoxid® TM-2250 X

Issue Date 11/Dec/2023 Revision Number 1.1
Print Date 11/Dec/2023 Page 2 of 10

#### **Precautionary Statements**

**Prevention** Do not handle until all safety precautions have been read and understood.

Observe good industrial hygiene practices.

Wear protective gloves/protective clothing/eye protection/face protection. Use mechanical ventilation (dilution and local exhaust) to control exposure

Avoid breathing dust.

Response None

Spills and Leaks Collect spillage

Storage Store in a dry place

**Disposal** Dispose of in accordance with federal, state and local regulations

**General Advice** In case of doubt or when symptoms persist, seek medical attention.

Additional Information: None.

### Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture Mixture

Chemical Name	CAS Number	China (IECSC)	China classification	TSCA: United States	EU REACH registration number	Weight-%
Aluminum oxide	1344-28-1	Y	Not classified	A	01-2119529248-35 -xxxx	>99
					01-2119529248-35 -0017	

#### **Section 4: FIRST AID MEASURES**

**General Advice** In case of doubt or when symptoms persist, seek medical attention.

Eye Contact Hold eyelids apart and flush eyes with a steady, gentle stream of water for several

minutes.

**Skin Contact** Wash skin with soap and water

Inhalation IF INHALED: Remove to fresh air and keep at rest in a position comfortable for

breathing

### Safety Data Sheet

#### Martoxid® TM-2250 X

Issue Date 11/Dec/2023 Revision Number 1.1 Print Date 11/Dec/2023 Page 3 of 10

Ingestion Rinse mouth with water. Do not induce vomiting.

**Notes to Physician** Treat symptomatically

Personal Protective Equipment Wear suitable protective clothing

For First Aid Responders IF exposed or concerned: Get medical advice/attention

Expected acute symptoms and None known

delayed symptoms

#### **Section 5: FIRE FIGHTING MEASURES**

Flammable Properties None known

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing media: None known

**Specific Hazards Arising from** 

the Chemical

None known

**Unusual fire & explosion** 

hazards:

None

Protective measures: Use protective equipment that is appropriate for surrounding materials.

**Protective Equipment and Precautions for Firefighters**  Wear self-contained breathing apparatus and protective suit

### Section 6: SPILLAGE, ACCIDENTAL RELEASE MEASURES

**Personal Precautions** Avoid dust formation. When exposed to high concentrations of airborne dust, wear

a SCBA in accordance with national legislation

**Environmental Precautions** This product does not present any particular risk to the environment. Refer to

applicable national, state and local regulations prior to washing in drain.

Methods for cleaning up Pick up mechanically and / or by rinsing with water. Avoid dry sweeping and use a

sprinkler system or exhaust ventilation to prevent dust formation.

Other Information: None known

#### Section 7: HANDLING AND STORAGE

Handling Avoid dust formation. Avoid breathing dust. Handle in accordance with good

### **Safety Data Sheet**

#### Martoxid® TM-2250 X

Issue Date 11/Dec/2023 Revision Number 1.1
Print Date 11/Dec/2023 Page 4 of 10

industrial hygiene and safety practice.

**Storage** Store in a dry area. Keep containers closed and protect from physical damage.

#### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**Exposure Limits** Provide adequate ventilation as well as local exhaustion at critical locations

Aluminum oxide

 China
 TWA: 4 mg/m³ total dust

 China
 STEL: 8 mg/m³ total dust

 ACGIH
 TWA: 10 mg/m³

**ACGIH TLV** TWA: 1 mg/m³ respirable fraction

NIOSH Not established

OSHA TWA: 15 mg/m³ total dust

TWA: 5 mg/m³ respirable fraction (vacated) TWA: 10 mg/m³ total dust (vacated) TWA: 5 mg/m³ respirable fraction

Engineering Measures Do not handle until all safety precautions have been read and understood

Ensure adequate ventilation, especially in confined areas

Provide a good standard of controlled ventilation (10 to 15 air changes per hour) Use exhaust ventilation to keep airborne concentrations below exposure limits

In case of insufficient ventilation, wear suitable respiratory equipment

Personal Protective Equipment

**Eye/Face Protection** Wear safety glasses with side shields (or goggles)

Skin and Body Protection Wear suitable protective clothing

Hand Protection Impervious gloves

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

**Hygiene Measures**Handle in accordance with good industrial hygiene and safety practice Handle in

accordance with good industrial hygiene and safety practice

**Environmental Exposure** 

**Controls** 

Dispose of in accordance with local regulations

### **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Appearance:

Physical State Solid

Powder

Color White Odor Odorless

Odor Threshold No information available

### Safety Data Sheet

#### Martoxid® TM-2250 X

Issue Date 11/Dec/2023 Revision Number 1.1 Print Date 11/Dec/2023

Page 5 of 10

8.8 11% Water pH:

Melting point / Freezing point 2000 °C (3632 °F) (1013 hPa) Initial boiling point and boiling 2980 °C (5396 °F) (1013 hPa)

range

**Flash Point** Not applicable. Product/Substance is inorganic. Solid.

**Evaporation Rate** Not applicable Melting Point: > 300°C

No information available Flammability (solid, gas)

Upper flammability limit: Lower flammability limit:

1 hPa (2158 °C) **Vapor Pressure** 

Not applicable Melting Point: > 300°C **Vapor Density** 

**Relative Density** 3.98 g/cm<sup>3</sup> Insoluble **Water Solubility** 

Solubility in other solvents No information available

Partition coefficient Not applicable Product/Substance is inorganic Aluminum oxide has no potential to explode. **Autoignition Temperature** 

**Decomposition Temperature** ~2000 °C (> 2050 °C) Not applicable Solid Kinematic viscosity Not applicable Solid Dynamic viscosity

**Explosive Properties** None **Oxidizing Properties** None

#### **Section 10: STABILITY AND REACTIVITY**

**Stability** Stable under normal conditions

Conditions to avoid: None known

Strong acids Incompatible materials

**Hazardous decomposition** 

products

None under normal processing

None under normal processing **Hazardous Reactions** 

None under normal processing Hazardous polymerization:

### Section 11: TOXICOLOGICAL INFORMATION

**General Information** Users are advised to consider national Occupational Exposure Limits or other

equivalent values.

**Product Information** 

Information on Likely Routes of Exposure

### **Safety Data Sheet**

#### Martoxid® TM-2250 X

Issue Date 11/Dec/2023 Revision Number 1.1
Print Date 11/Dec/2023 Page 6 of 10

Eyes Avoid contact with eyes

Dust contact with the eyes can lead to mechanical irritation

**Skin** Avoid prolonged or repeated contact with skin

Contact with dust can cause mechanical irritation or drying of the skin

**Inhalation** Do not breathe dust

**Ingestion** Ingestion is not a likely route of exposure

**Aspiration hazard** Not an expected route of exposure.

Symptoms Low hazard for usual industrial or commercial handling

#### 11.1. Information on toxicological effects

Aluminum oxide

Serious eye damage/eye Non-irritant : Rabbit

irritation

Skin Corrosion/Irritation Non-irritant : Rabbit

Mutagenicity Based on available data, the classification criteria are not met

**Reproductive Effects** No indication of effects on fertility.

No indication of effects on developmental toxicity.

Target Organ Effects Lungs

Specific target organ toxicity May cause respiratory irritation

- Single exposure

Specific target organ toxicity May cause damage to organs through prolonged or repeated exposure if inhaled

- Repeated exposure Lungs

Acute Toxicity Based on available data, the classification criteria are not met

**Chronic Toxicity** Based on available data, the classification criteria are not met.

**Chronic Effects** Based on available data, the classification criteria are not met.

Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met

**Respiratory Sensitization** Based on available data, the classification criteria are not met

Skin Corrosion/Irritation Based on available data, the classification criteria are not met

Skin Sensitization Based on available data, the classification criteria are not met

**Mutagenicity** Based on available data, the classification criteria are not met.

**Reproductive Effects**This product does not contain any known or suspected reproductive hazards.

**Reproductive Toxicity** Based on available data, the classification criteria are not met.

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed

### Safety Data Sheet

#### Martoxid® TM-2250 X

Issue Date 11/Dec/2023 Revision Number 1.1 Print Date 11/Dec/2023 Page 7 of 10

by OSHA, IARC or NTP.

Specific target organ toxicity -

Single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

Repeated exposure

Based on available data, the classification criteria are not met.

Mixture versus substance

information

Not applicable.

#### **Section 12: ECOLOGICAL INFORMATION**

**Ecotoxicity** Not considered to be harmful to aquatic life. Avoid release to the environment.

Persistence/Degradability: The methods for determining biodegradability are not applicable to inorganic

substances.

Not available

No data available.

Not likely to bioaccumulate. **Bioaccumulative Potential** 

Partition coefficient **Bioconcentration factor** 

(BCF)

Mobility in soil None.

Results of PBT and vPvB

assessment

This substance does not meet the criteria for classification as PBT or vPvB.

Other Adverse Effects None known

#### **Section 13: DISPOSAL CONSIDERATIONS**

Waste from Residues/Unused

**Products** 

Dispose of in accordance with local regulations

**Contaminated Packaging:** Empty containers should be taken to an approved waste handling site for recycling

or disposal.

#### **Section 14: TRANSPORT INFORMATION**

Mode of Transportation (Road, Water, Air, Rail)

### **Safety Data Sheet**

#### Martoxid® TM-2250 X

 Issue Date
 11/Dec/2023
 Revision Number
 1.1

 Print Date
 11/Dec/2023
 Page
 8 of 10

DOT Not regulated
ADR Not regulated
RID Not regulated
ADN Not regulated
IATA Not regulated
IMDG/IMO Not regulated
ICAO Not regulated

**14.1. UN number** None

**14.2. UN proper shipping name** None

14.3. Transport hazard class(es) None

**14.4. Packing group** None

14.5. Environmental hazards No

**14.6. Special precautions for** Not applicable

user

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

### **Section 15: REGULATORY INFORMATION**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Global Inventories

Chemical Name	CAS Number	EC No	EU REACH registration number	Australia (AIIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	New Zealand	Philippin es (PICCS)	Taiwan	TSCA: United States
Aluminum oxide	1344-28-1		01-211952924 8-35-xxxx 01-211952924 8-35-0017		Υ	Y	(1)-23 (ENCS)(IS HL)	KE-01012	Y	Y	Y	Υ	A

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

### **Safety Data Sheet**

#### Martoxid® TM-2250 X

Issue Date 11/Dec/2023
Print Date 11/Dec/2023

Revision Number 1.1 Page 9 of 10

#### **Section 16: OTHER INFORMATION**

Prepared by Huber Engineered Materials Global Regulatory Affairs

email: regulatory.affairs@huber.com

Reason for Revision GB/T 16483-2008

GB/T 24774-2009 GB 13690 – 2009 GB/T 17519–2013

GHS Classification Not classified

Physical Hazard Not classified

Health Hazard Not classified

Environmental Hazard Not classified

**Label Elements** 

Symbols/Pictograms None

Signal Word None

Abbreviations and acronyms IARC (International Agency for Research on Cancer)

IATA (International Air Transport Association)
IMDG (International Maritime Dangerous Goods)

IUCLID (International Uniform Chemical Information Database) WHMIS (Workplace Hazardous Materials Information System)

DOT (Department of Transportation)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

TWA (Time-Weighted Average)

CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation

(EC 1272/2008))

PPE (Personal Protection Equipment)

NIOSH (National Institute for Occupational Safety and Health)

TDG (Transport of Dangerous Goods) Canada

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)

RQ (Reportable Quantity) (RQ/% in mixture)

STEL (Short Term Exposure Limit)
TLV® (Threshold Limit Value)
DNEL (Derived No Effect Level)

SVHC (Substances of Very High Concern) BOD (Biochemical oxygen demand)

COD (Chemical oxygen demand)

ICAO (International Civil Aviation Organization) IMDG (International Maritime Dangerous Goods)

SCBA (Self-Contained Breathing Apparatus) Positive Pressure

GHS (Globally Harmonized System)

ADR (European Agreement Concerning the International Carriage of Dangerous Goods by

Road)

RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)

SARA (Superfund Amendments and Reauthorization Act of 1986)

### **Safety Data Sheet**

#### Martoxid® TM-2250 X

 Issue Date
 11/Dec/2023
 Revision Number
 1.1

 Print Date
 11/Dec/2023
 Page 10 of 10

TSCA (Toxic Substances Control Act)

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**