



Safety Data Sheet

FIRE RETARDANT ADDITIVES

Martoxid® TM-4410; Martoxid® TM-4220; Martoxid® TM-4240; Martoxid® TM-4250

Globally Harmonized System (GHS)

Issue Date: 19/Sep/2019

Revision Number: 1.2

Print Date: 19/Sep/2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: Martoxid® TM-4410; Martoxid® TM-4220; Martoxid® TM-4240; Martoxid® TM-4250

Chemical Name Al₂O₃ (surface modified)

Pure substance/mixture Mixture

Chemical Name	CAS Number	REACH registration number	TSCA: United States	GHS Classification	Weight-%
Aluminium oxide	1344-28-1	01-2119529248-35-xxxx 01-2119529248-35-0017	A	Not classified.	>99

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Thermally conductive filler

1.3. Details of the supplier of the safety data sheet

Company: MARTINSWERK GmbH
Kölner Strasse 110
50127 Bergheim
Germany
Tel. : +49-2271-90.22.78
Fax. : +49-2271-90.27.17

Internet www.hubermaterials.com

E-mail hubermaterials@huber.com

1.4. Emergency telephone number CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

PAGE HEADER-HEM

HUBER

Safety Data Sheet

Martoxid® TM-4410; Martoxid® TM-4220; Martoxid® TM-4240; Martoxid® TM-4250

Issue Date: 19/Sep/2019

Print Date: 19/Sep/2019

Revision Number: 1.3

Page 2 of 11

GHS Classification

This product is not classified as hazardous according to the UN GHS guideline and labeling is not required

Hazards identification

Physical Hazard Not classified.

Health Hazards Not classified

Environmental Hazard Not classified.

2.2. Label elements

Symbols/Pictograms None

Signal Word None

Precautionary Statements

Prevention
Employ good industrial hygiene practice
Do not handle until all safety precautions have been read and understood.
Wash thoroughly after handling
Wear protective gloves/protective clothing/eye protection/face protection
Do not breathe dust

Response
IF ON SKIN: Wash with plenty of soap and water
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing
If swallowed, rinse mouth with water (only if the person is conscious)
Drink plenty of water

Storage Store away from incompatible materials.

Disposal Dispose of contents/containers in accordance with local regulations.

Additional Information: None.

2.3. Other hazards No information available.

SECTION 3: Composition/information on ingredients

Pure substance/mixture

Mixture

Chemical Name	CAS Number	TSCA: United States	REACH registration number	GHS Classification	Weight-%
Aluminium oxide	1344-28-1	A	01-2119529248-35-xx xx 01-2119529248-35-00 17	Not classified.	>99

HUBER

Safety Data Sheet

Martoxid® TM-4410; Martoxid® TM-4220; Martoxid® TM-4240; Martoxid® TM-4250

Issue Date: 19/Sep/2019

Print Date: 19/Sep/2019

Revision Number: 1.3

Page 3 of 11

SECTION 4: First aid measures

4.1. Description of first aid measures

General Advice	When in doubt or if symptoms are observed, get medical advice. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Eye Contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Skin Contact	Wash with plenty of soap and water.
Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Ingestion	Rinse mouth thoroughly with water.
Aspiration hazard	Not an expected route of exposure.
Notes to Physician	Treat symptomatically.
4.2. Most important symptoms and effects, both acute and delayed	Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin.

4.3. Indication of any immediate medical attention and special treatment needed Treatment should be symptomatic and supportive.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO₂).

Unsuitable Extinguishing Media

None known.

5.2. Special hazards arising from the substance or mixture

None known.

5.3. Advice for firefighters

Special protective

HUBER

Safety Data Sheet

Martoxid® TM-4410; Martoxid® TM-4220; Martoxid® TM-4240; Martoxid® TM-4250

Issue Date: 19/Sep/2019

Print Date: 19/Sep/2019

Revision Number: 1.3

Page 4 of 11

equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protection recommended in Section 8.
Avoid dust formation. Keep unauthorized personnel away.

For non-emergency personnel

Keep unauthorized personnel away.

For emergency responders

Keep unauthorized personnel away. Use personal protection recommended in Section 8.

6.2. Environmental precautions

Avoid runoff to waterways and sewers.

6.3. Methods and material for containment and cleaning up

Methods for Containment : Prevent further leakage or spillage if safe to do so
Methods for Clean-up : Sweep up and shovel into suitable containers for disposal

6.4. Reference to other sections

Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Minimize dust generation and accumulation
Provide local exhaust ventilation
Handle in accordance with good industrial hygiene and safety practice

7.2. Conditions for safe storage, including any incompatibilities

Store away from incompatible materials
Keep container tightly closed and dry

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

Exposure Limits

Provide adequate ventilation as well as local exhaustion at critical locations

Aluminium oxide

ACGIH

ACGIH TLV

OSHA

Argentina

TWA: 10 mg/m³

TWA: 1 mg/m³ respirable fraction

TWA: 15 mg/m³ total dust

TWA: 5 mg/m³ respirable fraction

(vacated) TWA: 10 mg/m³ total dust

(vacated) TWA: 5 mg/m³ respirable fraction

TLV-CMP: 10 mg/m³

HUBER

Safety Data Sheet

Martoxid® TM-4410; Martoxid® TM-4220; Martoxid® TM-4240; Martoxid® TM-4250

Issue Date: 19/Sep/2019

Print Date: 19/Sep/2019

Revision Number: 1.3

Page 5 of 11

Australia	TWA: 10 mg/m ³
Australia	OEL: 10 mg/m ³
China	TWA: 4 mg/m ³ total dust
China	STEL: 8 mg/m ³ total dust
Columbia	TWA (CMP: 8-hour: 1 mg/m ³
Hong Kong	TWA: 10 mg/m ³
India	TWA: Not established
Indonesia	TWA: 10 mg/m ³
Japan	ISHL TLV: Not established
Japan	JSOH TWA: 0.5 mg/m ³ (Class 1 (alumina); respirable dust) 2 mg/m ³ (Class 1 (alumina); total dust)
Korea	TWA: 10 mg/m ³
Malaysia	TWA: 10 mg/m ³
Mexico	TWA 10 mg/m ³
New Zealand	TWA: 10 mg/m ³
Singapore	TWA: 10MGM3
Taiwan	Not established
Taiwan	5 mg/m ³ (respirable dust)
	10 mg/m ³ (total dust)
Thailand	Not established
Vietnam	TWA: 2 mg/m ³
Vietnam	STEL: 4 mg/m ³

Engineering Measures

Do not handle until all safety precautions have been read and understood
 Ensure adequate ventilation, especially in confined areas
 Provide a good standard of controlled ventilation (10 to 15 air changes per hour)
 Use exhaust ventilation to keep airborne concentrations below exposure limits
 In case of insufficient ventilation, wear suitable respiratory equipment

Personal Protective Equipment

Eye/Face Protection	Wear safety glasses with side shields (or goggles)
Skin and Body Protection	Wear suitable protective clothing
Hand Protection	Impervious gloves
Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice Handle in accordance with good industrial hygiene and safety practice

Environmental Exposure Controls

Dispose of in accordance with local regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:

Physical State	Solid Powder
Color	White
Odor	Odorless
Odor Threshold	No information available

HUBER

Safety Data Sheet

Martoxid® TM-4410; Martoxid® TM-4220; Martoxid® TM-4240; Martoxid® TM-4250

Issue Date: 19/Sep/2019

Print Date: 19/Sep/2019

Revision Number: 1.3

Page 6 of 11

pH:	8.8 11% Water
Melting point / Freezing point	2000 °C (3632 °F) (1013 hPa)
Initial boiling point and boiling range	2980 °C (5396 °F) (1013 hPa)
Flash Point:	Not applicable. Product/Substance is inorganic. Solid.
Evaporation Rate	Not applicable. Melting Point : > 300°C
Flammability (solid, gas)	No information available
Upper flammability limit:	
Lower flammability limit:	
Vapor Pressure	1 hPa (2158 °C)
Vapor Density	Not applicable Melting Point : > 300°C
Relative Density	0.85
Water Solubility	Insoluble
Solubility in other solvents	No information available
Partition coefficient	Not applicable Product/Substance is inorganic
Autoignition Temperature	Aluminum oxide has no potential to explode.
Decomposition Temperature	~2000 °C (> 2050 °C)
Kinematic viscosity	Not applicable Solid
Dynamic viscosity	Not applicable Solid
Explosive Properties	None
Oxidizing Properties	None

SECTION 10: Stability and reactivity

10.1. Reactivity	No data available
10.2. Chemical stability	Stable under normal conditions
10.3. Possibility of hazardous reactions	None under normal processing
10.4. Conditions to avoid	Incompatible materials Decomposition Temperature ~ 2000 °C (> 2050°C) < / =0.3% : Al ₂ O ₃ , Water
10.5. Incompatible materials	Strong acids
10.6. Hazardous decomposition products	None known

SECTION 11: Toxicological information

General Information	Users are advised to consider national Occupational Exposure Limits or other equivalent values.
----------------------------	---

HUBER

Safety Data Sheet

Martoxid® TM-4410; Martoxid® TM-4220; Martoxid® TM-4240; Martoxid® TM-4250

Issue Date: 19/Sep/2019

Print Date: 19/Sep/2019

Revision Number: 1.3

Page 7 of 11

Information on Likely Routes of Exposure

Inhalation	Do not breathe dust
Skin	Avoid prolonged or repeated contact with skin Contact with dust can cause mechanical irritation or drying of the skin
Eyes	Avoid contact with eyes Dust contact with the eyes can lead to mechanical irritation
Ingestion	Ingestion is not a likely route of exposure
Aspiration hazard	Not an expected route of exposure.

11.1. Information on toxicological effects

Aluminium oxide

Serious eye damage/eye irritation	Non-irritant : Rabbit
Skin Corrosion/Irritation	Non-irritant : Rabbit
Mutagenicity	in vitro in vivo Based on available data, the classification criteria are not met
Reproductive Effects	No indication of effects on fertility. No indication of effects on developmental toxicity.
Target Organ Effects	Lungs
Specific target organ toxicity - Single exposure	No information available
Specific target organ toxicity - Repeated exposure	Repeated dose toxicity Inhalation 28-d Rat NOAEL (No observed adverse effect level) 70 mg(Al)/m ³ Repeated dose toxicity 1- Year Rat NOAEL (No observed adverse effect level) >=30 mg Al/kg bw

Acute Toxicity	Based on available data, the classification criteria are not met
Chronic Toxicity	Based on available data, the classification criteria are not met.
Chronic Effects	Based on available data, the classification criteria are not met.
Respiratory Sensitization	Based on available data, the classification criteria are not met
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met
Skin Corrosion/Irritation	Based on available data, the classification criteria are not met
Skin Sensitization	Based on available data, the classification criteria are not met
Mutagenicity	Based on available data, the classification criteria are not met
Reproductive Effects	This product does not contain any known or suspected reproductive hazards.
Reproductive Toxicity	Based on available data, the classification criteria are not met.

HUBER

Safety Data Sheet

Martoxid® TM-4410; Martoxid® TM-4220; Martoxid® TM-4240; Martoxid® TM-4250

Issue Date: 19/Sep/2019

Print Date: 19/Sep/2019

Revision Number: 1.3

Page 8 of 11

Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Specific target organ toxicity - Single exposure	Not classified.
Specific target organ toxicity - Repeated exposure	Not classified.

SECTION 12: Ecological information

12.1. Ecotoxicity	Very low solubility. Not considered to be harmful to aquatic life.
<u>Aluminium oxide</u>	
WGK Classification (AwSV)	1346. WGK: nwg
12.2. Persistence and degradability	The methods for determining biodegradability are not applicable to inorganic substances.
12.3. Bioaccumulative potential	Not likely to bioaccumulate.
Bioconcentration factor (BCF)	No data available.
12.4. Mobility in soil	None.
12.5. Results of PBT and vPvB assessment	This substance does not meet the criteria for classification as PBT or vPvB.
12.6. Other adverse effects	None known

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal Methods	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not reuse container.
Waste codes	Waste codes should be assigned by the user based on the application for which the product was used

PAGE HEADER-HEM

HUBER

Safety Data Sheet

Martoxid® TM-4410; Martoxid® TM-4220; Martoxid® TM-4240; Martoxid® TM-4250

Issue Date: 19/Sep/2019

Print Date: 19/Sep/2019

Revision Number: 1.3

Page 9 of 11

Aluminium oxide

WGK Classification (AwSV) 1346. WGK: nwg

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada	Not regulated
DOT	Not regulated
ADR	Not regulated
RID	Not regulated
ADN	Not regulated
IATA	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated

14.1. UN number None

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

14.4. Packing group None

14.5. Environmental hazards No

14.6. Special precautions for user Not applicable

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global Inventories

Pure substance/mixture Mixture

Chemical Name	CAS Number	EC No	REACH registration number	Australia (AICS)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	New Zealand	Philippines (PICCS)	Taiwan	TSCA: United States
Aluminium oxide	1344-28-1	215-691-6	01-211952 9248-35-x xxx	Y	Y	Y	(1)-23 (ENCS)(IS HL)	KE-01012	Y	Y	Y	Y	A

PAGE HEADER-HEM

HUBER

Safety Data Sheet

Martoxid® TM-4410; Martoxid® TM-4220; Martoxid® TM-4240; Martoxid® TM-4250

Issue Date: 19/Sep/2019

Print Date: 19/Sep/2019

Revision Number: 1.3

Page 10 of 11

			01-211952 9248-35-0 017										
--	--	--	-------------------------------	--	--	--	--	--	--	--	--	--	--

Legend X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

National Regulations

Germany

Aluminium oxide

WGK Classification (AwSV) 1346. WGK: nwg

15.2. Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance

SECTION 16: Other information

Prepared by

Huber Engineered Materials Global Regulatory Affairs
email: regulatory.affairs@huber.com.

GHS Classification

This product is not classified as hazardous according to the UN GHS guideline and labeling is not required

Symbols/Pictograms

None

Signal Word

None

Hazard Statements

None

Hazards identification

Physical Hazard

Not classified

Health Hazards

Not classified

Environmental Hazard

Not classified

Abbreviations and acronyms

International Agency for Research on Cancer (IARC)
International Air Transport Association (IATA)
International Maritime Dangerous Goods (IMDG)
International Uniform Chemical Information Database (IUCLID)
Workplace Hazardous Materials Information System (WHMIS) status and classification
EPA SARA Title III Section 312 (40 CFR 370) Hazard Classification
DOT (Department of Transportation)
OSHA (Occupational Safety and Health Administration of the US Department of Labor)
TWA - Time-Weighted Average
Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA)
The Classification, Labeling and Packaging of Substances and Mixtures (CLP) Regulation (EC 1272/2008)
PPE - Personal Protection Equipment
NIOSH - National Institute for Occupational Safety and Health

PAGE HEADER-HEM

HUBER

Safety Data Sheet

Martoxid® TM-4410; Martoxid® TM-4220; Martoxid® TM-4240; Martoxid® TM-4250

Issue Date: 19/Sep/2019

Print Date: 19/Sep/2019

Revision Number: 1.3

Page 11 of 11

TDG (Transport of Dangerous Goods) Canada
CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)
Reportable Quantity (RQ) (RQ/% in mixture)
STEL - Short Term Exposure Limit
TLV® - Threshold Limit Value
Derived No Effect Level (DNEL)
SVHC: Substances of Very High Concern for Authorization:
Land transport (ADR/RID)
Biochemical oxygen demand (BOD)
Chemical oxygen demand (COD)
ICAO (air)
(IMDG) International Maritime Dangerous Goods
Positive Pressure Self-Contained Breathing Apparatus (SCBA)
Predicted No Effect Concentration (PNEC)
Globally Harmonized System (GHS)

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet