



Zerogen® 50SG

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03 Canadian Workplace Hazardous Material Information System (WHMIS) 2015 Mexico NOM-018-STPS-2000; NOM-018-STPS-2015 Globally Harmonized System (GHS)

Issue Date: 05/Apr/2018 **Print Date:** 05/Apr/2018 Revision Number: 1.3 Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Zerogen® 50SG
1309-42-8
>97
<3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use flame retardant. Smoke suppressant.

1.3. Details of the supplier of the safety data sheet

Company:	J.M. Huber Corporation 3100 Cumberland Boulevard, Suite 600 Atlanta, GA 30339 USA Tel: +1 678 247-7300
Internet	www.hubermaterials.com
E-mail	hubermaterials@huber.com
1.4. Emergency telephone number	CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

OSHA Regulatory Status	This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)
Physical Hazards	Not classified
Health Hazards	Not classified

Zerogen® 50SG

Issue Date: 05/Apr/2018 Print Date: 05/Apr/2018 Revision Number: 1.3 Page 2 of 10

Environmental Hazard	Not classified
2.2. Label elements	
Symbols/Pictograms	None
Signal Word	None
Hazard Statements	None
Hazard Statements	None
Precautionary Statements	
Prevention	Do not handle until all safety precautions have been read and understood. Employ good industrial hygiene practice Do not breathe dust Wear protective gloves/protective clothing/eye protection/face protection
Response	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing IF ON SKIN: Wash with plenty of soap and water If swallowed, rinse mouth with water (only if the person is conscious) Drink plenty of water
Storage	Store away from incompatible materials Keep in a dry place
Disposal	Dispose of contents/containers in accordance with local regulations
Hazards not otherwise classified	d None known.

(HNOC)

SECTION 3: Composition/information on ingredients

Chemical Name	CAS Number	TSCA: United States	Canada (DSL)	Mexico	REACH registration number	OSHA Regulatory Status	WHMIS	Weight-%
Magnesium Hydroxide	1309-42-8	Y	Y	Y	01-211948875 6-18-0040	Not regulated	Not regulated	>97
Surface Treatment		Y	Y	Y		Not classified		<3

Legend

X / Y: Complies , - / N: Not Listed , Exempt

SECTION 4: First aid measures

Zerogen® 50SG

Issue Date: 05/Apr/2018 Print Date: 05/Apr/2018 Revision Number: 1.3 Page 3 of 10

General Advice	Do not handle until all safety precautions have been read and understood. Employ good industrial hygiene practice. Wear suitable protective clothing, gloves and eye/face protection. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. When in doubt or if symptoms are observed, get medical advice.
Eye Contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Skin Contact	Wash with plenty of soap and water.
Ingestion	Rinse mouth thoroughly with water.
Inhalation	Do not breathe dust. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Aspiration hazard	Based on available data, the classification criteria are not met.
4.2. Most important symptoms and effects, both acute and delayed	May cause irritation to mucous membranes and respiratory tract. Contact with dust can cause mechanical irritation or drying of the skin.
4.3. Indication of any immediate medical attention and special treatment needed	Treatment should be symptomatic and supportive. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO2).

Unsuitable Extinguishing Media None known.

5.2. Special hazards arising from the substance or mixture None known.

5.3. Advice for firefighters

Special protective

equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

Water mist may be used to cool closed containers. No special fire protection measures are necessary. Standard procedure for chemical fires.

Zerogen® 50SG

Issue Date: 05/Apr/2018 **Print Date:** 05/Apr/2018 Revision Number: 1.3 Page 4 of 10

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures	Keep unauthorized personnel away. Avoid dust formation. Ensure adequate ventilation. Use personal protection recommended in Section 8.
For non-emergency personnel	Keep unauthorized personnel away.
For emergency responders	Keep unauthorized personnel away. Use personal protection recommended in Section 8.
6.2. Environmental precautions	Avoid runoff to waterways and sewers.
6.3. Methods and material for containment and cleaning up	Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust Small Spill: Vacuum or sweep material and place in a disposal container
6.4. Reference to other sections	Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling	Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Minimize dust generation and accumulation. Do not breathe dust. Ensure adequate ventilation. Wear appropriate personal protective clothing to prevent skin contact. Handle in accordance with good industrial hygiene and safety practice.
	good indication tygiono and catoly practices

7.2. Conditions for safe storage, Keep container tightly closed and dry. Store away from incompatible materials. **including any incompatibilities**

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Magnesium Hydroxide

OSHA

ACGIH

NIOSH Canada TWA: 15 mg/m³ total dust 5 mg/m³ respirable TLV-TWA: 8-hr : 10 mg/m³ (total dust) 3 mg/m³ (respirable fraction) TWA: 15 mg/m³ (total dust) Not established

Safety Data Sheet

Zerogen® 50SG

Issue Date: 05/Apr/2018 **Print Date:** 05/Apr/2018

Revision Number: 1.3 Page 5 of 10

Mexico Surface Treatment	TWA/OEL (VLE-PPT): Not established
OSHA ACGIH Mexico	Not established 10 mg/m³ (total) No se ha establecido
Biological Limit Values:	No information available

8.2. Exposure controls	
Engineering Measures	Provide a good standard of controlled ventilation (5 to 10 air changes per hour). Use exhaust ventilation to keep airborne concentrations below exposure limits. In case of insufficient ventilation, wear suitable respiratory equipment.
Personal protective equipment	
Eye/Face Protection	Wear safety glasses with side shields (or goggles).
Skin and Body Protection	Wear suitable protective clothing.
Hand protection	For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn.
Respiratory Protection	In case of inadequate ventilation wear respiratory protection.
Thermal hazards	None known. Wear suitable protective clothing.
Hygiene Measures	No information available.
Environmental Exposure Controls	Dispose of in accordance with local regulations.

SECTION 9: Physical and chemical properties

9.1. Information on basic	physical and chemical properties
Appearance:	
Physical State	Solid
Color	White

Color Odor Odor Threshold pH: Melting Point / Melting Range Initial boiling point Freezing Point Flash Point: Evaporation Rate Upper flammability limit: Solid White Odorless No information available 8.4-10.2 (5% water suspension) Not applicable Not applicable Non-combustible. Not applicable.

Safety Data Sheet

Zerogen® 50SG

Issue Date: 05/Apr/2018 Print Date: 05/Apr/2018 Revision Number: 1.3 Page 6 of 10

Lower flammability limit:	
Vapor Pressure	Not applicable
Vapor Density	Not applicable
Density	2.4 g/cm3, 20°C
Relative Density	
Water Solubility	11.7 mg/l , 25° C
Solubility in other solvents	
Partition coefficient	Not applicable
Autoignition Temperature	Not applicable
Decomposition Temperature	626 °F (330° C)
Viscosity	Not applicable.

VOC Content (%)

Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity	Stable under normal conditions
10.2. Chemical stability	Stable under normal conditions
10.3. Possibility of hazardous reactions	No specific hazard known
10.4. Conditions to avoid	Incompatible materials.
10.5. Incompatible materials	Strong acids
10.6. Hazardous decomposition products	None known

SECTION 11: Toxicological information

General Information	Users are advised to consider national Occupational Exposure Limits or other equivalent values.			
Information on Likely Routes of	Exposure			
Inhalation	Do not breathe dust Inhalation of dust in high concentration may cause irritation of respiratory system			
Skin	Contact with dust can cause mechanical irritation or drying of the skin			
Eyes	Dust contact with the eyes can lead to mechanical irritation			
Ingestion	Ingestion is not a likely route of exposure			

Safety Data Sheet

Zerogen® 50SG

Issue Date: 05/Apr/2018 **Print Date:** 05/Apr/2018 Revision Number: 1.3 Page 7 of 10

Aspiration hazard	Not an expected route of exposure.
11.1. Information on toxicologic	al effects
<u>Magnesium Hydroxide</u> Oral LD50 <u>Surface Treatment</u> Dermal LD50	8500 mg/kg Rat >5000 mg/kg (rabbit)
Respiratory Sensitization	Based on available data, the classification criteria are not met
Skin Corrosion/Irritation	Prolonged or repeated contact may dry skin and cause irritation
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Reproductive Toxicity	No information available.

SECTION 12: Ecological information

12.1. Ecotoxicity	Not considered to be harmful to aquatic life.
<u>Magnesium Hydroxide</u> WGK Classification (VwVwS)	9 5209. WGK: nwg
12.2. Persistence and degradability	No data available.
12.3. Bioaccumulative potential	No data available.
Partition coefficient	Not applicable
Bioconcentration factor (BCF)	No data available.
12.4. Mobility in soil	No data available.
12.5. Results of PBT and vPvB assessment	No data available.
12.6. Other adverse effects	No information available

SECTION 13: Disposal considerations

Safety Data Sheet

Zerogen® 50SG

Issue Date: 05/Apr/2018 **Print Date:** 05/Apr/2018 Revision Number: 1.3 Page 8 of 10

Disposal Methods	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Product residue may remain in empty containers. Empty containers should be taken to an approved waste handling site for recycling or disposal.
Waste codes	Waste codes should be assigned by the user based on the application for which the product was used
<u>Magnesium Hydroxide</u> European Waste Catalog WGK Classification (VwVwS)	060299 5209. WGK: nwg

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada	Not regulated
DOT	Not regulated
ADR	Not regulated
RID	Not regulated
ADN	Not regulated
ΙΑΤΑ	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated

14.1. UN number	None
14.2. UN proper shipping name	None
14.3. Transport hazard class(es)	None
14.4. Packing group	None
14.5. Environmental hazards	No
14.6. Special precautions for user	Not applicable

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

SECTION 15: Regulatory information

Safety Data Sheet

Zerogen® 50SG

Issue Date: 05/Apr/2018 Print Date: 05/Apr/2018

Revision Number: 1.3 Page 9 of 10

Chemical Name	CAS Number	EC No	REACH registrati on number	Australia (AICS)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico		Philippine s (PICCS)		TSCA: United States
Magnesium Hydroxide	1309-42-8		01-211948 8756-18-0 040		Y		ENCS:(1)-3 86 ISHL:(1)-38 6	KE-22716	Y	Y	Y	Y	Y
Surface Treatment		*	Exempt	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y

Legend

X / Y: Complies - / N: Not Listed Exempt

US Federal Regulations

<u>EPA</u>

CERCLA	
Magnesium Hydroxide	
CERCLA	No
SARA 311/312 Hazardous	No
Categorization	

U.S. State Right-to-Know Regulations

Chemical Name	CAS Number	California Proposition 65	 Massachusetts	Minnesota	New Jersey	Pennsylvania
Magnesium Hydroxide	1309-42-8	No	No	No	No	No
Surface Treatment						

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65)

This product does not contain any Proposition 65 chemicals

CANADA

WHMIS:

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR

Magnesium Hydroxide

Not regulated

	SECTION 16: Other information
Prepared by	Huber Engineered Materials (HEM) Global Regulatory Affairs regulatory.affairs@huber.com
Issue Date: Print Date:	05/Apr/2018 05/Apr/2018
Revision Number:	1.3
Reason for Version	OSHA (Occupational Safety and Health Administration of the US Department of Labor).

Zerogen® 50SG

Issue Date: 05/Apr/2018 **Print Date:** 05/Apr/2018

Revision Number: 1.3 Page 10 of 10

Training Advice	Do not handle until all safety precautions have been read and understood.
Abbreviations and acronyms	International Agency for Research on Cancer (IARC) International Air Transport Association (IATA) International Maritime Dangerous Goods (IMDG) International Uniform Chemical Information Database (IUCLID) Workplace Hazardous Materials Information System (WHMIS) status and classification EPA SARA Title III Section 312 (40 CFR 370) Hazard Classification DOT (Department of Transportation) OSHA (Occupational Safety and Health Administration of the US Department of Labor) TWA - Time-Weighted Average Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) The Classification, Labeling and Packaging of Substances and Mixtures (CLP) Regulation (EC 1272/2008) PPE - Personal Protection Equipment NIOSH - National Institute for Occupational Safety and Health TDG (Transport of Dangerous Goods) Canada CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act) Reportable Quantity (RQ) (RQ% in mixture) STEL - Short Term Exposure Limit TLV® - Threshold Limit Value Derived No Effect Level (DNEL) SVHC: Substances of Very High Concern for Authorization: Land transport (ADR/RID) Biochemical oxygen demand (GOD) Chemical oxygen demand (COD) ICAO (air) (IMDG) International Maritime Dangerous Goods Positive Pressure Self-Contained Breathing Apparatus (SCBA) Predicted No Effect Concentration (PNEC) Globally Harmonized System (GHS)
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet