



Kemgard® 620

GHS (Globally Harmonized System)

Issue Date 25/Jan/2024

Print Date 26/Jan/2024

Revision Number 1.3.4

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: Kemgard® 620

Pure substance/mixture Mixture

Aluminum Hydroxide

CAS Number 21645-51-2

Weight-% > 75

Zinc Molybdenum Oxide

CAS Number 22914-58-5

61583-60-6

Weight-% < 25

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Flame retardant Smoke suppressant

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company: J.M. Huber Corporation
3100 Cumberland Boulevard, Suite 600
Atlanta, GA 30339 USA
Tel: +1 678 247-7300

Internet www.huberadvancedmaterials.com

E-mail hubermaterials@huber.com

1.4. Emergency telephone number CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Mixture versus substance information Mixture

GHS Classification Considered a hazardous substance or mixture according to the Globally Harmonized System (GHS)

Safety Data Sheet

Kemgard® 620**Issue Date** 25/Jan/2024**Print Date** 26/Jan/2024**Revision Number** 1.3.4**Page** 2 of 11**Hazards identification****Physical Hazard**

Not classified

Health Hazards

Specific target organ toxicity (STOT) - repeated exposure, category 2

Environmental Hazard

Chronic Aquatic Toxicity Category 3

2.2. Label elements**Symbols/Pictograms****Signal Word**

Warning

Hazard StatementsMay cause damage to organs (kidney) through prolonged or repeated exposure
Harmful to aquatic life with long lasting effects**Precautionary Statements****Prevention**Do not handle until all safety precautions have been read and understood
Employ good industrial hygiene practice
Do not breathe dust
Wear protective gloves/protective clothing/eye protection/face protection
Avoid release to the environment**Response**Get medical help if you feel unwell
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
IF ON SKIN: Wash with plenty of soap and water**Storage**

Keep in a dry place. Store away from incompatible materials. Collect spillage.

Disposal

Dispose of contents/containers in accordance with local regulations. See Section 13: DISPOSAL CONSIDERATIONS.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

Pure substance/mixture

Mixture

Chemical Name	CAS Number	TSCA: United States	EC No	EU REACH registration	GHS Classification	Weight-%

Safety Data Sheet

Kemgard® 620**Issue Date** 25/Jan/2024**Print Date** 26/Jan/2024**Revision Number** 1.3.4**Page** 3 of 11

				n number		
Aluminum Hydroxide	21645-51-2	A	244-492-7	01-211952 9246-39.	Not classified	> 75
Zinc Molybdenum Oxide	22914-58-5 61583-60-6	A	245-322-4	01-212080 0481-68-0 000.	Acute Tox. 4, H332 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 2, H411	< 25

SECTION 4: First aid measures

4.1. Description of first aid measures

Eye Contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Skin Contact	Wash with plenty of soap and water.
Ingestion	Rinse mouth thoroughly with water.
Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Aspiration hazard	Not an expected route of exposure.

4.2. Most important symptoms and effects, both acute and delayed	Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin.
---	--

4.3. Indication of any immediate medical attention and special treatment needed	Treat symptomatically. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.
--	---

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Use extinguishing agent suitable for type of surrounding fire. Water spray (fog). Dry chemical. Foam. Carbon dioxide (CO2).

Unsuitable Extinguishing Media Do not use water jetstream.

Flammable Properties None known.

Safety Data Sheet

Kemgard® 620**Issue Date** 25/Jan/2024**Print Date** 26/Jan/2024**Revision Number** 1.3.4**Page** 4 of 11

5.2. Special hazards arising from the substance or mixture Avoid dust formation. Do not breathe dust.

5.3. Advice for firefighters**Special protective equipment for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep unauthorized personnel away. Use personal protection recommended in Section 8.

For non-emergency personnel

Keep unauthorized personnel away.

For emergency responders

Keep unauthorized personnel away. Use personal protection recommended in Section 8.

6.2. Environmental precautions

Avoid runoff to waterways and sewers. Dispose of in accordance with federal, state and local regulations.

6.3. Methods and material for containment and cleaning up

Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust Small Spill: Vacuum or sweep material and place in a disposal container

6.4. Reference to other sections

Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Minimize dust generation and accumulation. Ensure adequate ventilation. Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed and dry. Store away from incompatible materials. See section 10.

SECTION 8: Exposure controls/personal protection

Safety Data Sheet

Kemgard® 620

Issue Date 25/Jan/2024

Print Date 26/Jan/2024

Revision Number 1.3.4

Page 5 of 11

8.1. Control parameters

Occupational exposure limits

Aluminum Hydroxide

ACGIH

OSHA

TLV/TWA 8-hr: 1 mg/m³ (respirable fraction)TWA: 15 mg/m³ (Total Dust)5 mg/m³ (Respirable Dust)

Zinc Molybdenum Oxide

India

ACGIH

OSHA

TWA: Not established

TWA: 10 mg/m³ dust0.5 mg/m³ Respirable fractionTWA: 5 mg/m³ (respirable); 10 mg/m³ (dust)PEL: 5 mg/m³ (respirable)

Biological Limit Values

None

Recommended monitoring procedures

Refer also to national guidance documents for information on currently recommended monitoring procedures

DNEL (Derived No Effect Level) No information available**PNEC (Predicted No Effect Concentration)** No information available

8.2. Exposure controls

Engineering Measures

Do not handle until all safety precautions have been read and understood
Ensure adequate ventilation, especially in confined areas
Provide a good standard of controlled ventilation (10 to 15 air changes per hour)
Use exhaust ventilation to keep airborne concentrations below exposure limits
In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment

Eye/Face Protection

Wear safety glasses with side shields (or goggles).

Skin and Body Protection

Wear suitable protective clothing.

Hand Protection

Wear suitable gloves.

Respiratory Protection

In case of inadequate ventilation wear respiratory protection.

Thermal hazards

Wear suitable protective clothing.

Hygiene Measures

Follow general hygiene considerations recognized as common good workplace practices.

SECTION 9: Physical and chemical properties

Safety Data Sheet

Kemgard® 620**Issue Date** 25/Jan/2024**Print Date** 26/Jan/2024**Revision Number** 1.3.4**Page** 6 of 11**9.1. Information on basic physical and chemical properties**

Physical State	Solid. Powder.
Color	White to off-white
Odor	Odorless
Odor Threshold	No information available
pH:	8.4, (5% water suspension)
Melting Point / Melting Range	Not applicable
Boiling Point	Not applicable
Freezing Point	Not applicable
Flash Point	Non-combustible
Evaporation Rate	Not applicable
Flammability (solid, gas)	Not applicable
Vapor Pressure	Not applicable
Vapor Density	Not applicable
Density	2.5 – 2.7 g/cm ³ , 20°C
Solubility in other solvents	No data available
Water Solubility	11.7 mg/l , 25° C
Partition coefficient	Not applicable
Autoignition Temperature	Not applicable
Viscosity	Not applicable
Oxidizing Properties	Not applicable
Decomposition Temperature	No data available

SECTION 10: Stability and reactivity

10.1. Reactivity	None
10.2. Chemical stability	Stable under normal conditions
10.3. Possibility of hazardous reactions	No specific hazard known

Safety Data Sheet

Kemgard® 620**Issue Date** 25/Jan/2024**Print Date** 26/Jan/2024**Revision Number** 1.3.4**Page** 7 of 11**10.4. Conditions to avoid** Keep away from heat, sparks and flame.**10.5. Incompatible materials** Strong oxidizing agents.**10.6. Hazardous decomposition products** None known

SECTION 11: Toxicological information

General Information Users are advised to consider national Occupational Exposure Limits or other equivalent values.**Information on Likely Routes of Exposure**

Inhalation	Avoid inhalation of the product
Skin	Prolonged or repeated contact may dry skin and cause irritation
Eyes	Dust contact with the eyes can lead to mechanical irritation
Ingestion	Ingestion is not a likely route of exposure
Aspiration hazard	Not an expected route of exposure.

11.1. Information on toxicological effects**Aluminum Hydroxide**

Oral LD50	> 2000 mg/kg Rat
Inhalation LC50	Rat > 2.3 mg/l (Al ₂ O ₃) Aerosol Maximum attainable concentration
IARC	Not Listed

Zinc Molybdenum Oxide

Oral LD50	>10000 mg/kg Rat
IARC	Not Listed
Specific target organ toxicity - Repeated exposure	Kidney (based on tubular degeneration/regeneration of male Han Wistar rats at 125 mg/kg/day). NOAEL – 60 mg/kg Rat; Oral; 90-day.

Acute Toxicity No data available**Respiratory Sensitization** Inhalation of dust in high concentration may cause irritation of respiratory system.**Serious eye damage/eye irritation** Dust may cause mechanical irritation to eyes**Skin Corrosion/Irritation** Prolonged or repeated contact may dry skin and cause irritation**Skin Sensitization** Not a skin sensitizer**Mutagenicity** No data available**Reproductive Effects** This product does not contain any known or suspected reproductive hazards.

Safety Data Sheet

Kemgard® 620**Issue Date** 25/Jan/2024**Print Date** 26/Jan/2024**Revision Number** 1.3.4**Page** 8 of 11

Carcinogenicity	This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.
Target Organ Effects	Skin. Eyes. Respiratory system.
Specific target organ toxicity - Single exposure	No data available.
Specific target organ toxicity - Repeated exposure	May cause damage to organs through prolonged or repeated exposure if inhaled. Kidney.
Mixture versus substance information	Mixture

SECTION 12: Ecological information

12.1. Ecotoxicity Harmful to aquatic life with long lasting effects. Avoid release to the environment.

Aluminum Hydroxide - 21645-51-2

WGK Classification (AwSV) 5220 WGK: nwg

12.2. Persistence and degradability Readily biodegradable.

12.3. Bioaccumulative potential No data available.

Partition coefficient Not applicable.

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB assessment This substance does not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects None known

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Contaminated Packaging Empty containers should be taken to an approved waste handling site for recycling or disposal

Safety Data Sheet

Kemgard® 620**Issue Date** 25/Jan/2024**Print Date** 26/Jan/2024**Revision Number** 1.3.4**Page** 9 of 11**Waste codes**

Waste codes should be assigned by the user based on the application for which the product was used

Disposal Methods

Dispose of waste product or used containers according to local regulations

Aluminum Hydroxide - 21645-51-2

European Waste Catalog 060299

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)**DOT** Not regulated**ADR** Not regulated**RID** Not regulated**IATA** Not regulated**IMDG/IMO** Not regulated**ICAO** Not regulated**14.1. UN number** None**14.2. UN proper shipping name** None**14.3. Transport hazard class(es)** None**Subsidiary Risk** -**14.4. Packing group** None**14.5. Environmental hazards** No**14.6. Special precautions for user** Not applicable**14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**Global Inventories**

Chemical Name	CAS	EC No	EU REACH	Australia	Canada	China	Japan	S. Korea	Mexico	New	Philippin	Taiwan	TSCA:
---------------	-----	-------	----------	-----------	--------	-------	-------	----------	--------	-----	-----------	--------	-------

Safety Data Sheet

Kemgard® 620

Issue Date 25/Jan/2024

Print Date 26/Jan/2024

Revision Number 1.3.4

Page 10 of 11

	Number		registration number	(AIIIC)	(DSL)	(IECSC)		(KECL)		Zealand	es (PICCS)		United States
Aluminum Hydroxide	21645-51-2	244-492-7	01-211952924 6-39	Y	Y	Y	(1)-17 (ENCS); ISHL	KE-00980	Y	Y	Y	Y	A
Zinc Molybdenum Oxide	22914-58-5 61583-60-6	245-322-4	01-212080048 1-68-0000	N	Y	Y	(1)-781 (ENCS)(IS HL)	KE-11910	N	N	N	Y	A

SECTION 16: Other information

Prepared by

Huber Engineered Materials Global Regulatory Affairs
email: regulatory.affairs@huber.com

Reason for Revision

GHS (Globally Harmonized System).

GHS Classification

Considered a hazardous substance or mixture according to the Globally Harmonized System (GHS)

Labeling

Symbols/Pictograms



Signal Word

Warning

Hazard Statements

May cause damage to organs (kidney) through prolonged or repeated exposure
Harmful to aquatic life with long lasting effects

Training Advice

Do not handle until all safety precautions have been read and understood.

Abbreviations and acronyms

IARC (International Agency for Research on Cancer)
IATA (International Air Transport Association)
IMDG (International Maritime Dangerous Goods)
IUCLID (International Uniform Chemical Information Database)
WHMIS (Workplace Hazardous Materials Information System)
DOT (Department of Transportation)
OSHA (Occupational Safety and Health Administration of the US Department of Labor)
TWA (Time-Weighted Average)
CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008))
PPE (Personal Protection Equipment)
NIOSH (National Institute for Occupational Safety and Health)
TDG (Transport of Dangerous Goods) Canada
CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)
RQ (Reportable Quantity) (RQ/% in mixture)

Safety Data Sheet

Kemgard® 620

Issue Date 25/Jan/2024

Print Date 26/Jan/2024

Revision Number 1.3.4

Page 11 of 11

STEL (Short Term Exposure Limit)
TLV® (Threshold Limit Value)
DNEL (Derived No Effect Level)
SVHC (Substances of Very High Concern)
BOD (Biochemical oxygen demand)
COD (Chemical oxygen demand)
ICAO (International Civil Aviation Organization)
IMDG (International Maritime Dangerous Goods)
ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)
SCBA (Self-Contained Breathing Apparatus) Positive Pressure
PNEC (Predicted No Effect Concentration)
GHS (Globally Harmonized System)
TSCA (Toxic Substances Control Act)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet