

Kemgard® 620

Japan-JIS Z 7253:2019
Occupational Safety and Health Act
GHS (Globally Harmonized System)

Issue Date 25/Jan/2024 Revision Number 1.3.4

Print Date 26/Jan/2024 Page 1 of 9

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Kemgard® 620

Chemical Name --

Pure substance/mixture Mixture

Aluminum Hydroxide

CAS Number 21645-51-2

Weight-% > 75

Zinc Molybdenum Oxide

CAS Number 22914-58-5

61583-60-6

Weight-% < 25

Recommended Use Flame retardant Smoke suppressant

Uses advised against None known

Company: J.M. Huber Corporation

3100 Cumberland Boulevard, Suite 600

Atlanta, GA 30339 USA Tel: +1 678 247-7300

Internet www.huberadvancedmaterials.com

E-mail hubermaterials@huber.com

Emergency Telephone Number CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

+81 03-3560-7316

2. HAZARD IDENTIFICATION

Japan GHS Classification

Physical Hazards Not classified

Health Hazard Specific target organ toxicity (STOT) - repeated exposure, category 2

Environmental Hazards Chronic Aquatic Toxicity, Category 3

Specific hazards arising from None known

the chemical

GHS label elements Symbols/Pictograms

Kemgard® 620

Issue Date 25/Jan/2024 Revision Number 1.3.4 Print Date 26/Jan/2024

Page 2 of 9



Signal Word Warning

May cause damage to organs (kidney) through prolonged or repeated exposure **Hazard statements**

Harmful to aquatic life with long lasting effects

Precautionary Statements

Prevention Do not breathe vapor or mist

> Employ good industrial hygiene practice Wash hands thoroughly after handling Avoid release to the environment

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact Response

lenses, if present and easy to do. Continue rinsing IF ON SKIN: Wash with plenty of soap and water

Get medical help if you feel unwell

Store away from incompatible materials. **Storage**

Keep in a dry place

Disposal Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture Mixture

Chemical Name	CAS Number	Japan GHS Classification	Weight-%		
Aluminum Hydroxide	21645-51-2	Not classified	> 75		
Zinc Molybdenum Oxide	22914-58-5 61583-60-6	Acute Tox. 4, H332 STOT RE 2, H373	< 25		
		Aquatic Acute 1, H400 Aquatic Chronic 2, H411			

4. FIRST AID MEASURES

If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing

IF ON SKIN: Wash with plenty of soap and water

Take off contaminated clothing and wash before reuse

In case of eye contact, remove contact lens and rinse immediately with plenty of IF IN EYES:

water, also under the eyelids, for at least 15 minutes

Safety Data Sheet

Kemgard® 620

Issue Date 25/Jan/2024 Revision Number 1.3.4 Print Date 26/Jan/2024

Page 3 of 9

Call a physician if irritation develops and persists

Rinse mouth thoroughly with water If swallowed:

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved and take

precautions to protect themselves

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing

Media

Water spray (fog)

Foam

Dry chemical

Carbon dioxide (CO2)

Unsuitable Extinguishing Media Do not use water jetstream

Special hazards arising from the Avoid dust formation

substance or mixture

In case of fire and/or explosion do not breathe fumes Fire-fighting measures

Water mist may be used to cool closed containers

Keep unauthorized personnel away

Special Protective Equipment for Wear self-contained breathing apparatus and protective suit

Firefighters

6. ACCIDENTAL RELEASE MEASURES

Protective Equipment and Precautions for Firefighters Avoid dust formation

Ensure adequate ventilation

Use personal protection recommended in Section 8

Avoid contact with eyes and skin. Wear suitable personal protection equipment.

Keep unauthorized personnel away

Environmental Precautions

Keep out of drains, sewers, ditches and waterways

Disposal considerations

See section 13 for more information

Methods and material for containment and cleaning up

vacuum to collect dust

Small Spill: Vacuum or sweep material and place in a disposal container Minimize

Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a

use of water during clean-up

Recommended filter type: High efficiency particulate air filter (HEPA filter)

Other Information Not applicable

7. HANDLING AND STORAGE

Handling

Safety Data Sheet

Kemgard® 620

Issue Date 25/Jan/2024 Revision Number 1.3.4

Print Date 26/Jan/2024 Page 4 of 9

Provide adequate ventilation as well as local exhaustion at critical locations **Technical measures**

Ensure adequate ventilation

Use personal protection equipment See section 8 for more information

Advice on safe handling Minimize dust generation and accumulation

including any incompatibilities

Conditions for safe storage, Keep containers tightly closed in a cool, well-ventilated place

Hygiene Measures Wash hands thoroughly after handling

Storage

Packaging compatibilities Keep/store only in original container

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits Provide adequate ventilation as well as local exhaustion at critical locations

Aluminum Hydroxide

TWA: 2 mg/m³ Japan

Zinc Molybdenum Oxide

Not established Japan

Engineering Measures Ensure adequate ventilation, especially in confined areas

Personal Protective Equipment

In case of inadequate ventilation wear respiratory protection **Respiratory Protection**

For operations where prolonged or repeated skin contact may occur, impervious Hand protection

gloves should be worn

Wear safety glasses with side shields (or goggles) **Eye Protection**

Skin and Body Protection Wear suitable protective clothing.

Chemical resistant apron.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice

> Wash thoroughly after handling Avoid contact with eyes and skin

Do not breathe dust

9. PHYSICAL AND CHEMICAL PROPERTIES

Solid, Powder **Physical State** White to off-white Color

Odor Odorless

Odor Threshold No information available

Melting Point / Melting Range Not applicable **Boiling Point** Not applicable **Freezing Point** Not applicable **Autoignition Temperature** Not applicable Not applicable **Evaporation Rate**

Kemgard® 620

Issue Date 25/Jan/2024 Revision Number 1.3.4 Print Date 26/Jan/2024

Page 5 of 9

Not applicable Flammability (solid, gas) No data available **Explosive Properties Vapor Pressure** Not applicable Water Solubility 11.7 mg/l, 25° C No data available Partition coefficient **Viscosity** Not applicable **Specific Gravity** No data available Oxidizing Properties No data available **Decomposition Temperature** No data available

Flash Point Non-combustible.

:Ha 8.4 (5% water suspension)

Vapor Density Not applicable

2.5 - 2.7 g/cm3, 20°C **Density Relative Density** 2.6 g/cm3, 20° C Solubility in other solvents No data available

10. STABILITY AND REACTIVITY

Reactivity Stable under normal conditions

Chemical stability Stable under normal conditions

Possibility of hazardous

reactions

None known

Incompatible materials Strong oxidizing agents

Hazardous decomposition

products

None known

11. TOXICOLOGICAL INFORMATION

General Information Users are advised to consider national Occupational Exposure Limits or other

equivalent values.

Information on Likely Routes of Exposure

Inhalation Avoid inhalation of the product

Skin Prolonged or repeated contact may dry skin and cause irritation

Eyes Dust contact with the eyes can lead to mechanical irritation

Ingestion is not a likely route of exposure Ingestion

Aspiration hazard Not an expected route of exposure.

11.1. Information on toxicological effects

Aluminum Hydroxide

Safety Data Sheet

Kemgard® 620

Issue Date 25/Jan/2024 Revision Number 1.3.4

Print Date 26/Jan/2024 Page 6 of 9

Oral LD50 > 2000 mg/kg Rat

Inhalation LC50 Rat > 2.3 mg/l (Al2O3) Aerosol Maximum attainable concentration

IARC Not Listed

Zinc Molybdenum Oxide

Oral LD50 >10000 mg/kg Rat

IARC Not Listed

Specific target organ toxicity Kidney (based on tubular degeneration/regeneration of male Han Wistar rats at

- Repeated exposure 125 mg/kg/day). NOAEL – 60 mg/kg Rat; Oral; 90-day.

Acute Toxicity No data available

Serious eye damage/eye

irritation

Dust may cause mechanical irritation to eyes

Respiratory Sensitization Inhalation of dust in high concentration may cause irritation of respiratory system.

Skin Corrosion/Irritation Prolonged or repeated contact may dry skin and cause irritation

Skin Sensitization Not a skin sensitizer

Mutagenicity No data available.

Reproductive EffectsThis product does not contain any known or suspected reproductive hazards.

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed

by OSHA, IARC or NTP.

Target Organ Effects Skin. Eyes. Respiratory system.

Specific target organ toxicity -

Single exposure

No data available.

Specific target organ toxicity -

Repeated exposure

May cause damage to organs through prolonged or repeated exposure if inhaled.

Kidney.

Mixture versus substance

Mixture.

information

12. ECOLOGICAL INFORMATION

Ecotoxicity Harmful to aquatic life with long lasting effects

Persistence and degradability No data available

Bioaccumulation No data available.

Mobility in soil No data available

Hazardous to the ozone layer No data available

13. DISPOSAL CONSIDERATIONS

Disposal Dispose of in accordance with federal, state and local regulations

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling

Kemgard® 620

Issue Date 25/Jan/2024 Revision Number 1.3.4
Print Date 26/Jan/2024 Page 7 of 9

or disposal

14. TRANSPORT INFORMATION

Mode of Transportation (Road, Water, Air, Rail)

ADR Not regulated RID Not regulated IATA Not regulated IMDG/IMO Not regulated ICAO Not regulated

14.1. UN number None

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

Subsidiary Risk -

14.4. Packing group None

14.5. Environmental hazards No

14.6. Special precautions for Not applicable

user

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

15. REGULATORY INFORMATION

Global Inventories

Pure substance/mixture Mixture

Chemical Name	CAS Number	EC No	EU REACH registrati on number	Australia (AIIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico		Philippine s (PICCS)	Taiwan	TSCA: United States
Hydroxide	21645-51- 2		9246-39		Y	Y	(1)-17 (ENCS); ISHL	KE-00980	Y	Y	Y	Υ	А
Zinc Molybdenum Oxide	22914-58- 5 61583-60- 6		01-212080 0481-68-0 000		Y	Y	(1)-781 (ENCS)(ISH L)	KE-11910	Z	N	N	Y	A

Safety Data Sheet

Kemgard® 620

Issue Date 25/Jan/2024 Revision Number 1.3.4

Print Date 26/Jan/2024 Page 8 of 9

Legend-Inventories

KECL - Korean Existing and Evaluated Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

TSCA (Toxic Substances Control Act)

DSL (Domestic Substance List)

NDSL (Non-Domestic Substances List)

Japan - ISHL Notifiable Substances

ENCS - Japan Existing and New Chemical Substances

Zinc Molybdenum Oxide

Japanese Pollutant Release and Transfer Register - Class 1 Substance :453 >= 1.0%

16. OTHER INFORMATION

Prepared by **Huber Engineered Materials Global Regulatory Affairs**

email: regulatory.affairs@huber.com

This SDS complies with the requirements of JIS Z 7250:2010 and JIS Z 7252:2009 (Japan) Reason for Revision

Bibliography NITE GHS Classified list

Japan Society for occupational health (2015) recommendation of allowable concentrations,

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit

Value

IARC (International Agency for Research on Cancer) Abbreviations and acronyms

IATA (International Air Transport Association) IMDG (International Maritime Dangerous Goods)

IUCLID (International Uniform Chemical Information Database) WHMIS (Workplace Hazardous Materials Information System)

DOT (Department of Transportation)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

TWA (Time-Weighted Average)

CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC

1272/2008))

PPE (Personal Protection Equipment)

NIOSH (National Institute for Occupational Safety and Health)

TDG (Transport of Dangerous Goods) Canada

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)

RQ (Reportable Quantity) (RQ/% in mixture)

STEL (Short Term Exposure Limit) TLV® (Threshold Limit Value) DNEL (Derived No Effect Level)

SVHC (Substances of Very High Concern) BOD (Biochemical oxygen demand) COD (Chemical oxygen demand)

ICAO (International Civil Aviation Organization) IMDG (International Maritime Dangerous Goods)

ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

RID (Agreement Concerning the International Carriage of Dangerous Goods by Rail)

SCBA (Self-Contained Breathing Apparatus) Positive Pressure

PNEC (Predicted No Effect Concentration) GHS (Globally Harmonized System) TSCA (Toxic Substances Control Act)

The information provided in this Safety Data Sheet is correct to the best of our knowledge, Disclaimer

information and belief at the date of its publication. The information given is designed only

Safety Data Sheet

Kemgard® 620

Issue Date 25/Jan/2024 Print Date 26/Jan/2024 Revision Number 1.3.4 Page 9 of 9

as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet