

Kemgard® 620

GHS (Globally Harmonized System)

Issue Date 25/Jan/2024 Revision Number 1.3.4

Print Date 26/Jan/2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: Kemgard® 620

Pure substance/mixture Mixture

Aluminum Hydroxide

CAS Number 21645-51-2

EU REACH registration 01-2119529246-39

number

Zinc Molybdenum Oxide

CAS Number 22914-58-5

61583-60-6

EU REACH registration

number

01-2120800481-68-0000

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Flame retardant Smoke suppressant

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company: J.M. Huber Corporation

3100 Cumberland Boulevard, Suite 600

Atlanta, GA 30339 USA Tel: +1 678 247-7300

Internet www.huberadvancedmaterials.com

E-mail hubermaterials@huber.com

1.4. Emergency telephone

number

CHEMTREC: +1 800 424 9300 or International +1 703 527 3887

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Kemgard® 620

Issue Date 25/Jan/2024 Revision Number 1.3.4 Print Date 26/Jan/2024

Page 2 of 11

GHS Classification Considered a hazardous substance or mixture according to the Globally

Harmonized System (GHS)

Hazards identification

Physical Hazard Not classified

Health Hazards Specific target organ toxicity (STOT) - repeated exposure, category 2

Chronic Aquatic Toxicity Category 3 **Environmental Hazard**

2.2. Label elements

Symbols/Pictograms



Signal Word Warning

Hazard Statement May cause damage to organs (kidney) through prolonged or repeated exposure

Harmful to aquatic life with long lasting effects

Precautionary Statements

Prevention Do not handle until all safety precautions have been read and understood

Employ good industrial hygiene practice

Do not breathe dust

Wear protective gloves/protective clothing/eye protection/face protection

Avoid release to the environment

Response Get medical help if you feel unwell

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing IF ON SKIN: Wash with plenty of soap and water

Storage Keep in a dry place. Store away from incompatible materials. Collect spillage.

Dispose of contents/containers in accordance with local regulations. See Section Disposal

13: DISPOSAL CONSIDERATIONS.

SECTION 3: Composition/information on ingredients

Pure substance/mixture Mixture

Chemical Name	CAS Number	TSCA: United States	EU REACH registration number
Aluminum Hydroxide	21645-51-2	A	01-2119529246-39
Zinc Molybdenum Oxide	22914-58-5	А	01-2120800481-68-0000

Safety Data Sheet

Kemgard® 620

Issue Date 25/Jan/2024 Revision Number 1.3.4 Print Date 26/Jan/2024

Page 3 of 11

61583-60-6

SECTION 4: First aid measures

4.1. Description of first aid measures

General Advice When in doubt or if symptoms are observed, get medical advice. Ensure that

medical personnel are aware of the material(s) involved and take precautions to

protect themselves.

In case of eye contact, remove contact lens and rinse immediately with plenty of **Eye Contact**

water, also under the eyelids, for at least 15 minutes.

Skin Contact Wash with plenty of soap and water.

Inhalation Do not breathe dust. IF INHALED: Remove to fresh air and keep at rest in a

position comfortable for breathing.

Ingestion Rinse mouth thoroughly with water.

Aspiration hazard Not an expected route of exposure.

Notes to Physician Treat symptomatically.

4.2. Most important symptoms and effects, both acute and

delayed

Dust contact with the eyes can lead to mechanical irritation. Contact with dust can

cause mechanical irritation or drying of the skin.

medical attention and special

treatment needed

4.3. Indication of any immediate Treat symptomatically. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of

contamination.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing

Media

Use extinguishing agent suitable for type of surrounding fire. Water spray (fog). Dry chemical. Foam. Carbon dioxide (CO2).

Unsuitable Extinguishing Media

Do not use water jetstream.

5.2. Special hazards arising from the substance or mixture

Non-combustible.

Safety Data Sheet

Kemgard® 620

Issue Date 25/Jan/2024 Revision Number 1.3.4 Print Date 26/Jan/2024

Page 4 of 11

5.3. Advice for firefighters

Special protective

equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

Water mist may be used to cool closed containers.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Ensure adequate ventilation. Use personal protection

recommended in Section 8. Keep unauthorized personnel away.

Keep unauthorized personnel away. For non-emergency personnel

For emergency responders Keep unauthorized personnel away. Use personal protection recommended in

Section 8.

6.2. Environmental precautions Avoid runoff to waterways and sewers.

6.3. Methods and material for containment and cleaning up Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a

vacuum to collect dust Small Spill: Vacuum or sweep material and place in a

disposal container

6.4. Reference to other sections Section 8: Exposure controls and personal protection. See Section 13 for

additional waste treatment information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid exposure - obtain special instructions before use

Do not handle until all safety precautions have been read and understood.

Minimize dust generation and accumulation

Ensure adequate ventilation

Handle in accordance with good industrial hygiene and safety practice

Use personal protective equipment as required

7.2. Conditions for safe storage, Keep container tightly closed and dry including any incompatibilities Store away from incompatible materials

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Safety Data Sheet

Kemgard® 620

Issue Date 25/Jan/2024 Revision Number 1.3.4 Print Date 26/Jan/2024

Page 5 of 11

Occupational exposure limits

Biological Limit Values None

Recommended monitoring

procedures

Refer also to national guidance documents for information on currently

recommended monitoring procedures

8.2. Exposure controls

Engineering Measures Do not handle until all safety precautions have been read and understood

Ensure adequate ventilation, especially in confined areas

Provide a good standard of controlled ventilation (10 to 15 air changes per hour) Use exhaust ventilation to keep airborne concentrations below exposure limits

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment

Wear safety glasses with side shields (or goggles). **Eye/Face Protection**

Skin and Body Protection Wear suitable protective clothing.

Thermal hazards None known.

Hygiene Measures Follow general hygiene considerations recognized as common good workplace

practices

Environmental Exposure

Controls

Dispose of in accordance with local regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:

Solid Powder **Physical State** White to off-white Color

Odorless Odor

No information available **Odor Threshold** pH: 8.4 (5% water suspension)

Not applicable **Melting Point / Melting Range** Not applicable Melting point / Freezing point Not applicable **Boiling Point Freezing Point** Not applicable **Flash Point** Non-combustible **Evaporation Rate** Not applicable. Flammability (solid, gas) Not applicable

Upper flammability limit: Lower flammability limit:

Kemgard® 620

Issue Date 25/Jan/2024 Revision Number 1.3.4 Print Date 26/Jan/2024

Page 6 of 11

Not applicable **Vapor Pressure** Not applicable **Vapor Density Vapor Density** Not applicable 2.5 - 2.7 g/cm3, 20°C **Density** 2.6 g/cm3, 20° C **Relative Density Water Solubility** 11.7 mg/l, 25° C Solubility in other solvents No data available Partition coefficient Not applicable **Autoignition Temperature** Not applicable **Decomposition Temperature** No data available Not applicable. **Viscosity Kinematic viscosity** Not applicable

Not applicable **Oxidizing Properties** No information available **Particle Size**

VOC Content (%) Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

Not applicable

SECTION 10: Stability and reactivity

Stable under normal conditions 10.1. Reactivity

10.2. Chemical stability Stable under normal conditions

10.3. Possibility of hazardous

reactions

No specific hazard known

10.4. Conditions to avoid Incompatible materials Dust formation

10.5. Incompatible materials None known

10.6. Hazardous decomposition None known

products

SECTION 11: Toxicological information

General Information Users are advised to consider national Occupational Exposure Limits or other

equivalent values.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Safety Data Sheet

Kemgard® 620

Issue Date 25/Jan/2024 Revision Number 1.3.4
Print Date 26/Jan/2024 Page 7 of 11

Aluminum Hydroxide

Oral LD50 > 2000 mg/kg Rat

Inhalation LC50 Rat > 2.3 mg/l (Al2O3) Aerosol Maximum attainable concentration

IARC Not Listed

Zinc Molybdenum Oxide

Oral LD50 >10000 mg/kg Rat

IARC Not Listed

Target Organ Effects Kidney (based on tubular degeneration/regeneration of male Han Wistar rats at

125 mg/kg/day)

Acute Toxicity No data available

Respiratory Sensitization Inhalation of dust in high concentration may cause irritation of respiratory system.

Serious eye damage/eye

irritation

Dust may cause mechanical irritation to eyes

Skin Corrosion/Irritation Prolonged or repeated contact may dry skin and cause irritation

Skin Sensitization Not a skin sensitizer

Mutagenicity No data available

Reproductive EffectsThis product does not contain any known or suspected reproductive hazards.

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed

by OSHA, IARC or NTP.

Target Organ Effects Skin. Eyes. Respiratory system.

Specific target organ toxicity -

Single exposure

No data available.

Specific target organ toxicity -

Repeated exposure

May cause damage to organs through prolonged or repeated exposure if inhaled.

Kidney.

Mixture versus substance

information

Mixture

Information on Likely Routes of Exposure

Inhalation Avoid inhalation of the product

Ingestion Ingestion is not a likely route of exposure

Skin Prolonged or repeated contact may dry skin and cause irritation

Eyes Dust contact with the eyes can lead to mechanical irritation

Aspiration hazard Not an expected route of exposure.

11.2. Information on other hazards

Safety Data Sheet

Kemgard® 620

Issue Date 25/Jan/2024 Revision Number 1.3.4 Print Date 26/Jan/2024

Page 8 of 11

11.2.1. Endocrine disrupting

This product does not contain any known or suspected endocrine disruptors

properties

11.2.2. Other information Not applicable

SECTION 12: Ecological information

Harmful to aquatic life with long lasting effects Avoid release to the environment 12.1. Toxicity

Aluminum Hydroxide

WGK Classification (AwSV) 5220 WGK: nwg

12.2. Persistence and

degradability

No data available.

12.3. Bioaccumulative potential No data available.

Partition coefficient Not applicable

Bioconcentration factor

(BCF)

No data available.

12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB

assessment

No data available.

12.6. Endocrine disrupting

properties

This product does not contain any known or suspected endocrine disruptors

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal should be in accordance with applicable regional, national and local laws **Disposal Methods**

and regulations.

Product residue may remain in empty containers. Empty containers should be **Contaminated Packaging**

taken to an approved waste handling site for recycling or disposal.

Waste codes Waste codes should be assigned by the user based on the application for which

the product was used

Aluminum Hydroxide

European Waste Catalog 060299

Kemgard® 620

Revision Number 1.3.4 Issue Date 25/Jan/2024 Print Date 26/Jan/2024

Page 9 of 11

WGK Classification (AwSV) 5220 WGK: nwg

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada Not regulated DOT Not regulated Not regulated **ADR** Not regulated RID **IATA** Not regulated IMDG/IMO Not regulated Not regulated **ICAO**

14.1. UN number None

14.2. UN proper shipping name None

14.3. Transport hazard class(es) None

Subsidiary Risk

14.4. Packing group None

14.5. Environmental hazards No

14.6. Special precautions for Not applicable

user

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global Inventories

Pure substance/mixture Mixture

Chemical Name	CAS Number	EC No	Australia (AIIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	Thailand (TECI)		Philippine s (PICCS)	Taiwan	TSCA: United States
Aluminum Hydroxide	21645-51- 2	244-492-7	Y	Υ	Y	(1)-17 (ENCS); ISHL	KE-00980	Y	55-1-0259 4	Y	Y	Υ	Α
Zinc Molybdenum	22914-58-	245-322-4	N	Y:	Υ	(1)-781	KE-11910	Y:	Y	Υ	Υ	Υ	Α

Safety Data Sheet

Kemgard® 620

Issue Date 25/Jan/2024 Revision Number 1.3.4 Print Date 26/Jan/2024

Page 10 of 11

Oxide	5	DSL-2291	(ENCS)(IS	(MO-gene			
	61583-60-	4-58	HL) [rics)			
	6	-5						
		NDSL:						
		61583-60-						
		6						

Aluminum Hydroxide

EU REACH registration number 01-2119529246-39 Turkish KKDIK pre-registration 05-0000193352-73-0000

Zinc Molybdenum Oxide

EU REACH registration number 01-2120800481-68-0000

Harmful to aquatic life with long lasting effects Avoid release to the environment

Aluminum Hydroxide

WGK Classification (AwSV) 5220 WGK: nwg

15.2. Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance

SECTION 16: Other information

Prepared by Huber Engineered Materials Global Regulatory Affairs

email: regulatory.affairs@huber.com.

GHS Classification Considered a hazardous substance or mixture according to the Globally

Harmonized System (GHS)

Symbols/Pictograms



Signal Word Warning

Hazard Statements May cause damage to organs (kidney) through prolonged or repeated exposure

Harmful to aquatic life with long lasting effects

Hazards identification

Not classified **Physical Hazard**

Health Hazards Specific target organ toxicity (STOT) - repeated exposure, category 2

Safety Data Sheet

Kemgard® 620

Issue Date 25/Jan/2024 Print Date 26/Jan/2024 Revision Number 1.3.4 Page 11 of 11

Environmental Hazard

Chronic Aquatic Toxicity Category 3

Abbreviations and acronyms

IARC (International Agency for Research on Cancer)
IATA (International Air Transport Association)
IMDG (International Maritime Dangerous Goods)

IUCLID (International Uniform Chemical Information Database) WHMIS (Workplace Hazardous Materials Information System) EPA SARA Title III Section 312 (40 CFR 370) Hazard Classification

DOT (Department of Transportation)

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

TWA (Time-Weighted Average)

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008))

PPE (Personal Protection Equipment)

NIOSH (National Institute for Occupational Safety and Health)

TDG (Transport of Dangerous Goods) Canada

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)

RQ (Reportable Quantity) (RQ/% in mixture)

STEL (Short Term Exposure Limit) TLV® (Threshold Limit Value) DNEL (Derived No Effect Level)

SVHC (Substances of Very High Concern)

Land transport (ADR/RID)

BOD (Biochemical oxygen demand) COD (Chemical oxygen demand)

ICAO (International Civil Aviation Organization)
IMDG (International Maritime Dangerous Goods)

SCBA (Self-Contained Breathing Apparatus) Positive Pressure

PNEC (Predicted No Effect Concentration)
GHS (Globally Harmonized System)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet