

Hubercarb® Q325

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 COMMISSION REGULATION (EU) No. 2020/878

Issue Date 30/Apr/2024 Print Date 07/May/2024 Revision Number 1.3.3 Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name: Hubercarb® Q325

Pure substance/mixture Substance

- 1.2. Relevant identified uses of the substance or mixture and uses advised against
 - Recommended Use Filler Functional additive
 - Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Manufacturer	Huber Carbonates, LLC 3100 Cumberland Boulevard, Suite 600 Atlanta, GA 30339 USA	
	Tel: +1 678 247-7300	

- Internet www.hubermaterials.com
- Contact E-Mail hubermaterials@huber.com
- 1.4. Emergency telephone CHEMTREC: +1 800 424 9300 or International +1 703 527 3887 number
- Poison control center phone
numberNational Anti-Poison Center
UK: +44 844 892 0111 (National Poisons
Information Service)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

(CLP) Regulation (EC 1272/2008)

Hazards identification Physical Hazard Not classified

Safety Data Sheet

Hubercarb® Q325

Issue Date 30/Apr/2024 Print Date 07/May/2024	Revision Number 1.3.3 Page 2 of 12
Health Hazards	Carcinogenicity category 1A Specific target organ toxicity (STOT) - repeated exposure, category 2 Lungs
Environmental Hazard	Not classified
2.2. Label elements	
Symbols/Pictograms	
Signal Word	Danger
Hazard Statements	H350 - May cause cancer H373 - May cause damage to organs through prolonged or repeated exposure
Precautionary Statements	
Prevention	P201 - Obtain special instructions before use P202 - Do not handle until all safety precautions have been read and understood P260 - Do not breathe dust P280 - Wear protective gloves/protective clothing/eye protection/face protection
Response	P308 + P313 - IF exposed or concerned: Get medical advice/attention
Storage	P405 - Store locked up
Disposal	P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.
Additional Information:	Not applicable.
2.3. Other hazards	No information available.

SECTION 3: Composition/information on ingredients

Substance

Chemical Name	CAS Number	EC No	(CLP) Regulation (EC 1272/2008)	Weight-%
Limestone	1317-65-3	215-279-6	Not classified.	97 - 100
Crystalline Silica, quartz (impurity)	14808-60-7	238-878-4	Carcinogenicity category 1A. Specific target organ toxicity (STOT) - repeated exposure, category 2.	0.2 - 2

Hubercarb® Q325

Issue Date 30/Apr/2024 Print Date 07/May/2024 Revision Number 1.3.3 Page 3 of 12

Respiratory system.

SECTION 4: First aid measures

4.1. Description of first aid measures

General Advice	When in doubt or if symptoms are observed, get medical advice.
Eye Contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Skin Contact	Wash with plenty of soap and water.
Inhalation	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
Ingestion	Rinse mouth thoroughly with water.
Aspiration hazard	Not an expected route of exposure.
Notes to Physician	Treat symptomatically.
4.2. Most important symptoms and effects, both acute and delayed	Signs and symptoms may include coughing, gasping, choking and difficulty breathing.
4.3. Indication of any immediate medical attention and special treatment needed	IF exposed or concerned: Get medical advice/attention. Treatment should be symptomatic and supportive. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing

Media Water spray (fog). Foam. Dry chemical. Carbon dioxide (CO2).

Unsuitable Extinguishing Media None known.

5.2. Special hazards arising from the substance or mixture Do not breathe dust.

5.3. Advice for firefighters

Special protective

HUBER

Hubercarb® Q325

Issue Date30/Apr/2024Print Date07/May/2024

HUBER

Revision Number 1.3.3 Page 4 of 12

equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

Fire-fighting measures

In case of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures	Keep unauthorized personnel away. Use personal protection recommended in Section 8. Avoid dust formation. Ensure adequate ventilation.
For non-emergency personnel	Keep unauthorized personnel away.
For emergency responders	Keep unauthorized personnel away. Use personal protection recommended in Section 8.
6.2. Environmental precautions	Avoid runoff to waterways and sewers.
6.3. Methods and material for containment and cleaning up	Large Spill: Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust Small Spill: Vacuum or sweep material and place in a disposal container
6.4. Reference to other sections	Section 8: Exposure controls and personal protection. See Section 13 for additional waste treatment information.
05	

SECTION 7: Handling and storage

7.1. Precautions for safe	Avoid exposure - obtain special instructions before use
handling	Ensure adequate ventilation
	Do not breathe dust
	Use personal protective equipment as required
	Handle in accordance with good industrial hygiene and safety practice

7.2. Conditions for safe storage, Keep container tightly closed and dry **including any incompatibilities** Store away from incompatible materials

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

Limestone ACGIH OSHA

10 mg/m³ Total Dust, 3 mg/m³ Respirable Dust 5 mg/m³ TWA (respirable fraction)

Hubercarb® Q325

Issue Date 30/Apr/2024 Print Date 07/May/2024 Revision Number 1.3.3 Page 5 of 12

	15 mg/m³ TWA (total dust)
France	10 mg/m ³
Italy	10 mg/m ³
United Kingdom	10 mg/m ³ TWA (inhalable dust); 4 mg/m ³ TWA (respirable dust)
Crystalline Silica, quartz (impurity)	
ACGIH	TWA: 0.025 mg/m ³ respirable fraction
OSHA	TWA: 0.05 mg/m ³
	OSHA Action level: 0.025 mg/m ³
NIOSH	0.05 mg/m ³ TWA (respirable dust)
Austria	MAK: 0,15 mg/m ³ (respirable dust)
Belgium	TWA: 0,1 mg/m ³ (respirable dust)
Bulgaria	TWA: 0,07 mg/m ³ (respirable fraction)
Croatia	MAC: 0,1 mg/m ³
Czech Republic	TWA: 0,1 mg/m ³ (respirable dust)
Denmark	TLV 0,3 mg/m ³ (total)
Fatania	0,1 mg/m ³ (respirable)
Estonia	TWA: 0,1 mg/m ³ (respirable dust)
Finland	TWA: 0,05 mg/m ³ (respirable) VME: 0,1 mg/m ³ (restrictive limit, alveolar fraction)
France Hungary	TWA: 0,15 mg/m ³ (respirable)
Iceland	TWA: 0,15 mg/m ³ (total dust)
Icelanu	0,1 mg/m ³ (respirable dust)
Ireland	TWA: 0,1 mg/m ³ (respirable dust)
Italy	TWA: 0,025 mg/m ³ (respirable fraction)
Italy	TWA: 0,025 mg/m ³ (respirable fraction)
Lithuania	TWA: 0,1 mg/m ³ (respirable fraction)
Netherlands	TWA: 0,075 mg/m ³ (respirable dust)
Norway	TLV: 0,3 mg/m ³ (total dust)
	0,1 mg/m ³ (respirable dust)
Poland	TWA: 2 mg/m ³ (total dust)
	0,3 mg/m ³ (respirable dust)
Portugal	TWA: 0,025 mg/m ³ (respirable fraction)
Slovakia	TWA: 0,1 mg/m ³ (respirable fraction)
Slovenia	TWA: 0,15 mg/m ³ (respirable fraction)
Spain	VLA-ED TWA: 0,1 mg/m ³ (respirable fraction)
Sweden	TWA: 0,1 mg/m ³ (respirable dust)
Switzerland	TWA: 1, 15 mg/m ³ (respirable dust)
United Kingdom	TWA: 0,1 mg/m ³ (respirable)
Recommended monitoring procedures	Refer also to national guidance documents for information on currently recommended monitoring procedures
p. 000 all 00	
Biological Limit Values	No information available
DNEL (Derived No Effect Level)	No information available
PNEC (Predicted No Effect Conc	entration) No information available

8.2. Exposure controls

Engineering Measures

Safety Data Sheet

Hubercarb® Q325

Issue Date 30/Apr/2024 Print Date 07/May/2024	Revision Number 1.3.3 Page 6 of 12
Personal protective equipment	
Eye/Face Protection	Wear safety glasses with side shields (or goggles).
Skin and Body Protection	Wear suitable protective clothing.
Hand Protection	For operations where prolonged or repeated skin contact may occur, impervious gloves should be worn.
Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Thermal hazards	None known.
Hygiene Measures	Follow general hygiene considerations recognized as common good workplace practices The worker should wash daily at the end of each work shift, and prior to eating, drinking, smoking, etc
Environmental Exposure Controls	Dispose of in accordance with local regulations

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties Appearance:

Appearance:	
Physical State	Solid
Color	White
Odor	Odorless
Odor Threshold	No information available
pH:	8.4-10.2 (5% water suspension)
Melting point / Freezing point	Not applicable
Boiling Point	Not applicable
Freezing Point	Not applicable
Flash Point	Not applicable
Evaporation Rate	Not applicable.
Flammability (solid, gas)	Not applicable
Upper flammability limit:	
Lower flammability limit:	
Vapor Pressure	Not applicable
Vapor Density	Not applicable
Density	No data available
Relative Density	2.7 g/cm3 @ 20°C
Water Solubility	0.01 g/l (Practically insoluble) @ 20°C
Solubility in other solvents	No information available
Partition coefficient	Not applicable
Autoignition Temperature	Not applicable
Decomposition Temperature	1292 - 1652 °F (700 - 900 °C)
Viscosity	Not applicable.

Safety Data Sheet

Hubercarb® Q325

Issue Date30/Apr/2024Print Date07/May/2024

Revision Number 1.3.3 Page 7 of 12

Kinematic viscosity Explosive Properties Oxidizing Properties Particle Size VOC Content (%) Not applicable Not applicable Not applicable No information available Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes Not applicable

9.2.2. Other safety characteristics Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity	None
10.2. Chemical stability	Stable
10.3. Possibility of hazardous reactions	No specific hazard known
10.4. Conditions to avoid	Incompatible materials
10.5. Incompatible materials	Strong acids
10.6. Hazardous decomposition products	None known

SECTION 11: Toxicological information

General Information	Users are advised to consider national Occupational Exposure Limits or other equivalent values.	
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008		
Limestone Oral LD50	6450 mg/kg Rat	
Crystalline Silica, quartz (impurity)		
LD50s and LC50s	500 mg/kg Oral LD50 Rat	
Oral LD50	500 mg/kg Rat Mouse	
ACGIH IARC	Group 2A - Probably Carcinogenic to Humans Group 1 - Carcinogenic to Humans	

Safety Data Sheet

Hubercarb® Q325

Issue Date 30/Apr/2024 Print Date 07/May/2024 Revision Number 1.3.3 Page 8 of 12

Acute Toxicity	Users are advised to consider national Occupational Exposure Limits or other equivalent values				
Chronic Toxicity	Potential occupational carcinogen.				
Chronic Effects	Extended inhalation at levels above the workplace limit value can cause irreversible damage to the lungs (silicosis).				
Respiratory Sensitization	Based on available data, the classification criteria are not met				
Serious eye damage/eye irritation	Based on available data, the classification criteria are not met				
Skin Corrosion/Irritation	Based on available data, the classification criteria are not met				
Skin Sensitization	Based on available data, the classification criteria are not met				
Mutagenicity	Based on available data, the classification criteria are not met				
Reproductive Effects	Based on available data, the classification criteria are not met.				
Carcinogenicity	Crystalline silica (quartz) has been classified by the International Agency for Research on Cancer (IARC) as a known human carcinogen (Group 1).				
Target Organ Effects	Respiratory system. Immune system. Kidney.				
Specific target organ toxicity - Single exposure	No information available.				
Specific target organ toxicity - Repeated exposure	May cause damage to organs through prolonged or repeated exposure. Respiratory system. Immune system. Kidney.				
Information on Likely Routes of Exposure					
Inhalation	Extended inhalation at levels above the workplace limit value can cause irreversible damage to the lungs (silicosis)				
Ingestion	Ingestion is not a likely route of exposure				
Skin	Contact with dust can cause mechanical irritation or drying of the skin				
Eyes	Avoid contact with eyes Dust contact with the eyes can lead to mechanical irritation				
Aspiration hazard	Not an expected route of exposure.				
Symptoms related to the physical, chemical and toxicological characteristics	Contact with dust can cause mechanical irritation or drying of the skin. Dust may cause mechanical irritation to eyes. May cause irritation. Mucous Membrane. respiratory tract.				

Safety Data Sheet

Hubercarb® Q325

Issue Date 30/Apr/2024 Print Date 07/May/2024 Revision Number 1.3.3 Page 9 of 12

11.2.1. Endocrine disrupting This product does not contain any known or suspected endocrine disruptors **properties**

11.2.2. Other information Not applicable

SECTION 12: Ecological information

12.1. Toxicity Not considered to be harmful to aquatic life Limestone WGK Classification (AwSV) 317 WGK: nwg Crystalline Silica, quartz (impurity) WGK Classification (AwSV) 849 WGK: nwg 12.2. Persistence and Not readily biodegradable. degradability 12.3. Bioaccumulative potential None. Partition coefficient Not applicable **Bioconcentration factor** Not available. (BCF) 12.4. Mobility in soil None. 12.5. Results of PBT and vPvB This substance does not meet the criteria for classification as PBT or vPvB. assessment 12.6. Endocrine disrupting This product does not contain any known or suspected endocrine disruptors properties

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal Methods	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.
Waste codes	Waste codes should be assigned by the user based on the application for which the product was used

Hubercarb® Q325

Issue Date30/Apr/2024Print Date07/May/2024

Revision Number 1.3.3 Page 10 of 12

Limestone

European Waste Catalog10130414WGK Classification (AwSV)317 WGK: nwgCrystalline Silica, quartz (impurity)WGK Classification (AwSV)849 WGK: nwg

SECTION 14: Transport information

Mode of Transportation (Road, Water, Air, Rail)

TDG -Canada	Not regulated
DOT	Not regulated
ΙΑΤΑ	Not regulated
IMDG/IMO	Not regulated
ICAO	Not regulated

- **14.2. UN proper shipping name** None
- 14.3. Transport hazard class(es) None
- 14.4. Packing group None
- 14.5. Environmental hazards No
- 14.6. Special precautions for Not applicable user

14.7. Maritime transport in bulk according to IMO instruments Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global Inventories

Pure substance/mixture

Substance

Chemical Name	CAS Number	EC No	Australia (AIIC)	Canada (DSL)	China (IECSC)	Japan	S. Korea (KECL)	Mexico	Thailand (TECI)		Philippine s (PICCS)	Taiwan	TSCA: United States
Limestone	1317-65-3	215-279-6	Y	Y (NDSL)	Y	(1)-122(E NCS)(ISH L)	KE-21996	Y	55-1-0141 1	Y	Y	Y	A
Crystalline Silica, quartz (impurity)	-	238-878-4	Ŷ	Ŷ	Ŷ	(1)-548(E NCS)(ISH L)	KE-29983	Ŷ	55-1-0194 1	Ŷ	Ŷ	Ŷ	A

X / Y: Complies ; A: Active ; - / N: Exempt / Not Listed

Hubercarb® Q325

Issue Date 30/Apr/2024 Print Date 07/May/2024 Revision Number 1.3.3 Page 11 of 12

REACH No.

Limestone EU REACH registration number Exempt Crystalline Silica, quartz (impurity) EU REACH registration number Exempt

 Germany

 Not considered to be harmful to aquatic life

 Limestone

 WGK Classification (AwSV)

 317 WGK: nwg

 Crystalline Silica, quartz (impurity)

 WGK Classification (AwSV)

 849 WGK: nwg

15.2. Chemical safety assessment

A Chemical Safety Assessment is not required for this substance

SECTION 16: Other information

Reason for Revision	This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 & COMMISSION REGULATION (EU) No. 2020/878
Issue Date Print Date Revision Number	30/Apr/2024 07/May/2024 1.3.3
Prepared by	Huber Engineered Materials Global Regulatory Affairs email: regulatory.affairs@huber.com.

(CLP) Regulation (EC 1272/2008)

Labeling

Symbols/Pictograms



Danger

Signal Word

Hazard Statements

H350 - May cause cancer. H373 - May cause damage to organs through prolonged or repeated exposure.

Hubercarb® Q325

Issue Date 30/Apr/2024 Print Date 07/May/2024

Revision Number 1.3.3 Page 12 of 12

Training Advice	Do not handle until all safety precautions have been read and understood.
Abbreviations and acronyms	IARC (International Agency for Research on Cancer) IUCLID (International Uniform Chemical Information Database) WHMIS (Workplace Hazardous Materials Information System) OSHA (Occupational Safety and Health Administration of the US Department of Labor) TWA (Time-Weighted Average) CLP (The Classification, Labeling and Packaging of Substances and Mixtures Regulation (EC 1272/2008)) PPE (Personal Protection Equipment) NIOSH (National Institute for Occupational Safety and Health) CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act) RQ (Reportable Quantity) (RQ% in mixture) STEL (Short Term Exposure Limit) TLV® (Threshold Limit Value) DNEL (Derived No Effect Level) SVHC (Substances of Very High Concern) BOD (Biochemical oxygen demand) COD (Chemical oxygen demand) ICAO (International Maritime Dangerous Goods) ADR (European Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement Concerning the International Carriage of Dangerous Goods by Road) RID (Agreement of Transport Association) IMDG (International Maritime Dangerous Goods) DOT (Department of Transportation) IMDG (International Barating Dangerous Goods) DOT (Department of Transportation) TDG (Transport of Dangerous Goods) Canada PNEC (Predicted No Effect Concentration) SCBA (Self-Contained Breathing Apparatus) Positive Pressure GHS (Globally Harmonized System) TSCA (Toxic Substances Control Act)
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet